Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Education Advanced Subsidiary Examination June 2013

Applied Science

SC02

Unit 2 Energy Transfer Systems

Thursday 16 May 2013 9.00 am to 10.30 am

For this paper you must have:

- a pencil
- a ruler
- a calculator.

Time allowed


• 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show the working of your calculations.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You are expected to use a calculator where appropriate.



Answer all questions in the spaces provided.

1	Healthcare professior the health of patients.		ethods to diagnose illness and to monitor
1 (a)	This question is about comparing different imaging methods:		
	X-rays	ultrasound	magnetic resonance imaging
1 (a) (i)	State two advantages X-rays.	s and one disadvantage	of using ultrasound compared with using
	Advantage 1		
	Disadvantage		
			(3 marks)
1 (a) (ii)	State two advantages magnetic resonance i		of using X-rays compared with using
	Advantage 1		
	Advantage 2		
	Disadvantage		
			(3 marks)



1 (b)	Which of the imaging methods in part 1(a) would be most appropriate to use in each of the following situations?
1 (b) (i)	To find out if a person has a broken leg.
	(1 mark)
1 (b) (ii)	To find out if a person has a brain tumour.
	(1 mark)
1 (c)	Scientists have developed a new method of using radioactive tracers to diagnose brain damage. They want to test the method on human patients. Before starting clinical trials, they submit their research plan to an ethics committee. Briefly discuss the issues that the ethics committee need to consider before giving permission for the trials to take place.
	(3 marks)

Turn over for the next question


11



2 (a) A student designed an experiment to investigate *aerobic respiration* in small organisms.

He placed five woodlice in the top of the respiration chamber. Soda lime granules in the bottom of the respiration chamber absorbed carbon dioxide produced by the woodlice. The woodlice were not harmed during the experiment. **Figure 1** shows the equipment that was used.

Figure 1



(1 mark)
(2 marks)



2 (b) (i)	How would the levels of fluid in the arms of the manometer change during the investigation?
	(1 mark)
2 (b) (ii)	Explain your answer to part 2(b)(i).
	(2 marks)
2 (c) (i)	The student set up a second experiment, but replaced the soda lime with water. In Figure 2 , which diagram, A , B or C , shows what you would expect the fluid levels in the manometer to be after the same length of time?
	Circle the correct letter.
	Figure 2 A B C (1 mark)
2 (c) (ii)	Explain your answer to part 2(c)(i).
,	
	(2 marks)

Turn over ▶



2 (d)	The student was asked to work out the respiratory quotient for the woodlice.	
	The respiratory quotient (RQ) is defined as the ratio of the volume of carbon of produced to the volume of oxygen consumed.	dioxide
	Use your knowledge of aerobic respiration and your answer to part 2(a)(ii) to the RQ for the woodlice.	determine
		(1 mark)
2 (e) (i)	In a third experiment, germinating peas were used instead of woodlice. Soda lime granules were placed in the bottom of the respiration chamber. The peas mostly use anaerobic respiration to produce energy. Anaerobic respiration is a process that does not require oxygen.	
	How would you expect the RQ for the germinating peas to compare with the I woodlice?	RQ for the
		(1 mark)
2 (e) (ii)	Explain your answer to part 2(e)(i).	
		(1 mark)



People who suffer from asthma often experience difficulties in breathing. Asthma is a respiratory condition in which the airways become inflamed and narrow. A nurse wanted to find out if a woman had asthma and asked her to have some tests done to assess her lung function. Her test results are shown in **Table 1**.

Table 1

	Test results	Normal female values
Vital capacity (dm³)	2.8	
Expiratory peak flow rate (dm³)	300	

3 (a) (i)	Write the normal female values for each lung function in Table 1 .	(2 marks)
3 (a) (ii)	Explain whether or not the results in Table 1 would support a diagnosis of astl	hma.
		 (1 mark)
3 (a) (iii)	What would you expect to happen to the rate and depth of the woman's breath she is having an asthma attack?	ning when
	Rate	
	Depth	
		(2 marks)

Question 3 continues on the next page




Turn over ▶

3 (b)	People visiting places at very high altitudes sometimes experience altitude sickness. There is less oxygen available at high altitudes, leading to less oxygen in the blood.
3 (b) (i)	What effects might altitude sickness have on a person's breathing?
	(2 marks)
3 (b) (ii)	What effect might altitude sickness have on a person's heart rate?
	(1 mark)

Air travels into and out of the lungs through the trachea. **Figure 3** shows a cross section through the trachea.






3 (c)

For each of the structures listed below, state its function and say why it is important.
Ring of cartilage:
Function
Importance
(2 marks)
Cilia:
Function
Importance
(2 marks)

Question 3 continues on the next page

3 (d) Figure 4 shows a small part of a human lung.





3 (d) (i)	Give two features of alveoli that help the diffusion of gases.
	1
	2
	(2 marks)
3 (d) (ii)	Describe how the blood vessels shown in Figure 4 help in the exchange of gases between the blood and the air in the lungs.
	(3 marks)




17

An engineer has been asked to install a hydroelectric generator for a farmer who lives near a hill that is 50 m high.

11

A pipe runs down the hill, as shown in Figure 5 (viewed from the side).

Figure 5



4 (a)	Suggest three advantages of installing a hydroelectric generator rather than a diesel-powered generator.
	1
	2
	3
	(3 marks)
4 (b)	In the hydroelectric system, water from the top pool flows through a large, smooth pipe to the lower pool. Explain why it is important that the pipe should be smooth.
	(1 mark)

Question 4 continues on the next page

4 (c)	Calculate how much gravitational potential energy (GPE) is converted into other forms of energy when 8 kg of water flows down from the top pool through the generator to the lower pool. State the correct unit in your answer. Assume $g = 10 \mathrm{ms^{-2}}$.
	GPE =(3 marks)
4 (d)	The engineer stated that "not all the gravitational potential energy is converted into electrical energy at the generator".
	Name two forms of energy, other than electrical, that will be produced as the water flows down the hill and through the generator.
	1
	2(2 marks)
4 (e) (i)	Sometimes, the water flows fast enough to convert gravitational potential energy into other forms (including electrical energy) at a rate of 2000 W (2kW). However, the generator only produces 600 W of electrical power.
	What is the efficiency of this system?
	Efficiency –
	Efficiency =(2 marks)



4 (e) (ii)	Suggest two reasons why the generator may not produce a constant power of 600 W.
	1
	2
	(2 marks)
	(=
4 (f)	After the generator is set up and working, the farmer finds that the energy from the generator has saved him £43.20 in one month.
	What is the average power generated during this month? Include the correct unit in your answer.
	Assume that a month contains 720 hours, and that the farmer pays 15p per unit of electricity.
	A
	Average power =(3 marks)
	(5 marks)

16


Turn over for the next question





A lantern is made from a wire frame supporting a thin layer of paper. The lantern contains a small candle, as shown in **Figure 6** (side view).

Figure 6



5 (a)	What form of energy does the candle store before it is lit?	
	(1 mark)
5 (b)	Explain why the flame from the candle points upwards.	
		-
	(3 marks)
5 (c)	Paper burns easily, but lanterns made from paper are usually safe to use. Give two reasons why the candle flame does not heat the paper to burning point.	
	1	
		-
	2	
	(2 marks	· ;)



5 (d)	The lantern manufacturer ran out of white paper so they used black paper instead. Many of these black paper lanterns caught fire after the candle was lit.
	Explain why the paper in the black paper lanterns heated up more than the paper in the white lanterns did.
	(2 marks)
5 (e)	A typical lantern has a total surface area of $0.3\mathrm{m}^2$ and a <i>U</i> -value of 4 W m ⁻² °C ⁻¹ . When the candle has been burning for a reasonable time, the temperature difference between the heated air in the lantern and the air outside reaches a steady value of $20\mathrm{^{\circ}C}$.
	Use the equation:
	rate of heat loss = total surface area \times <i>U</i> -value \times temperature difference
	to calculate the rate at which heat is being emitted by the lantern.
	Rate =

Question 5 continues on the next page




5 (f)	The lantern manufacturer is concerned that the <i>U</i> -value for one of his lantern of is not known accurately. You are required to set up and run an experiment to the <i>U</i> -value of this type of lantern.	-
	You may wish to use bulbs, resistors, power packs, meters, and other measur equipment normally found in a Physics lab.	ing
5 (f) (i)	Describe how you would provide and measure a heat source to replace the cainside the lantern. You can draw a diagram to help you to answer this question.	ndle
		(2 marks)
5 (f) (ii)	State what temperature measurements you would make.	
		(2 marks)
5 (g)	It is suggested that a lantern of low weight might be able to fly, like a hot-air based suggest two negative effects on the environment of such flying lanterns.	alloon.
	1	
	2	
		(2 marks)



16

An adventure sports company has instructed an engineer to design a bungee jump. The jump is to be done from a disused bridge. A strong nylon rope is attached to a short rubber bungee cord. The nylon rope helps to bring the falling person to a safe stop, just before they reach the river surface, as shown in **Figure 7**. This nylon rope does not stretch when a bungee jump takes place.

Figure 7



On a first trial run, using a sandbag of mass 90 kg, the rubber bungee cord stretched so much that the sandbag went deep into the river. The engineer decided to replace the rubber bungee cord with new different cord that stretched much less when pulled by the same force.

6 (a)	Use your knowledge of momentum to explain why using this different cord might be harmful to the person jumping.
	(3 marks)

Question 6 continues on the next page

Turn over ▶



6 (b) (i)	The engineer estimates that a person with a mass of 90 kg will have gained 45 000 J of kinetic energy (KE) just before the cord starts to stretch. At what speed must this person be falling to have this kinetic energy?
	Speed = m s ⁻¹ (3 marks)
6 (b) (ii)	The new rubber cord brings this person to a halt in 3.0 seconds. At what rate is the cord converting energy from one form to another?
	Rate =W (2 marks)

END OF QUESTIONS



