Surname	Surname		Other	Names			
Centre Nur	Centre Number			Cand	lidate Number		
Candidate Signature							

For Examiner's Use

General Certificate of Education January 2008 Advanced Level Examination

APPLIED SCIENCE Unit 8 Medical Physics

SC08



Tuesday 22 January 2008 9.00 am to 10.30 am

For this paper you must have:

- a pencil and a ruler
- a calculator.

Time allowed: 1 hour 30 minutes

Instructions

- Use black ink or ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- Answer the questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show the working of your calculations.

Information

- The maximum mark for this paper is 80.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.

For Examiner's Use					
Question	Mark	Question	Mark		
1		5			
2		6			
3					
4					
Total (Column 1)					
Total (Column 2)					
TOTAL	TOTAL				
Examiner's Initials					

There are no questions printed on this page

Answer all questions in the spaces provided.

(a)	(i)	Which organ is monitored using an EEG machine?
		(1 mark)
	(ii)	How would a research student be able to tell, from the EEG trace, that the person was under stress?
		(1 mark)
(b)	(i)	Which organ is monitored using an ECG machine?
		(1 mark)
	(ii)	When the ECG is taken, gel is smeared between the electrodes and the skin. Why is this necessary?
		(2 marks)

Turn over for the next question

(a)	What are <i>X-rays</i> ?	
(b)	Why does breast cancer show up on X-ray images?	(2 marks)
		(2 marks)
(c)	What is <i>thermography</i> ?	
		(2
(d)	Why does breast cancer show up on a thermograph?	(2 marks)
		(2 marks)

(e)	Usin	g thermography is a much safer way of detecting breast cancer than using X-rays.
	(i)	Explain why thermography is safer.
		(3 marks)
	(ii)	Suggest why some doctors prefer to use X-rays rather than thermography even though thermography is safer.
		(2 marks)
(f)		scans make use of X-rays. two reasons why CAT scans are not used in routine screening for breast cancer.
	Reas	on 1
	Reas	on 2
		(2 marks)

(a)	(i)	What does this value suggest about the patient's blood pressure?	
			(1 mark,
	(ii)	What do the figures 80 and 50 represent?	
		80 is	
		50 is	(2 marks)
(b)	State	od pressure can be measured using either invasive or non-invasive method and explain two reasons why non-invasive methods are usually used to d pressure, even though invasive measurements give more accurate readi	measure
	Reas	son 1	
	•••••		
	Reas	son 2	
			(4 marks)
(c)		on a sphygmomanometer is used to measure blood pressure, the cuff is pland the upper arm.	,
(c)			,
(c)	arou	nd the upper arm.	,
(c)	arou	nd the upper arm.	,
(c)	arou	nd the upper arm.	aced

(d)	Complete the passage below, describing how the nurse uses the sphygmomanometer to measure blood pressure.
	'The patient is asked to sit down. The nurse wraps the sphygmomanometer cuff around the patient's upper arm'
	(4 marks)

Turn over for the next question

4 There are many different ways to treat soft tissue cancers, such as liver cancer. Two of these methods are described below.

Microwave Treatment

A small probe is inserted into the area to be treated. Microwaves are sent down the probe into the cancer cells. The energy from the microwaves destroys the cancer cells. The probe can be inserted using keyhole surgery.

Radiotherapy Treatment

A radioisotope is implanted in the area to be treated. It is then left in position for several weeks. The radiation emitted destroys the cancer cells. The radioisotope can be implanted using keyhole surgery.

(a)	State and explain two advantages of using microwave treatment rather than radioisotope implants to treat liver cancer.
	Advantage 1
	Explanation
	Advantage 2
	Explanation
	(6 marks)
(b)	Microwave surgery is a very new technique. Use this fact to suggest why radiotherapy, rather than microwave surgery, is used far more often to treat liver cancer.

(1 mark)

(c)	Both probes and implants can be inserted using either traditional open surgery or using keyhole surgery.
	State and explain one advantage and one disadvantage of using keyhole surgery rather than traditional open surgery.
	Advantage
	Explanation
	Disadvantage
	Explanation
	(4 marks)
(d)	Keyhole surgery usually involves the surgeon using an endoscope.
	(i) What is an endoscope?
	(1 mark)
	(ii) Explain how an endoscope works.
	(4 marks)
(e)	In traditional open surgery, one incision is usually made. Why does the surgeon usually have to make two incisions when carrying out keyhole surgery?
	(1 mark)

(a)	(i)	Write down the equation that links the velocity, frequency and wavelength of a wave.
		(1 mark)
	(ii)	Calculate the wavelength of the ultrasound wave used.
		Wavelength = m (2 marks)
(b)	diffe betw	asound images are produced by echoes of ultrasound waves. Different tissues have brent specific acoustic impedance values. Ultrasound waves reflect at the boundary ween different tissues. values of specific acoustic impedance for bone and soft tissue are given below. $Z_{(bone)} = 7780000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$
(b)	diffe betw	erent specific acoustic impedance values. Ultrasound waves reflect at the boundary veen different tissues. values of specific acoustic impedance for bone and soft tissue are given below.
(b)	diffe betw The	erent specific acoustic impedance values. Ultrasound waves reflect at the boundary reen different tissues. values of specific acoustic impedance for bone and soft tissue are given below. $Z_{(bone)} = 7780000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$
(b)	diffe betw The	erent specific acoustic impedance values. Ultrasound waves reflect at the boundary reen different tissues. values of specific acoustic impedance for bone and soft tissue are given below. $Z_{(bone)} = 7780000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$ $Z_{(soft\ tissue)} = 1630000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$ rulate the intensity reflection coefficient (α) when ultrasound waves travel from
(b)	diffe betw The	erent specific acoustic impedance values. Ultrasound waves reflect at the boundary reen different tissues. values of specific acoustic impedance for bone and soft tissue are given below. $Z_{\text{(bone)}} = 7780000\text{kg}\text{m}^{-2}\text{s}^{-1}$ $Z_{\text{(soft tissue)}} = 1630000\text{kg}\text{m}^{-2}\text{s}^{-1}$ rulate the intensity reflection coefficient (α) when ultrasound waves travel from
(b)	diffe betw The	erent specific acoustic impedance values. Ultrasound waves reflect at the boundary reen different tissues. values of specific acoustic impedance for bone and soft tissue are given below. $Z_{(bone)} = 7780000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$ $Z_{(soft\ tissue)} = 1630000\mathrm{kg}\mathrm{m}^{-2}\mathrm{s}^{-1}$ rulate the intensity reflection coefficient (α) when ultrasound waves travel from

(c)	When using ultrasound to investigate soft tissue, a gel is smeared on the patient's skin to ensure that there is no air between the ultrasound probe and the skin.					
	(i)	Why is it important that there is no air between the probe and the skin?				
		(1 mark)				
	(ii)	How should the specific acoustic impedance value of the gel compare with that of the skin?				
		(1 mark)				
d)		two reasons why ultrasound is preferred to X-rays for monitoring foetal lopment.				
	Reas	on 1				
	Reas	on 2				
		(2 marks)				

Turn over for the next question

- 6 A medical physics technician has been asked to check the penetration power of a new radioisotope. She knows that it is a beta (β) emitter.
 - (a) Design an experiment that could be carried out in the laboratory to measure the maximum penetration of the beta particles emitted by the source.

Include the following information

- a diagram showing the equipment you would use and how you would set it up
- a description of how you would use the equipment
- the results you would record
- how you would make sure the experiment was safe
- how you would make sure the results were reliable.

www.theallpapersneoks

••••	
••••	(3 marks
pro	ggest a suitable half-life for a beta emitter that would be used as an implant to treat state cancer. plain your choice.
На	lf-life
Ex	olanation
	(3 marks
	chnetium-99 is a very useful radioisotope. It is one of the most widely used for gnosis.
(i	Technetium-99 has a physical half-life of 6 hours. A 4g sample of technetium-99 is placed in a store cupboard. How much radioactive technetium-99 will be left 24 hours later?
	(2 marks
(ii	Explain why technetium-99's half-life makes it suitable for use as a tracer.
	(2 marks

Question 6 continues on the next page

(iii)	State two reasons, other than its half-life, why technetium-99 is one of the most widely used radioisotopes.
	Reason 1
	Reason 2
	Reason 2
	(2 marks)

END OF QUESTIONS

There are no questions printed on this page

There are no questions printed on this page