

General Certificate of Education

Applied Science 8771/8773/8776/8779

SC14 The Healthy Body

Mark Scheme

2007 examination - January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

(a)	Allow you to see where you are misowtte	ssing brushing your teeth	(1)(AO1)	1
(b)	INCISORS: slicing/cutting/tearing food – reject bite MOLARS: crushing/grinding food/chew		(1)(AO1) (1)(AO1)	2
(c)	The chemical/substance an enzym	e reacts withowtte	(1)(AO1)	1
(d)	Any 3 for 1 mark each Stomach is acidic/acid environment/has a low pH Amylase not active at acidic/low pH Cannot bind substrate; active site altered Becomes denatured		(3)(AO2)	3
(e)	Secretion Mucus Pepsin/protease (reject enzymes) Hydrochloric acid/HCl/acid	Function Protects stomach lining Digests proteins Kills bacteria	(1)(AO1) (1)(AO1) (1)(AO1)	3

Total Mark: 10

Question 2

(a)	High in fibre; prevention of constipation Low in fat; older people have slower metabolic rate High in complex carbohydrates; provide slow release of	(1)(AO2) (1)(AO2)	4
	energy Low in salt; reduces risk of hypertension; high iron	(1)(AO2) (1)(AO2)	
(b)	468/ 8266 x 100 = 5.66% Accept 5.6 – 5.7%	(2)(AO2)	2
(c)	(16.1 x 100)/115 = 14 mg / (4.8 x 100)35 = 13.7 mg	(2)(AO2)	2

Total Mark: 8

Question 3

	Client D diet is low in fats and proteins	(1)(AO2)	
(a)	Eating oily fish will provide protein; for growth repair; immune function And unsaturated fat Eating pulses will provide proteins will reduce	(1)(AO2) (1)(AO2)	4
	carbohydrate/too much carbohydrate	(1)(AO2)	
(b)	Diet is high in percentage fat	(1)(AO2)	
	Also high in proteins	(1)(AO2)	
	excluding the foods mentioned should reduce the intake of		4
	fat	(1)(AO2)	
	And protein; reduce risk of obesity/CHD/high cholesterol	(1)(AO2)	

(a)	Test a urine sample Use a dipstick test/clinistix/diastix	(1)(AO2) (1)(AO2)	
	Compare the result with a colour chart	(1)(112-)	3
	or accept similar description of fingerprick blood test	(1)(AO2)	
	Reject any reference to Benedicts		
	Beta cells/β-cells	(1)(AO2)	
(b)(i)	In the Islets of Langerhans	(4)(4.00)	2
()()	Of the pancreas	(1)(AO2)	
	Reject hypothalamus	(4)(4,02)	
/::\	Release insulin	(1)(AO2)	2
(ii)	Into the blood	(4)(4,00)	2
	Convert glucose to glycogen	(1)(AO2)	
(iii)	Liver/muscle cells – reject skin	(1)(AO2)	2
	Insulin stimulates conversion of glucose to glycogen/fat	(1)(AO2)	
	The person should fast; so their baseline glucose levels can be determined	(1)(4)(2)	
		(1)(AO3)	
	A pre-test blood sample should be taken; to get the baseline level	(1)(AO3)	
	A known volume of glucose needs to be consumed; to make	(1)(AO3)	
(c)(i)	a fair test	(1)(AO3)	5
	The drink needs to be consumed in a given period of time;	(1)(AOS)	
	so that a bolus of glucose is delivered	(1)(AO3)	
	Blood samples need to be taken at regular intervals; for 2	(1)(/100)	
	hours (approx)	(1)(AO3)	
	Line peaks in early part of graph (first third) then returns to	() () ()	
(ii)	normal by end of graph	(1)(AO3)	1
()	Reject if line goes to zero		
	High in (simple) sugars	(1)(AO2)	
(4)(i)	High in saturated fat; cholesterol	(1)(AO2)	3
(d)(i)	Low in fibre	(1)(AO2)	3
	Low in vitamins & minerals		
	Release glucose into the blood over a longer period of time	(1)(AO1)	
(ii)	Avoid peaks of glucose concentrations	(1)(AO1)	2
	Reduces demand for insulin production		

(a)(i)	$C_6H_{12}O_6 + 6O_2 \rightarrow 6CO_2 + 6H_2O$	(2)(AO1)	2
(ii)	(Skeletal) muscle	(1)(AO1)	2
	Need for ATP for muscle contraction	(1)(AO2)	2
(b)(i)	Breakdown of glucose	(1)(AO1)	1
(ii)	The cytoplasm	(1)(AO1)	1
(iii)	ATP/adenosine tri-phosphate	(1)(AO1)	1
(iv)	This is where Krebs cycle takes place/link reaction	(1)(AO1)	1
(c)(i)	Fats/proteins	(1)(AO1)	4
(c)(i)	Reject any reference to carbohydrates		I
(ii)	Fat/protein – any sensible suggestion	(1)(AO1)	4
	Reject any reference to carbohydrate		1
(d)	Were respiring anaerobically; not using O ₂	(1)(AO2)	2
	To generate sufficient ATP	(1)(AO2)	4

Total Mark: 12

Question 6

(a)	Surface area is reduced Reduces amount of oxygen available for diffusion into blood	(1)(AO2) (1)(AO2)	2
(b)(i)	Eight	(1)(AO1)	1
(ii)	L marked in RHS third of x-axis	(1)(AO1)	1
(iii)	Curve drawn to the right of original	(1)(AO1)	1
(iv)	Makes blood more acidic/reduces pH So Hb gives up O ₂ at higher pO ₂	(1)(AO2) (1)(AO2)	2
(v)	Chemoreceptors detect fall in pH Impulses sent to respiratory centre in medulla/brain Increased rate of impulses To respiratory muscles/diaphragm/intercostals Increases breathing rate Breathe out/blow off excess CO ₂ Accept similar description of stages/control for increasing heart rate	(1)(AO1) (1)(AO1) (1)(AO1) (1)(AO1)	4

(a)	Group A consuming 500 cm ³ have a low urine output; this remains low for the duration of the experiment Group B consuming 1500 cm ³ have a higher urine output this peaks at 1 hours;	(1)(AO3) (1)(AO3)	4
	and is maintained for the duration of the experiment Group C have virtually no urine output; as they consumed no water;	(1)(AO3)	4
	Accept sensible comments on design of experiment They will have decreased their blood volume; prevent H ₂ O	(1)(AO3)	
(b)(i)	loss	(1)(AO2)	1
	ADH is released when blood volume falls; from		
	hypothalamus	(1)(AO1)	
(ii)	Has action on the cells of collecting ducts;	(1)(AO1)	4
	Leads to insertion of pores/aquaporins into cells;	(1)(AO1)	
	Facilitated diffusion of water from urine back into blood;	(1)(AO1)	
(c)	Nerve conduction/generation of action potentials	(1)(AO1)	
	Normal heart function		2
	Maintenance of osmotic pressure of blood plasma/hydration	(1)(AO1)	