

General Certificate of Education

Applied Science 8771/8773/8776/8779

SC14 The Healthy Body

Mark Scheme

2008 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2008 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Question 1

(a)(i)	Releasing/prov	en down/phospl viding/supplying creating energy		en	(1) (AO1) (1) (AO1)	2
(ii)		on LHS of arro			(1) (AO1) (1) (AO1)	2
(iii)	Aerobic yields converse	(much) more (f	than anaerobic)	/ accept	(1) (AO1)	1
(b)			Krebs cycle x √ √ e assumed to be the correct boxe		(1) (AO1) (1) (AO1) (1) (AO1)	3
(c)(i)	Lipids enter as Lipids enter Kr Proteins enter	2C/ acetyl gro ebs cycle	ups	(Max 2)	(1) (AO1) (1) (AO1) (1) (AO1) (1) (AO1)	2
(ii)	which may be down/EW) dur Reject "wasting	ing starvation g away", but ma ing as it is used	ein ratory substrate ark needs the ic d up. Simply "to	/ broken lea of muscle	(1) (AO2) (1) (AO2)	2

Total Mark: 12

Question 2

	The healthy child has more villi / accept converse	(1) (AO2)	
(i)	The healthy child's villi are longer / bigger / accept converse	(1) (AO2)	2
	Patient's villi are not properly formed (Max 2)	(1) (AO2)	
_	Large surface area; more food can be absorbed (in a given		•
	time)	(2) (AO1)	
	Well vasculated/EW; diffusion gradients maintained	(2) (AO1)	
	Muscular walls / peristalsis; ensure all contents come into		
(iii)	contact with villi/absorptive surface/epithelium;	(2) (AO1)	4
` ,	Short diffusion pathway; movement into blood is easier	(2) (AO1)	
	Description & explanation must correspond for both marks		
	(Max 4)		
/iii)	Less surface / inadequate area over which to absorb		1
(iii)	nutrients	(1) (AO2)	1

(b)	Enzymes are specific / other proteins are digested by other enzymes; Idea of enzyme and substrate joining together Shape of active site must correspond to shape of substrate / « lock and key » gains this mark Each protein is a different shape / structure / polymer / made of different amino acids (Max 3)	(1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2)	3
-----	---	--	---

Total Mark: 10

Question 3

(a)	pH of tube C / contents named fell faster (during the first 20 minutes) Than tube B (where bile salts had been replaced with water)	(1) (AO3) (1) (AO3)	2
(b)	Control / for comparison / shows bile salts alone have no effect / what happens when no lipase is present;	(1) (AO3)	1
(c)	Low pH had inactivated the lipase (denatured acceptable in correct context) The substrate had been used up	(1) (AO3) (1) (AO3)	2
(d)(i)	Check pH more frequently / more intepolated results Measure pH with electronic probe to 2d.p. / other digital device Use more accurate / named equipment to measure volumes; repeat and take average of results	(1) (AO3) (1) (AO3) (1) (AO3)	3
(ii)	More repeats for each condition Ensure substrate is not rate-limiting (e.g. by replacing milk with oil / use more milk) Reject generalised statements such as "use more accurate equipment" or "take more care"	(1) (AO3) (1) (AO3)	2

Total Mark: 10

Question 4

(a)(i)	The saturation (at every partial pressure) is low(er) in c.f. sufferer / accept converse; The rate of saturation is slower in c.f.sufferer / accept	(1) (AO2)	2
	converse	(1) (AO2)	
	$(0.64 \times 20 =) 12.8 (cm^3)$	(2) (AO2)	
(ii)	Answer partly correct, correct identification of 64%		2
	saturation	(1) (AO2)	
	Mucus blocks ducts of (enzyme producing) glands	(1) (AO2)	
	Preventing enzymes from mixing correctly with food	(1) (AO2)	
	Large molecules therefore not broken down	(1) (AO2)	
(b)	Food cannot be properly absorbed / pass into blood / pass		2
	into body	(1) (AO2)	
	As molecules too large to pass through gut wall	(1) (AO2)	
	(Max 2)		

(c)	Irregular heart rhythm (accept heart disease) (Electrolyte imbalance can lead to body going into) shock Muscle cramp Excessive dehydration in hot weather Any other known effect e.g. lowered blood pressure reject: thirsty (Max 3)	(1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2)	3	
-----	---	---	---	--

Total Mark: 9

Question 5

(a)(i)	Number of alveoli is fewer (with emphysema) Size of alveoli is larger (with emphysema)	(1) (AO2) (1) (AO2)	2
(ii)	Reduce surface area available for gas exchange Less diffusion can take place From alveoli into blood / EW giving direction of movement (Max 2)	(1) (AO1) (1) (AO1) (1) (AO1)	2
(b)(i)	74.5(%) correct answer gains both marks answer derived from difference / original gains one mark / or alternative calculation e.g. 30 / 118 gains one mark / 118-30 gains one mark	(2) (AO2) (1) (AO2)	2
(ii)	 Lung mass decreases Lung volume increases Showing resistance to deflation Reduced ability to move oxygen into bloodstream Reduced ability to move carbon dioxide out of bloodstream Impaired gas exchange (if neither point above given) Increased susceptibility to respiratory infection Tidal volume reduced Reduced tolerance of dry atmosphere Need to develop specific breathing movements Lungs may collapse (Max 4) One mark awarded specifically for correct reference to data Allow reference to reduced surface area if that mark has not been gained in (a)(ii) 	(1) (AO2) (1) (AO2)	5

Total Mark: 11

Question 6

(a)(i)	Any two of (loss by) sweating / (gain by) metabolism / (loss by) exhalation	(2) (AO2)	2
(ii)	0.6/(24 x 3) = 0.0083dm ³ = 0.83cm ³ Correct answer scores two marks	(2) (AO2)	3
	Part of calculation correct / 0.6 on top of fraction / 24 x 3 on bottom but arithmetic error Units correct dm ³ h ⁻¹ m ⁻² OR cm ³ h ⁻¹ m ⁻²	(1) (AO2) (1) (AO2)	
(iii)	That all areas of skin sweat an equal amount / EW / allow specific examples e.g. no open wounds	(1) (AO2)	1
(b)	 ADH/antidiuretic hormone Hormone/ADH/this chemical is produced when the body is losing too much water as in exercise / produced in order to maintain blood water potential Increases permeability of collecting ducts of kidney/aqaporins open Thus reabsorbing more water back into the blood Resulting in a smaller volume of urine Aldosterone increases reabsorption of salt Causing water to follow by osmosis 	(1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2)	4

Total Mark: 10

Question 7

(a)(i)	Intake of energy food / named food / carbohydrate / lipid should be increased Intake of iron should be increased Folic acid intake increased to aid iron uptake Vitamin C intake increased to aid iron uptake Reject the last two points unless qualified to aid iron uptake	(1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2)	2
(ii)	Levels of calcium (found in milk/yoghurt) are high But energy levels are low, hence low fat Levels of vitamins A and / or C (found in fruit) are high Protein is high, from milk / yogurt (Max 2)	(1) (AO2) (1) (AO2) (1) (AO2) (1) (AO2)	2
(iii)	In summer sufficient vitamin D is synthesised by the skin / or converse. Answer should establish link between sun and Vitamin D Reject "its less sunny in winter" or similar	(1) (AO2)	1
(b)(i)	A small sample of blood would be taken (The level of) haemoglobin measured Packed cell volume measured	(1) (AO1) (1) (AO1) (1) (AO1)	3
(ii)	(This is lower than the normal value, which is) 12-15g dl- ¹ Accept values within 2 of upper or lower limit	(1) (AO1)	1
(iii)	Anaemia	(1) (AO1)	1

Total Mark: 10

Question 8

	Decay is caused by bacterial action on sugar	(1) (AO1)	
(a)	 This causes production of acids Which erode tooth enamel Regular brushing (removes sugary deposits) (And) prevents build-up of plaque (in which bacteria live) Flossing (between teeth removes plaque that brushing cannot) 	(1) (AO1) (1) (AO1) (1) (AO1) (1) (AO1) (1) (AO1)	3
	7. Use of disclosing tablets (to show areas of plaque) (Max 2)	(1) (AO1)	
(b)	Chewing / grinding / EW breaks food down into smaller pieces Which increases surface area of food Making enzyme action/digestion more efficient If digestion is not completed, food particles are too large to be absorbed / EW (Max 3)	(1) (AO1) (1) (AO1) (1) (AO1) (1) (AO1)	3
(c)	(Continuous production of) saliva Which has antiseptic properties (But not enough to deal with) modern diet high in sugar / processed food / acidic fizzy drinks / EW (Max 2)	(1) (AO2) (1) (AO2) (1) (AO2)	2

Total Mark: 8