



ASSESSMENT and
QUALIFICATIONS
ALLIANCE

Mark scheme

June 2003

GCE

Biology B

Unit BYB6/A

Copyright © 2003 AQA and its licensors. All rights reserved.

Section A**Question 1**

- (a) mixes randomly/completely in population;
marking does not have an effect/does not wear off;
no migration/emigration/immigration;
no change in population size between samples/life span longer than time
between release and recapture;
no births or deaths;
not trap-happy/trap-shy; 2 max
- (b) (i) correct figures used in equation;
104; 2
- (ii) large sample more representative of population;
(*reject accurate/statistically viable*) 1
- Total 5
-

Question 2

- (a) does not need repeated treatment;
maintains low level of pest/
not allowing pest numbers to rise (above economic threshold); 2
- (b) only feeds on pest species/does not affect non-target population;
can live in environment of the host/ establish/maintain its population/
can reproduce under conditions of use/active during the season; 2
(*ignore references to effect on crop*)
- Total 4
-

Question 3

- (a) Y → X/-800 to -1200, from less negative Ψ to more negative Ψ /
higher water potential to lower water potential; 1
- (b) (i) takes salt (from the water)/stores/retains sugars/named solute; 1
- (ii) increasing solute concentration lowers water potential / water potential
becomes more negative; 1
- (iii) water potential in cells is higher than the surrounding water;
water moves out of the cells;
by osmosis/diffusion;
water cannot be taken up by the plant/ plant loses water;
linked to metabolic reaction/photosynthesis;
(*reject cannot grow*) 4 max
- Total 7
-

Question 4

- (a) (i) (clover) gains ammonium compounds/ammonia/amino acids;
(*reject nitrogen/nitrates*) (*accept nitrogen compounds*) 1
- (ii) (bacteria) get ATP/carbohydrate/organic compounds; 1
- (b) (*max 2 marks for each advantage and explanation*)
clover is a natural/green fertiliser; }
adds organic material/humus to the soil; }
clover adds nitrogen compounds/nitrates; }
needed by crop for protein production; }
clover releases minerals slowly; }
less run-off/less pollution; }
clover cheaper than fertiliser; }
therefore more profitable/fertilizer applied several times; } 4 max
- Total 6
-

Question 5

- (a) (i) **Y** because
larger number/mass of young fish;
protected and fed;
- OR
- smaller mass/number of older fish/steep decline (after 12 years);
killed/harvested when young/12-13; 2
- (ii) **X** because
smaller population/normal distribution;
no older fish/mean lower; 2
- (b) gene identified/selected/found;
gene removed using restriction enzyme;
add to vector/plasmid;
using ligase;
gene inserted into appropriate cell/zygote; 4 max
- Total 8
-

Question 6

(a)	(i)	does not occur to as great a depth;	1
	(ii)	related to light penetration/depth; (light for) photosynthesis;	
		OR	
		related to depth of nutrients; (nutrient for) identified reason;	
		OR	
		related to heat penetration: reference to enzymes/metabolic processes;	2
(b)	(i)	oxygen level/concentration increases/ BOD decreases; less decomposition of phytoplankton; (<i>reject less dead matter</i>) less respiration of bacteria/fewer aerobic bacteria;	
		OR	
		light penetration increases; less phytoplankton present; due to less/fewer nutrients;	3
	(ii)	indicator species found (only) in specific conditions/named example;	1
	(iii)	samples; see whether species associated with more/less oxygen is present/ named species;	2
		Total	9

Question 7

- (a) grid area;
method of generating coordinates;
to place quadrat at random; (*max 2 for sampling*)
number of individuals;
number of each species; 3 max
- (b) more light reaches the ground;
more type of plant/producers; (*reject reference to trees*)
more habitats/microclimates;
more varieties of food/more complex food web;
more niches;
different nesting sites;
dead wood/leaves left to rot providing more nutrients/shelter;
greater variety of herbivore/primary consumer/carnivore;
(*ignore reference to animals*) 4 max
- (c) reduces (the variety of alleles) / genetic diversity;
only certain phenotypes allowed / selected to breed;
(phenotypic) character controlled by allele;
some/non-selected alleles eliminated/frequency decreased;
others/selected alleles increase in frequency;
(*reject reference to genes*) 4 max

Total 11