



General Certificate of Education

Biology 5416

Specification B

BYB1 Core Principles

Mark Scheme

2007 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Question 1

(a) (i) Ribosomes;
Cytoplasm;
DNA; 1 max

(ii) Any three suitable answers

For example,

No nuclear envelope/nucleus;

No mitochondria;

No chloroplasts;

No vacuole;

Mesosomes present / folded cell (surface) membrane;

Plasmids/loops of DNA / non-linear DNA;

Capsule not in plant cells;

Different composition of cell wall;

DNA does not associate with proteins/form chromosome;

No Golgi;

No SER/RER;

Smaller/70S ribosomes;

(allow one mark for "no membrane-bound organelles" if no named organelle in answer) 3 max

(b) Smooth endoplasmic reticulum/SER;
Synthesis of lipids/transport of lipids or polypeptides/drug detoxification;

OR

Rough endoplasmic reticulum/RER;

Attachment of ribosomes/protein synthesis/protein transport;

OR

Golgi (body);

Formation of lysosomes or (secretory) vesicles / adding sugars to proteins or lipids / secretion of enzymes/hormones;

OR

Lysosome;

Digestion of damaged/worn-out organelles / autolysis;

2 max

(As ribosomes are often referred to as membrane-bound, if ribosome is the named organelle, give no mark for name of organelle, but allow one mark for the correct function – i.e. Protein synthesis/translation)

Total 6

Question 2

- (a) Muscle (in walls);
Circular and longitudinal;
Contraction of circular (muscle pushes food down oesophagus); 2 max
- (b) Glandular cells/glands;
Secrete alkali (mucus); 2
- (c) Villi/microvilli;
(Many) capillaries/lacteals;
Single cell layer;
Channel/carrier proteins;
Mitochondria;
Enzymes in membrane;
Muscles (in villi); 3 max

Total 7**Question 3**

- (a) (i) As lipid solubility increases the rate increases;
(Membrane) consists of (double layer) of lipid/phospholipids; 2
- (ii) Small molecules diffuse faster;
Higher kinetic energy / easier to pass through pores / between
phospholipid molecules; 2
- (b) Concentration/diffusion gradient;
Number of carriers/channel/proteins;
Temperature; 2 max

Total 6**Question 4**

- (a) Long straight/unbranched molecule;
Bonded together by hydrogen bonds;
Forming microfibrils;
High strength (in correct context); 3 max
- (b) Includes H (from OH) and OH; 1
- (c) O and OH reversed on carbon 1 and rest of molecule correct; 1

Total 5

Question 5

- (a) Draw origin line/line where spot is placed;
Add spot and dry;
Several spots of orange juice on same spot;
Put in tank with first solvent with spot above solvent;
(Run chromatogram and) mark solvent front;
(Dry and) rotate paper turned through 90° and put into different/second solvent;
Spray with ninhydrin/locating agent; 4 max
- (b) Glutamic acid; 1
Reasoned explanation or correct Rf formula; 1

Total 6**Question 6**

- (a) Production of fatty acids;
(Fatty) acids (produced) cause fall in pH; 2
- (b) Substrate/lipids all used up;
Equilibrium reached;
(pH) denatures enzyme; 1 max
- (c) Bile salts produce many small lipid droplets/emulsifies lipid;
Large surface area so more rapid action of lipase/enzyme; 2
- (d) To show that lipase has to be present for pH to change/reaction to take place / to show that bile salts do not digest lipids; 1

Total 6

Question 7

- (a) (Different) enzymes have different/specific tertiary structure or different/specific active sites;
 Active site has shape that fits substrate;
 Amino acids (either side of peptide bond) have different shapes;
 Due to the R group; 3 max

- (b) Action of endopeptidase forms many ends of (peptide) chains;
 Exopeptidase removes amino acid at end of chain;

OR

- Action of endopeptidase forms more substrate molecules for exopeptidases;
 More chance of collision between exopeptidase and substrate; 2

Total 5

Question 8

- (a) (i) 1 From 0 – 0.3 secs;
 2 Mouth closes and floor raised/ mouth cavity contracts;
 3 Raises pressure forcing water over gills / from buccal cavity to opercular cavity;
 4 Opercular cavity contracts;
 5 This increases pressure and forces water through operculum;
 6 From 0.3- 0.5 secs;
 7 Mouth opens and floor of mouth cavity lowers /mouth cavity expands;
 8 Water enter mouth due to decrease in pressure;
 9 From 0.5 – 0.6 secs;
 10 Opercular cavity expands;
 11 Lower pressure causes water to flow over gills; 7 max
(max 2 for correct timing of event, max 6 if no timings)

- (ii) 0.47 - 0.50 seconds;
 Pressure in mouth cavity greater than opercular cavity; 2

- (b) (i) Line drawn under but close to line on graph; 1
(allow mirror image as direction of distance measurement not shown)

- (ii) Concentration/diffusion gradient maintained / equilibrium not reached;
 Across whole length of gill/filament/lamella; 2

Total 12

QWC 1