

Mark scheme June 2002

GCE

Chemistry

Unit CHM3/P

Copyright © 2002 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334 Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ Kathleen Tattersall: Director General

CHM3/P June 2002 Aug 2002

Exercise 1 Skill assessed Implementing (2)

1. Points assessed by supervisor during the practical examination

(a) (i) graduated flask 1 final level is on the graduation mark

(ii) pipette 2 empties under gravity

3 transfers from pipette without spillage 9 scoring points

4 touches surface with pipette

(iii) burette 5 uses acid in burette, and alkali in the pipette any 7 = 2 marks

6 removes the funnel before titrating any 4 = 1 mark

7 dropwise addition near the endpoint

8 swirls mixture

(iv) **general** 9 does not require additional sample

2. Points assessed from candidate's written report.

(b) the recording of results results recorded clearly and in full in the table 1 mark

(c) the awareness of **precision** at least 2 titrations which are counted indicates results which are counted all 3 = 1 mark

titre volumes to 0.05 cm³

(d) the **concordancy** concordant if two results are within 0.1 cm³ of each other 1 mark

(e) The accuracy of the mean value, measured against a teacher value for the titration.

mean titre is within 1% of target value 3 marks 3 marks

mean titre is within 1.5 % of target value 2 marks mean titre is within 2% of target value 1 mark

Total 8 marks

Exercise 2 Skill 3 Analysing

1. correct equation	HCl + Na	a ₂ CO ₃ →□□ NaHCO ₃	+ NaCl 1 mark
2. calculates average titre co	rrectly	19.10 cm ³	1 mark
3. calculates the moles of Na ₂ CO ₃ 1.91 x 10 ⁻³		1 mark	
4. calculates the M_r of Na ₂ C	X 03	131	1 mark
5 calculates the moles of H ₂	0	1 0	r 1.38 1 mark
calculates the percentage of calculates the overall apparatus (a) the appreciation of precis quotes average titre as 19.	error in use of balance (± 4 terror in use of burette (0.15 terror in use of a second place of terror in use of burette (0.15 terror in use of burette (0.15 terror in use of terror in use of balance (± 4 terror in use of balance (± 4 terror in use of burette (0.15 terror i	cm ³ in 19.1 is 0.79%) ye values)	3 scoring points any 2 = 1 mark 3 scoring points any 2 = 1 mark
	ly e.g. moles not confused v 4 Evaluating	vith molarity or $M_{ m r}$	both = 1 mark Total 8 marks
1. first titration poor / probably a rough titration three good / concordant results or three results within 0.1 cm ³ so titration technique good or results reproducible or results consistent			3 scoring points all 3 = 2 marks any 2 = 1 mark
2. calculation of difference 131 against 124 is a 5.6% error		2 scoring points both = 1 mark	
3. appreciates discrepancy > maximum apparatus error			1mark
dry weighing bottle mass used known more accurately or weigh by difference or include washings use more accurate balance mass used known more accurately or use a larger mass or quoted number of decimal places		any 2 improvements + 2 reasons = 2 marks any 1 improvement +	
	prepare a standard solution obviates errors in multiple weighing or get consistent samples		1 reason = 1 m any 2 improvements = 1 mark
keep in sealed containe or keep in dry conditio		or loss of water	TA HILL

Exercise 3 Skill assessed Planning (1)

wash spillages with cold water/ wear gloves

pipette filler

(a) the scale of working used maximum 5 points (s) sensible volume of CuSO₄ soln. in cup (20 cm³ to 250 cm³) calculates moles CuSO₄ $(5 \times 10^{-3} \text{ for } 25 \text{ cm}^3)$ deduces moles of zinc needed (as above) calculates mass of zinc $(0.325g \text{ for } 25 \text{ cm}^3)$ uses excess zinc (b) the method used (i) apparatus (a) maximum 4 points polystyrene cup or other suitable support e.g. beaker or suitable clamp measuring cylinders or pipettes accurate thermometer (0.1°C or 0.5°C or digital) lid or lagging for the calorimeter the procedure used (m) maximum 6 points (ii) measures initial temperature CuSO₄ soln. transfers CuSO₄ soln. to cup adds weighed quantity of zinc thermometer bulb immersed in liquid (can score from diagram) stirs mixture records temperature at suitable intervals or records highest temperature reached repeats experiment (c) the use of results (r) maximum 6 points plots a graph of temperature against time labels axes graph has correct profile extrapolates graph to allow for heat loss temperature rise read correctly (can score from diagram) or determines maximum ΔT mc∆T□ calculation scales up to molar quantities by appropriate factor (x 200 for 25 cm³ of 0.2M) (h) (d) the appreciation of likely hazards and safety precautions maximum 2 points reagents and products are harmful / toxic / irritant etc eye protection

Grading	23 scoring points 21 - 23	scores 8 marks
	18 - 20	scores 7 marks
	15 - 17	scores 6 marks
	12 - 14	scores 5 marks
	9 - 11	scores 4 marks
	6 - 8	scores 3 marks
	3 - 5	scores 2 marks
	1-2	scores 1 mark

Total 8 marks