

Leave blank

General Certificate of Education January 2004 Advanced Subsidiary Examination



CHEMISTRY CHM3/W Unit 3(a) Introduction to Organic Chemistry

Friday 9 January 2004 Morning Session

In addition to this paper you will require: a calculator.

Time allowed: 1 hour

Instructions

- Use blue or black ink or ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in Section A and Section B in the spaces provided.
 All working must be shown.
- Do all rough work in this book. Cross through any work you do not want marked.
- The Periodic Table/Data Sheet is provided on pages 3 and 4. Detach this perforated sheet at the start of the examination.

Information

- The maximum mark for this paper is 60.
- Mark allocations are shown in brackets.
- This paper carries 30 per cent of the total marks for AS. For Advanced Level this paper carries 15 per cent of the total marks.
- You are expected to use a calculator where appropriate.
- The following data may be required. Gas constant $R = 8.31 \,\mathrm{J \, K^{-1} \, mol^{-1}}$
- Your answers to the question in **Section B** should be written in continuous prose, where appropriate. You will be assessed on your ability to use an appropriate form and style of writing, to organise relevant information clearly and coherently, and to use specialist vocabulary, where appropriate.

Advice

• You are advised to spend about 45 minutes on **Section A** and about 15 minutes on **Section B**.

Number	Mark	Number	Mark
1			
2			
3			
4			
5			
Total (Column	1)	→	
Total (Column	2)	\rightarrow	
TOTAL			
Examine	r'o Initiale		

SECTION A

Answer all questions in the spaces provided.

1	(a)	Crud	le oil is composed mainly of alkanes, which are saturated hydrocarbons.
		(i)	State what is meant by the term <i>hydrocarbon</i> .
		(ii)	State what is meant by the term <i>saturated</i> , as applied to a hydrocarbon.
			(2 marks)

(b) Crude oil can be separated into the fractions listed in the table below.

Name of fraction	Number of carbon atoms
LPG (liquefied petroleum gas)	1 – 4
Petrol (gasoline)	4 – 12
Naphtha	7 – 14
	11 – 15
Gas oil (diesel)	15 – 19
Mineral oil (lubricating oil)	20 – 30
Fuel oil	30 – 40

(i)	Name the process used to obtain these fractions from crude oil.

(ii) Complete the table by naming the missing fraction.

(2 marks)

The Periodic Table of the Elements

The atomic numbers and approximate relative atomic masses shown in the table are for use in the examination unless stated otherwise in an individual question.

						3							
0	4.0 He Helium 2	20.2 Ne	Neon 10	39.9 Ar	Argon 18	83.8 Kr	Krypton 36	131.3 Xe	Xenon 54	222.0 Rn	Radon 86		
₹		<u>о</u> .	-Iuorine	္ဌ	Chlorine	و. ق	sromine ;	6 .9	lodine	210.0 At	Astatine 85		
>		16.0 O	n Carbon Nitrogen Oxygen F	32.1 S	Sulphur 16	79.0 Se	Selenium 34	127.6 Te	Tellurium 52	210.0 Po	Polonium 84		
>		14.0 Z	Nitrogen 7	31.0 P	Phosphorus 15	74.9 As	Arsenic 33	121.8 Sb	Antimony 51	209.0 Bi	Bismuth 83		
≥		12.0 C	Carbon 6	28.1 Si	Silicon 14	72.6 Ge	Germanium 32	118.7 Sn	Tin 50	207.2 Pb	Lead 82		
≡		10.8 B	Boron 5	27.0 AI	Aluminium 13	69.7 Ga	Gallium 31	114.8 In	n Indium 5	204.4 TI	Thallium 81		
						65.4 Zn	Zinc 30	112.4 Cd	Cadmium 48	200.6 Hg	Mercury 80		
						63.5 Cu			Silver 47				
						58.7 Ni	Nickel 28	106.4 Pd	Palladium 46	195.1 Pt			
						58.9 Co	Cobalt 27	102.9 Rh	Rhodium 45	192.2 Ir	Iridium 77		
						55.8 Fe	Iron 26		Ē	190.2 Os	Osmium 76		
		6.9 Li	Lithium 3			54.9 Mn	Manganese 25	98.9 Tc		186.2 Re	Rhenium 75		
						52.0 Ç	Vanadium Chromium Manganese 23 24 25	95.9 Mo	Molybdenum 42	183.9 W	Tungsten 74		
		relative atomic mass -	mber —			50.9 V	Vanadium 23	92.9 Nb	Niobium 41	180.9 Ta	_		
	Key	elative a	atomic number			47.9 Ti		91.2 Zr	Zirconium 40	178.5 Hf	Hafnium 72		
	_	-				45.0 Sc	Scandium 21			138.9 La	بد∋	227 Ac	Actinium 89 †
=		9.0 Be	Beryllium 4	24.3 Mg		40.1 Ca				137.3 Ba		226.0 Ra	_
_	0 H ydrogen		Lithium	3.0 Na	Sodium	X	otassium			32.9 Cs	Saesium	23.0 Fr	Ε

140.1 Ce	140.1 140.9 144.2 Ce Pr Nd	144.2 Nd	144.9 Pm	150.4 Sm	144.9 150.4 152.0 1 Sm Eu	157.3 158.9 1 Gd Tb	158.9 Tb	162.5 Dy	162.5 164.9 Ho	167.3 Er	168.9 Tm	173.0 Yb	175.0 Lu
Cerium 58	Praseodymium Neodymium Pror 59 60	m Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 58	Thulium 69	Ytterbium 70	Lutetium 71
232.0 Th	232.0 231.0 238.0 237.0 Th Pa U Np	238.0 U	237.0 ND	239.1 Pu	243.1 Am	247.1 Cm	247.1 BK	252.1 Cf	(252) Es	(257) Fm	(258) Md	(259) No	(260) Lr
Thorium 90	Thorium Protactinium Uranium 0	Uranium 92	Neptunium Plutonium Americium Curium 93 95 96	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Californium 98	Berkelium Californium Einsteinium Fermium 197 99 100	Fermium 100	Mendelevium Nobelium L	Nobelium 102	Lawrencium 103

www.xtremePapers.net

† 90 – 103 Actinides

* 58 - 71 Lanthanides

Table 1 Proton n.m.r chemical shift data

Type of proton	δ/ppm
RCH ₃	0.7–1.2
R_2CH_2	1.2–1.4
R_3 CH	1.4–1.6
$RCOCH_3$	2.1–2.6
$ROCH_3$	3.1–3.9
$RCOOCH_3$	3.7–4.1
ROH	0.5-5.0

Table 2 Infra-red absorption data

Bond	Wavenumber/cm ⁻¹
С—Н	2850-3300
С—С	750–1100
C=C	1620–1680
C=O	1680–1750
С—О	1000-1300
O—H (alcohols)	3230–3550
O—H (acids)	2500-3000

(c)	Som	e of the naphtha fraction is thermally cracked to produce more useful products.
	(i)	Give the molecular formula of an alkane with ten carbon atoms.
	(ii)	Write an equation to illustrate the thermal cracking of one molecule of tetradecane, $C_{14}H_{30}$, in which the products are ethene and propene, in the ratio of 2:1, and one other product.
	(iii)	Name the mechanism involved in thermal cracking.
		(4 marks)
(d)		ne can react with oxygen to produce epoxyethane. If the reaction is not controlled fully, the ethene can undergo complete combustion.
	(i)	Write an equation for the partial oxidation of ethene to form epoxyethane.
	(ii)	Write an equation for the complete combustion of ethene in oxygen.
		(2 marks)

TURN OVER FOR THE NEXT QUESTION

Turn over

2	The burn	ing of	fossil f	fuels can	produce	atmospl	heric 1	ollutants.

(a)		combustion of petrol in an internal combustion engine can lead to the formation of on monoxide, CO, and nitrogen monoxide, NO.
	(i)	Write an equation for the incomplete combustion of octane, C_8H_{18} , to produce CO and water only.
	(ii)	State one essential condition for the formation of NO in an engine. Write an equation for the reaction in which NO is formed.
		Condition
		Equation
		(3 marks)
(b)	All r	new petrol-engined cars must be fitted with a catalytic converter.
	(i)	Name one of the metals used as a catalyst in a catalytic converter.
	(ii)	Write an equation to show how CO and NO react with each other in a catalytic converter.
		(2 marks)
(c)		why sulphur dioxide gas is sometimes found in the exhaust gases of petrol-engined Give one adverse effect of sulphur dioxide on the environment.
	Reas	on for SO ₂ in exhaust gases
	Envi	ronmental effect of SO ₂
	•••••	(2 marks)

Turn over ▶

3 The table below gives the names and structures of three isomeric alkenes.

Name	Structure
but-1-ene	$CH_3CH_2CH = CH_2$
but-2-ene	CH ₃ CH=CHCH ₃
methylpropene	CH_3 $ $ $H_3C-C=CH_2$

(a)	Give	the	mol	ecul	ar f	formul	a and	the	empirical	formul	a of	but-2	2-ene.	

Molecular formula	
Empirical formula	
	(2 marks)

- (b) Methylpropene reacts with hydrogen bromide to produce 2-bromo-2-methylpropane as the major product.
 - Name and outline the mechanism for this reaction.

Name of mechanism

Mechanism

	(ii)	Draw the structure of another product of in smaller amounts.	this reaction and explain why it is formed
		Structure	
		Evnlanation	
		Explanation	
(c)	Drav	v the structures and give the names of the	(8 marks)
(0)	Diav	Isomer 1	Isomer 2
	Nam	e	Name(2 marks)
(d)	One	of the isomers shown in the table can be	hydrated to form a tertiary alcohol.
	(i)	Draw the structure and give the name of	f this tertiary alcohol.
		Structure	
		Name	
	(ii)	Suggest a reason why tertiary alcohols a	re resistant to oxidation.
			(3 marks)

Turn over ▶

4

(a)	Chlo	romethane can be made by the reaction of chlorine with methane.
	(i)	Give one essential condition for this reaction.
	(ii)	Name the mechanism for this reaction.
	(iii)	Further substitution can occur during this reaction. Identify the main organic product when a large excess of chlorine is used in this reaction.
		(3 marks)
(b)	Etha	nenitrile can be made by reacting chloromethane with potassium cyanide.
	(i)	Write an equation for this reaction.
	(ii)	Name the mechanism for this reaction.
	(iii)	Explain, in terms of bond enthalpies, why bromomethane reacts faster than chloromethane with potassium cyanide.
		(3 marks)

10

(c)		nenitrile can be hydrolysed to a carboxylic acid by heating it under reflux with a e acid. Identify the carboxylic acid formed in this reaction.
	•••••	(1 mark)
(d)	Chlo	romethane can react with ammonia to produce a primary amine.
	(i)	What feature of the chloromethane molecule makes it susceptible to attack by an ammonia molecule?
	(ii)	Name the amine produced in this reaction.
	(iii)	Outline a mechanism for this reaction.

(6 marks)




Turn over ▶

SECTION B

Answer the question below in the space provided on pages 12 to 14 of this booklet.

Ethene is an important starting point for the manufacture of plastics and pharmaceutical chemicals. Most of the ethene used by industry is produced by the thermal cracking of ethane obtained from North Sea gas (Reaction 1). It is also possible to make ethene either from chloroethane (**Reaction 2**) or from ethanol (**Reaction 3**).



- (a) Give essential conditions and reagents for each of **Reactions 2** and **3**. (4 marks)
- (b) Name and outline a mechanism for **Reaction 2**. Suggest a reason why chloroethane is **not** chosen by industry as a starting material to make ethene commercially. (5 marks)
- Name and outline a mechanism for **Reaction 3**. Suggest why this route to ethene may become used more commonly in the future as supplies of North Sea gas begin to run out. (6 marks)

END OF QUESTIONS