

Surname				Othe	er Names			
Centre Number					Candida	ate Number		
Candidate Signatu	ıre							

For Examiner's Use

General Certificate of Education January 2007 Advanced Level Examination

COMPUTING CPT5 Unit 5 Advanced Systems Development

QUALIFICATIONS ALLIANCE

9.00 am to 10.30 am Wednesday 24 January 2007

You will need no other materials. You may use a calculator.

Time allowed: 1 hour 30 minutes

Instructions

- Use blue or black ink or ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Answer the questions in the spaces provided.
- All working must be shown.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The maximum mark for this paper is 65.
- The marks for questions are shown in brackets.
- The use of brand names in your answers will **not** gain credit.
- You are reminded of the need for good English and clear presentation in your answers. Quality of Written Communication will be assessed in all answers.

For Examiner's Use								
Question	Mark	Question	Mark					
1		5						
2		6						
3		7						
4								
Total (Coli	umn 1)	-						
Total (Column 2)								
TOTAL								
Examiner'	's Initials							

Answer all questions in the spaces provided.

1 A college wants to improve the physical security of its open access computers located in several unsupervised rooms. The network security is also causing concern. When a student joins the college, the student is issued with an ID card, which includes a photograph and his/her student ID barcode.

The college is proposing to set up a computerised system which will monitor who is in the room at any one time and which computers they are using. The system should prevent any unauthorised person from entering the room. It may be necessary to modify the way in which students' ID cards are made.

The following hardware devices are being considered for use with this system. Justify one different possible use for each hardware device in the proposed system.

(a)	barcode scanner	
(b)	fingerprint scanner	(1 mark)
(0)	Thige print scanner	
		(1 mark)
(c)	digital still camera	
		(1 mark)
(d)	digital video camera	
(e)	programmable doorlock/turnstile	(1 mark)
		(1 mark)
(f)	RFID (Radio Frequency Identification) tag reader	
		(1 mark)

M/Jan07/CPT5

2	A payroll	program is	being	designed	which	will	calculate	the	pay	for	hourly-	-paid	employees.
---	-----------	------------	-------	----------	-------	------	-----------	-----	-----	-----	---------	-------	------------

A programmer is asked to write a function CalculateGrossPay (Hours, PayRate). The function will take as parameters the number of whole hours an employee has worked in the week and the basic rate of pay of the employee.

The first 35 hours a week are paid at the basic rate of pay. Hours over 35 are paid at the premium rate of 1.5 times the basic rate of pay. No employee is paid for more than 48 hours in any week.

Choose three suitable sets of test data for the parameter Hours, which between them adequately test the functionality of this function. Justify your choice in each case.

[
2	
3	
(6 marks)	

Turn over for the next question

- The network manager of a college has to ensure that all software on college computers is installed legally.
 - Which law is the network manager following? (1 mark)

Some software is bought with a site licence for use on any number of college computers whereas other software is bought with a multi-user licence for installation on a specified number of college computers. The network manager wants to set up a relational database to keep details of software licences and which college computers have which software installed. She has identified the following details she wants to store about each software package:

- Software name
- Version
- Software ID (ten alphanumeric characters), unique
- Supplier
- Date purchased
- Expiry date
- Number of computers licenced

When any software is installed on a college computer, she wants to store the following details:

- Computer ID of the computer on which the software is to be installed (six alphanumeric characters)
- Date of software installation
- Staff ID who requested the software (3 letters) for this computer
- The two entities **SoftwareLicence** and **SoftwareInstallation** have been identified.


Draw an Entity-Relationship diagram for the above entities.

(3 marks)

(c)		plete the following Data Definition Language (DDL) statements to create the fully nalised tables necessary to implement the database, including all key fields.
	(i)	CREATE TABLE SoftwareLicence
		(
) (3 marks)
	(ii)	CREATE TABLE SoftwareInstallation
		(
		(4 marks)
(d)	Usin you	network manager wants a list of each computer and what software is installed on it. g the SQL commands SELECT, FROM, WHERE, ORDER BY and any others that consider appropriate, write an SQL statement to query the database tables for a list emputers with software name and version installed.
	•••••	
	•••••	
	•••••	
	•••••	
	•••••	

(4 marks)

- A large builders' merchant uses the following system for its stock control.
 - The customer chooses the item required
 - The warehouse assistant looks up the **Stock ID** in a **catalogue** and checks the quantity
 - The warehouse assistant writes out a ticket with the Stock ID and quantity of the item
 - The customer takes this ticket to the cash desk to pay
 - The cash desk operator uses the **Stock ID** to look up the **unit price** from a **price list** to calculate the total due
 - The cash desk operator **produces the receipt** in triplicate (one white top copy and a blue and a yellow carbon copy)
 - The cash desk operator puts the yellow copy of the receipt into the till for cashing up at the end of the day
 - The customer gets the other two copies of the receipt
 - The customer goes to collect the merchandise
 - At the gate the customer gives the blue copy of the receipt to the security guard, who puts the receipt into a **re-order file** for re-ordering stock.



Complete the diagram shown in Figure 1 .
A
В
C
D
E
F
G
Н
(8 marks)
What type of diagram is this?
(1 mark)
What type of printer is required to print the receipt as described?
(1 mark)

Turn over for the next question

10

5			be more easily intercepted and altered than paper mail without the knowledge of nder or the recipient.
	asyn	nmetric	c encryption, the same key is used to encrypt and decrypt a message. In encryption, one key is used to encrypt a message and another key is used to message.
	(a)	Why i	s symmetric encryption not used for encrypting e-mail messages?
			(1 mark)
	(b)	other l	mmetric encryption, one key is made publicly available (the public key) and the key is kept secret by its owner (the private key). nd Jill want to communicate with each other confidentially, and they each have a e and a public key.
			Which key should Jack use to encrypt a message to send to Jill, which only Jill can read?
			(1 mark)
		(ii)	Which key can Jill use to decrypt the message sent by Jack?
			(1 mark)
	(c)	_	tal signature authenticates the message, that is, it verifies that the message came he given sender and that it has not been tampered with.
		(i)	How is a digital signature produced?
			(3 marks)
			, ,

(ii)	If Jack digitally signs the message sent to Jill, how can Jill verify Jack's digital signature?
	(4 marks)

10

Turn over for the next question

(i) Application Layer (ii) (I m (iii) Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m (I m	A school compute	ol Local Area Network (LAN) uses the TCP/IP protocol to communicate between ers.	
(ii) (1 m Application Layer (iii) (1 m (iii) (1 m Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m (C) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M(Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.	(a) Wl	That is a protocol?	
(i) (1 m Application Layer (ii) (1 m (iii) Give one example of a type of application found in the Application Layer. (iii) Give one example of a type of application found in the Application Layer. (I m (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m (d) The school now wants to connect to the Internet. Every computer in the LAN is gir an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.			•••••
Application Layer (ii) (i) (I m Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m (d) The school now wants to connect to the Internet. Every computer in the LAN is given in IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		(1 m	ark
(ii) (1 m Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m (C) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m (d) The school now wants to connect to the Internet. Every computer in the LAN is given IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.	(b) Co	omplete the diagram of the TCP/IP protocol stack below:	
(iii) Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m. (C) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m. (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		Application Layer	
(iii) Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m. (I m			
Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m. (c) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m. (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		(i) (1 m	ark,
Data Link Layer (iii) Give one example of a type of application found in the Application Layer. (I m. (c) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m. (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.			
(iii) Give one example of a type of application found in the Application Layer. (I m. (c) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m. (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		(ii) (1 m	ark)
(iii) Give one example of a type of application found in the Application Layer. (I m. (c) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (I m. (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		↓	
(c) This LAN uses the Ethernet protocol as its Data Link Layer, which uses Ethernet M (Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (1 m) (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		Data Link Layer	
(Media Access Control) addressing to route Ethernet frames. What is an Ethernet MAC address? (1 m) (d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.		(1 m	,
(d) The school now wants to connect to the Internet. Every computer in the LAN is given an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.	(M	Media Access Control) addressing to route Ethernet frames. What is an Ethernet	AC
an IP address with a network ID of 192.168.4 and a subnet mask of 255.255.255.0. (i) Give one example of an IP address for this LAN.	••••	(1 m	 ark,
(1 m			en
(1 m)	(i	i) Give one example of an IP address for this LAN.	
(ii) How many different host IDs are there?		(1 m	
	(ii	i) How many different host IDs are there?	
		(1 m	

	(iii)	What could the school do if it needs more host IDs?
		(1 mark)
	(iv)	IP addresses starting with 192.168 are private addresses. Why were private addresses chosen for the individual computers on the network?
		(1 mark)
(e)		school registers the IP address 222.125.105.15 with the Internet registrar. How can IP address be used to connect to the Internet?
	•••••	
	•••••	
	•••••	(2 marks)

11

Turn over for the next question

7

(a)	What is an Expert System?	
		•••••
	(1)	 mark)
(b)	Give one typical application of an expert system.	
	(1)	 mark)
(c)	Give the three constituent parts of an expert system.	
	1	
		•••••
	2	•••••
	3	
	(3 m	narks)
(d)	Users of expert systems claim that they are much more useful than a very large database. Give two reasons to justify this claim.	
	1	
		•••••
	2	••••••
	(2 n	 narks)

END OF QUESTIONS

Copyright @ 2007 AQA and its licensors. All rights reserved.