



# General Certificate of Education

## Mathematics 6360

### *MD01 Decision 1*

# Mark Scheme

## *2006 examination – January series*

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

## Key To Mark Scheme And Abbreviations Used In Marking

M	mark is for method		
m or dM	mark is dependent on one or more M marks and is for method		
A	mark is dependent on M or m marks and is for accuracy		
B	mark is independent of M or m marks and is for method and accuracy		
E	mark is for explanation		
√ or ft or F	follow through from previous incorrect result	MC	mis-copy
CAO	correct answer only	MR	mis-read
CSO	correct solution only	RA	required accuracy
AWFW	anything which falls within	FW	further work
AWRT	anything which rounds to	ISW	ignore subsequent work
ACF	any correct form	FIW	from incorrect work
AG	answer given	BOD	given benefit of doubt
SC	special case	WR	work replaced by candidate
OE	or equivalent	FB	formulae book
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme
-x EE	deduct x marks for each error	G	graph
NMS	no method shown	c	candidate
PI	possibly implied	sf	significant figure(s)
SCA	substantially correct approach	dp	decimal place(s)

### No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.


Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

**Otherwise we require evidence of a correct method for any marks to be awarded.**

MD01

Q	Solution	Marks	Total	Comments
1(a)	 <p data-bbox="255 1000 766 1234"> <b>(b)</b> <math>D - X + B - V + C - Z</math>  <math>F - Y + E - W + A - U</math>                      Match:  <math>AU, BV, CZ, DX, EW, FY</math> </p>	<p data-bbox="798 532 877 680">M1 A1</p> <p data-bbox="798 1000 877 1127">M1 A1 M1A1</p> <p data-bbox="798 1191 877 1234">B1</p>	<p data-bbox="925 638 973 680">2</p> <p data-bbox="925 1191 973 1234">5</p>	<p data-bbox="1021 532 1244 574">Must be in part (a)</p> <p data-bbox="1021 1000 1308 1042">Starting from D, F, Z, U</p> <p data-bbox="1021 1085 1085 1127">Same</p>
<b>Total</b>			<b>7</b>	
2	<p data-bbox="255 1319 766 1361"><u>18</u> 23 12 7 26 19 16 24</p> <p data-bbox="255 1425 766 1468"><u>12</u> 7 16 <span style="border: 1px solid black; padding: 0 2px;">18</span> <u>23</u> 26 19 24</p> <p data-bbox="255 1510 766 1553">7 <span style="border: 1px solid black; padding: 0 2px;">12</span> 16 <span style="border: 1px solid black; padding: 0 2px;">18</span> 19 <span style="border: 1px solid black; padding: 0 2px;">23</span> <u>26</u> 24</p> <p data-bbox="255 1596 766 1638"><span style="border: 1px solid black; padding: 0 2px;">7</span> <span style="border: 1px solid black; padding: 0 2px;">12</span> <span style="border: 1px solid black; padding: 0 2px;">16</span> <span style="border: 1px solid black; padding: 0 2px;">18</span> <span style="border: 1px solid black; padding: 0 2px;">19</span> <span style="border: 1px solid black; padding: 0 2px;">23</span> 24 <span style="border: 1px solid black; padding: 0 2px;">26</span></p>	<p data-bbox="798 1319 877 1383">M1 M1</p> <p data-bbox="798 1425 877 1468">A1</p> <p data-bbox="798 1510 877 1553">A1</p> <p data-bbox="798 1596 877 1638">A1</p>	<p data-bbox="925 1596 973 1638">5</p>	<p data-bbox="1021 1319 1212 1383">SCA consistent points</p> <p data-bbox="1021 1425 1101 1468">1<sup>st</sup> pass</p> <p data-bbox="1021 1510 1101 1553">2<sup>nd</sup> pass</p> <p data-bbox="1021 1596 1133 1638">all correct</p>
<b>Total</b>			<b>5</b>	

**MD01 (cont)**

Q	Solution	Marks	Total	Comments
<b>3(a)(i)</b>	9	B1	1	
<b>(ii)</b>	$n - 1$	B1	1	
<b>(b)(i)</b>	$GI$ 5 $AB$ 6 $EI$ 7 $BD$ 8 <del><math>EG</math> 9</del> $IJ$ 10 $HJ$ 11 <del><math>HI</math> 12</del> $AF$ 13 $DE$ 14 $CG$ 15	B1 M1 A1  A1  A1	1  5	9 edges SCA start with $GI$  $IJ$ fifth  all correct
<b>(ii)</b>	89	B1	1	
<b>(iii)</b>		M1 A1	2	9 edges
<b>Total</b>			<b>10</b>	
<b>4(a)(i)</b>	Max $2x + 3y$ at $(30, 70)$ $= 270$	M1 A1	2	Extreme
<b>(ii)</b>	Max $3x + 2y$ at $(60, 40)$ $= 260$	M1 A1	2	Extreme
<b>(iii)</b>	Min $-2x + y$ at $(75, 10)$ $= -140$	M1 A1	2	$x = 75$
<b>(b)</b>	$x \geq 20, \quad y \geq 10$ $x + y \leq 100$ $2x + y \leq 160$ OE $y \leq x + 40$ OE	B1 B1 M1 A1 M1 A1	6	OE OE for gradient of $-2$ for positive gradient
<b>Total</b>			<b>12</b>	

MD01 (cont)

Q	Solution	Marks	Total	Comments
5(a)		<p>M1</p> <p>A1</p> <p>M1</p> <p>M1</p> <p>A1</p> <p>B1</p>	<p>6</p>	<p>SCA</p> <p>2 correct values at <i>B</i></p> <p>3 values at <i>D</i></p> <p>2 values at <i>I</i></p> <p>all correct</p> <p>for 50 at <i>J</i></p>
(b)	Route <i>ACEDFGHIJ</i>	B1	1	
<b>Total</b>			<b>7</b>	

**MD01 (cont)**

Q	Solution	Marks	Total	Comments
6(a)	$\begin{pmatrix} P & R & T \\ 400 & 5 & 3 \end{pmatrix} \begin{matrix} I & A & M \\ 60 & & \\ & 460 & \\ & & 12.8 \end{matrix}$	M1  A1 A1	3	SCA  AWRT
6(b)	$\begin{pmatrix} P & R & T \\ 400 & 5 & 3 \end{pmatrix} \begin{matrix} A & K & I & M \\ 400 & & & \\ & 0 & & \\ & 1 & & 20 \\ & & 420 & \\ & 2 & & 21 \\ & & 441 & \\ & 3 & & 22.05 \\ & & 463.05 & \\ & & & 12.9 \end{matrix}$	M1   A1  A1F  A1	4	variables  1 <sup>st</sup> pass  2 <sup>nd</sup> pass  All correct AWRT
<b>Total</b>			<b>7</b>	
7(a)	Odd vertices (at $A, B, C, I$ )	E1	1	
(b)	$AB + CI = 100 + 440 = 540$ $AC + BI = 150 + 450 = 600$ $AI + BC = 380 + 120 = 500$  Repeat $AI + BC$  Distance $2090 + 500 = 2590$	M1 A2,1,0  E1  B1	5	May be implied
(c)	Route with (3A), 2B, 2C, 3D, 2E, 2F, 3G, 1H, 2I, 1J = 18	M1  A1	2	(16 → 21)
<b>Total</b>			<b>8</b>	

MD01 (cont)

Q	Solution	Marks	Total	Comments
8(a)(i)	$L \quad N \quad O \quad L$ $35 \quad 20 \quad 15 \quad = 70$	B1	1	
(ii)	$L \quad O \quad N \quad L$ $35 \quad 40 \quad 25 \quad = 95$	B1	1	
(b)	Any cycle	B1	1	
(c)(i)	$S \quad P \quad O \quad L \quad N \quad R \quad S$ $20 \quad 25 \quad 15 \quad 35 \quad 25 \quad 25$	M1 M1 A1	3	Tour Every vertex All correct
(ii)	Tour May be improved	E1 E1	2	
(iii)	$S \quad R \quad O \quad L \quad N \quad P \quad S$ $30 \quad 17 \quad 15 \quad 35 \quad 21 \quad 20$ $= 138$	M1 A1 B1	3	Tour to every vertex with $SR + N + P$ All correct
	<b>Total</b>		<b>11</b>	
9	$5x + 4y + 3z \leq 180$ oe $6x + 4y + 5z \leq 120$ oe $4x + 2y + 3z \leq 90$ oe $x > y$ $y > z$ $x \geq \frac{40}{100}(x + y + z)$ $3x \geq 2y + 2z$	B1 B1 B1 B1 B1 M1 A1 A1	8	$x \geq 40\%$ (their total)
	<b>Total</b>		<b>8</b>	
	<b>TOTAL</b>		<b>75</b>	