

General Certificate of Education

Mathematics 6360

MD01 Decision 1

Mark Scheme

2007 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2007 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Key to mark scheme and abbreviations used in marking

M	mark is for method						
m or dM	mark is dependent on one or more M marks and is for method						
A	mark is dependent on M or m marks and is for accuracy						
В	mark is independent of M or m marks and is for method and accuracy						
Е	mark is for explanation		<u>-</u>				
√or ft or F	follow through from previous						
	incorrect result	MC	mis-copy				
CAO	correct answer only	MR	mis-read				
CSO	correct solution only	RA	required accuracy				
AWFW	anything which falls within	FW	further work				
AWRT	anything which rounds to	ISW	ignore subsequent work				
ACF	any correct form	FIW	from incorrect work				
AG	answer given	BOD	given benefit of doubt				
SC	special case	WR	work replaced by candidate				
OE	or equivalent	FB	formulae book				
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme				
–x EE	deduct x marks for each error	G	graph				
NMS	no method shown	c	candidate				
PI	possibly implied	sf	significant figure(s)				
SCA	substantially correct approach	dp	decimal place(s)				

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

MD01

Q	Solution		Marks	Total	Comments
1(a)	B 2 2 3 3 4 4 5 5 5 6 6		M1 A1	2	
(b)	D can only do 4		E1	1	Cannot be matched to task
(c)	A-2+E-6+C-5 D-4+F-5+C-3+B-1		M1A1 M1A1 A1		Starting with A , D , 5 , 1 First pass Second pass All Correct Alt:1 $A-4+F-5$ D-4+A-2+E-6+C-3+B-1
	Match				Alt: 2 $D-4+F-5$
	A2, B1, C3, D4, E6, F5	Total	B1	6 9	A-2+E-6+C-3+B-1
2(a)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5	M1	,	SCA
	6 20 5 14 11 6 5 28 22 20 6 14 20 28	17 17	M1 A1		4 sublists correct 1 st pass
	5 11 17 6 5 14 11 20 17 28	22 22	M1		2 sublists
	5 6 11 14 17 20 22	28	A1	5	All correct
(b)(i)	4		B1		
(ii)	4		B1	2	
(c)	28	Total	B1	1 8	
		Total		8	

ATD OA	(1)
MD01	CONT
MDV1 V	COHU

Q	Solut	tion		Marks	Total	Comments
3(a)(i)	105			7100	[22]	1000 PM 440
	4•—	15	B 15	10	25 C	15 40 D
	- 1					
	12		12		12	12
	12 E	20	32 F	9	37 (G 20
	E	20	27	-	36	• H [52]
						.56
	20		20		20	20
	32	14	47	20		15 72
	Ĭ		46J	1	K	56 L 71
				M1		SCA
				A1		Correct at F
				M1		2 values at G
				M1		2 values at J
				M1		2 values at H
	71			A1 B1	7	All correct
	71			ы	7	
	OR					
(a)(i)	Working back from L					
	35 at <i>G</i>					
	47 at <i>C</i>					
	44 at <i>F</i>					
	49 at I B1 \times 7					
	56 at <i>B</i>					
	64 at <i>E</i>					
	71 at A					
	J					
(ii)	ABFGKL			B1	1	
(b)	ADL gives 62			M1		OE
` '	AIL gives 69			A1		OE Either, considering routes ADL or AIL
	$\therefore A \text{ to } D$			A1	3	CSO
			Total		11	

MD01 (cont)

Q Q	Solution	Marks	Total	Comments
4(a)(i)	SD 12	M1		Prim's (first 4 edges, allow 1 slip)
	SC 13	D.1		
	SA 14	B1		12 edges
	SB 16 DH 75			
	HG 23	A1		HG 6 th
	GF 22	711		
	FE 24			
	<i>EI</i> 81	A1		EI 9 th
	IJ 12			
	<i>GK</i> 83			
	<i>KL</i> 16	B1	5	All correct
(ii)	391	B1	1	
(22)			-	
(iii)	S	M1		MST (10 + edges)
	A D	A1		12 edges
	Β•	A1	3	All correct
	1	Ai	3	All collect
	E F G			
	± + + + + + + + + + + + + + + + + + + +			
	$I \stackrel{\bullet}{\longleftarrow} J \stackrel{\bullet}{\longrightarrow} K \stackrel{\bullet}{\longrightarrow} L$			
(iv)	GF 7 th (22)	B1		
(17)	HG 8 th (23)	B1	2	
	110 0 (23)	D1	2	
(b)	Odd vertices (E, H, J, K)	E1		PI
	EH + JK = 69 + 131 = (200)	M1		2 correct sets of pairings
	EJ + HK = 93 + 106 = (199)	A3,2,		
	EK + JH = 129 + 142 = (271)	1,0		
	Repeat $EJ + HK$			
	Total $1135 + 199 = 1334$	B1	6	
	Total		17	

MD01 (cont)							
Q	Solution	Marks	Total	Comments			
5(a)	$5x + 10y \le 1500 \text{ (balloons)}$						
	$\Rightarrow x + 2y \le 300$	E1					
	$32x + 8y \le 4000 \text{ (sweets)}$	E1					
	$\Rightarrow 4x + y \le 500$						
	$x \ge 50, y \ge 50$, at least 50 of each	E1					
	$x + y \ge 140$, at least 140 in total	E1	4				
(b)(i)				·			
	200						
	2001						
	-						
		\.					
		/					
	140	1					
		1					
		-1					
	100-	1					
	FI						
	+	. //		874			
		- //	11.00				
	1						
	40 -	1					
	OL	//					
			1/				
	0 40	100	140	200 x			
	1	B1		x = 50, y = 50			
		B1		x - 30, y - 30 $x + y = 140$			
		M1		Negative gradient (either)			
		A1		4x + y = 500			
		A1		x + 2y = 300			
		B1		Feasible region			
		M1		Objective line drawn			
		A1	8	J 13 13 13 13 13 13 13 13 13 13 13 13 13			
			-				
(ii)	Maximum(100,100)	M1		Considering extreme point on their region			
	=£200	A1	2				
(iii)	Minimum (90,50)	M1		Considering extreme minimum point on			
	` ,			their region			
	=£132	A1	2				
	Total		16				
				<u> </u>			

MD01 (cont)

Q	Solution	Marks	Total	Comments
6(a)(i)	$G \to P \to A \to N \to R \to G$	M1		Tour
	65 115 155 125 160	M1 A1		Visits all places Correct order
	Total = 620	B1	4	Correct order
	3000	21		
(ii)				
	P 115 A	M1		SCA $(MST + extra edge(s))$
	77 A	m1		MST
	155	1111		NIST
		A1		
	R 125 N			
	70			
	P _e R			
	\	_		
	65 160	m1		2 edges from G
	65 / 160			
	Ğ			
	LD 205 : 225 (20	A1	E	
	LB = 395 + 225 = 620	Al	5	
(iii)	T = 620	E1F		Their (a)(ii) $\leq T \leq$ their (a)(i)
				where $(a)(i) \ge (a)(ii)$
(b)(i)	92	B1	1	
			_	
(ii)	87	B1	1	
(iii)	6	B1	1	
(111)		וט	1	
(iv)	n!	B1	1	
	Total		14	
	TOTAL		75	