

### General Certificate of Education

## Mathematics 6360

MM1A Mechanics 1A

# Mark Scheme

## 2006 examination - January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

#### **Key To Mark Scheme And Abbreviations Used In Marking**

M	mark is for method			
m or dM	mark is dependent on one or more M marks and is for method			
A	mark is dependent on M or m marks and is for accuracy			
В	mark is independent of M or m marks and is for method and accuracy			
E	mark is for explanation			
	•			
√or ft or F	follow through from previous			
	incorrect result	MC	mis-copy	
CAO	correct answer only	MR	mis-read	
CSO	correct solution only	RA	required accuracy	
AWFW	anything which falls within	FW	further work	
AWRT	anything which rounds to	ISW	ignore subsequent work	
ACF	any correct form	FIW	from incorrect work	
AG	answer given	BOD	given benefit of doubt	
SC	special case	WR	work replaced by candidate	
OE	or equivalent	FB	formulae book	
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme	
–x EE	deduct x marks for each error	G	graph	
NMS	no method shown	c	candidate	
PI	possibly implied	sf	significant figure(s)	
SCA	substantially correct approach	dp	decimal place(s)	

#### No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

#### MM1A

Q	Solution	Marks	Total	Comments
1(a)				
	$\rightarrow$ 6ms <sup>-1</sup>			
	2 kg O O 3 kg			
	$\rightarrow v$			
	$2\times6$ = $3\times v$	M1		
	$v = 4 \mathrm{ms^{-1}}$	A1 A1	3	
(b)	$\rightarrow$ 6ms <sup>-1</sup>			
	2 kg O O 3 kg			
	$\leftarrow v \longrightarrow 4v$			
	$2\times6 = -2\times v + 3\times 4v$	M1A1		M1all terms
	12 = 10v			
	$v = 1.2 \mathrm{ms}^{-1}$	A1F	3	ft sign error $(v = 0.857)$
	Total		6	
2(a)	$v^2 = u^2 + 2as$			
	$0 = 10.5^2 - 2 \times 9.8 \times s$	M1		full method
	s = 5.625 metres (5.63) (5.62)	A1	2	Tuli ilicilod
	, , , ,			
(b(i)	0 = 10.5 - 9.8t	M1		
	$t = 1.07 \sec (1.0714)$	A1	2	
(ii)	T = 2.14  sec	B1F	1	
	Total		5	

MM1A (cont)

Q	Solution	Marks	Total	Comments
3(a)(i)	v = 12.5(12.48)	M1A1	2	12 / sin or cos of 74° / 16°
(ii)	74*			or Pythagoras using 3.44 S.C. if Pythagoras used in circular solution M1 (1st used) A1A1 each answer, 3 max
	$\tan 74^\circ = \frac{12}{u}$ $u = 3.44$	M1A1F	3	ft incorrect v used
				Alt: $\frac{12\cos}{\sin 45^{\circ}}$ B1 Full method $v^{2} = (12\sin 45)^{2} + (3.44 + 12\sin 45)^{2} M1$ $(8.455) \qquad (11.925) \qquad A1$ $146 \qquad A1$
(b)	3.44 12, ν			140 A1
	$\theta = 135^{\circ}$	B1		
	$v^2 = 3.44^2 + 12^2 - 2 \times 12 \times 3.44 \cos 135^\circ$	M1		Subs
	$v = 3.44 + 12 = 2 \times 12 \times 3.44 \cos 133$ v = 14.6	A1F	_	All correct
		A1F	4	ft incorrect subtraction →135°
	Total		9	

MM1A (cont)

Q Q	Solution	Marks	Total	Comments
4(a)	$s = ut + \frac{1}{2}at^{2}$ $0 = 2\frac{1}{2}ut - \frac{1}{2}gt^{2}$			
	2 1 1 2			
	$0 = 2\frac{1}{2}ut - \frac{1}{2}gt^2$	M1 A1		Full method required for time (equations of motion, or standard result)
	$0 = t \left( 2 \frac{1}{2} u - \frac{1}{2} gt \right)$			(-4,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	, , , , , , , , , , , , , , , , , , ,	m1		
	$t = \frac{5u}{g}$	A1	4	(if $\alpha = 0.8$ used loss last A1)
		Al	4	(if $g = 9.8$ used, lose last A1)
(b)	$OA = 6u \times \frac{5u}{g}$ $= \frac{30u^2}{g}$	M1		
(b)	g 20. <sup>2</sup>	IVII		
	$=\frac{30u^2}{\sigma}$	A1	2	cao
		711	2	cao
(c)	speed $^{2} = (6u)^{2} + \left(2\frac{1}{2}u\right)^{2}$	M1		
	$\begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$	1111		
	speed = $6\frac{1}{2}u$	A1	2	cao
(d)		B1	1	
<b>5</b> ( )(°)	Total	3.61	9	
5(a)(i)	$a = \frac{18 - 12}{10}$	M1		±
	$a = 0.6 \text{ms}^{-2}$	A1	2	
			2	
(ii)	$s_1 = \frac{1}{2}(12+18) \times 10$	M1		
	2			
	$s_1 = 150 \mathrm{metres}$	A1	2	
(L)	20.412			
(b)	$s_2 = 20 \times 12 =$ 240 metres	B1	1	
(c)	$s_3 = \frac{1}{2}(12+18) \times 20$	M1		
	= 300	A1		PI
	_ JUU			
	average speed = $\frac{150 + 240 + 300}{50}$	M1		
	average speed =			
	_12 01		_	
	$= 13.8 \mathrm{ms}^{-1}$ Total	A1F	<u>4</u> 9	ft one slip
	Total		,	

MM1A (cont)

Q Q	Solution	Marks	Total	Comments
6(a)(i)	$T = 0.6 \times 9.8 = 5.88 \text{N}$ or $0.6g$	B1	1	
(ii)	Force = $2T = 11.76 \text{N}$ or $11.8 \text{N}$ or $1.2 \text{g}$	B1 B1	2	Magnitude direction
(b)(i)	Q:0.8g - T = 0.8a	M1		either equation
(0)(1)	T - 0.6g = 0.6a	A1		ermer equation
	1 - 0.0g = 0.0u	A1		
	0.2g = 1.4a	<b>333</b> 1		alt M1 A1 if solving for T full mathed for
	a = 1.4	m1 A1		<b>alt</b> M1A1 if solving for T, full method for solving, A1 accurate attempt
	T = 6.72N		6	cao
		A1	6	S.C whole string. To find $a$ : $0.2g = 1.4a$ M1 $a = 1.4 \text{ A1}$ To find T: M1 A1
(ii)	Force = 2T = 13.44N	B1	1	cao J
7()	Total		10	
7(a)	30N or F	B1	1	
(b)	$F = \mu R$ , $30 = 0.5 R$ R = 60 N	M1 A1	2	
(c)	Constant speed ⇒ no acceleration / forces	M1		
	balance $\therefore 30N = T_x$	A1	2	
(d)	$T_y + R = 100$ $T_y = 40$ $T = \sqrt{(30^2 + 40^2)}$ $T = 50$	M1 A1 M1 A1	4	Use of a vertical component of T
(e)	$\tan \theta = \frac{40}{30}$ $\theta = 53.1^{\circ} \text{ Accept } 53^{\circ}$	M1 A1F A1	3	cao
	Total	AI	12	
	TOTAL		60	
	1011112			wayay the all papers com