General Certificate of Education June 2007 Advanced Level Examination



# MATHEMATICS Unit Pure Core 4

MPC4

Monday 18 June 2007 9.00 am to 10.30 am

#### For this paper you must have:

- an 8-page answer book
- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

Time allowed: 1 hour 30 minutes

#### **Instructions**

- Use blue or black ink or ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MPC4.
- Answer all questions.
- Show all necessary working; otherwise marks for method may be lost.

#### Information

- The maximum mark for this paper is 75.
- The marks for questions are shown in brackets.

#### **Advice**

• Unless stated otherwise, you may quote formulae, without proof, from the booklet.

### Answer all questions.

1 (a) Find the remainder when  $2x^2 + x - 3$  is divided by 2x + 1. (2 marks)

- (b) Simplify the algebraic fraction  $\frac{2x^2 + x 3}{x^2 1}$ . (3 marks)
- 2 (a) (i) Find the binomial expansion of  $(1+x)^{-1}$  up to the term in  $x^3$ . (2 marks)
  - (ii) Hence, or otherwise, obtain the binomial expansion of  $\frac{1}{1+3x}$  up to the term in  $x^3$ .
  - (b) Express  $\frac{1+4x}{(1+x)(1+3x)}$  in partial fractions. (3 marks)
  - (c) (i) Find the binomial expansion of  $\frac{1+4x}{(1+x)(1+3x)}$  up to the term in  $x^3$ . (3 marks)
    - (ii) Find the range of values of x for which the binomial expansion of  $\frac{1+4x}{(1+x)(1+3x)}$  is valid. (2 marks)
- 3 (a) Express  $4\cos x + 3\sin x$  in the form  $R\cos(x \alpha)$ , where R > 0 and  $0^{\circ} < \alpha < 360^{\circ}$ , giving your value for  $\alpha$  to the nearest 0.1°. (3 marks)
  - (b) Hence solve the equation  $4\cos x + 3\sin x = 2$  in the interval  $0^{\circ} < x < 360^{\circ}$ , giving all solutions to the nearest 0.1°. (4 marks)
  - (c) Write down the minimum value of  $4\cos x + 3\sin x$  and find the value of x in the interval  $0^{\circ} < x < 360^{\circ}$  at which this minimum value occurs. (3 marks)

4 A biologist is researching the growth of a certain species of hamster. She proposes that the length, x cm, of a hamster t days after its birth is given by

$$x = 15 - 12e^{-\frac{t}{14}}$$

- (a) Use this model to find:
  - (i) the length of a hamster when it is born;

(1 mark)

- (ii) the length of a hamster after 14 days, giving your answer to three significant figures. (2 marks)
- (b) (i) Show that the time for a hamster to grow to 10 cm in length is given by  $t = 14 \ln \left(\frac{a}{b}\right)$ , where a and b are integers. (3 marks)
  - (ii) Find this time to the nearest day.

(1 mark)

(c) (i) Show that

$$\frac{\mathrm{d}x}{\mathrm{d}t} = \frac{1}{14} \left( 15 - x \right) \tag{3 marks}$$

- (ii) Find the rate of growth of the hamster, in cm per day, when its length is 8 cm. (1 mark)
- 5 The point P(1, a), where a > 0, lies on the curve  $y + 4x = 5x^2y^2$ .

(a) Show that a = 1. (2 marks)

- (b) Find the gradient of the curve at *P*. (7 marks)
- (c) Find an equation of the tangent to the curve at *P*. (1 mark)

Turn over for the next question

6 A curve is given by the parametric equations

$$x = \cos \theta$$
  $y = \sin 2\theta$ 

- (a) (i) Find  $\frac{dx}{d\theta}$  and  $\frac{dy}{d\theta}$ . (2 marks)
  - (ii) Find the gradient of the curve at the point where  $\theta = \frac{\pi}{6}$ . (2 marks)
- (b) Show that the cartesian equation of the curve can be written as

$$y^2 = kx^2(1 - x^2)$$

where k is an integer.

(4 marks)

- 7 The lines  $l_1$  and  $l_2$  have equations  $\mathbf{r} = \begin{bmatrix} 8 \\ 6 \\ -9 \end{bmatrix} + \lambda \begin{bmatrix} 3 \\ -3 \\ -1 \end{bmatrix}$  and  $\mathbf{r} = \begin{bmatrix} -4 \\ 0 \\ 11 \end{bmatrix} + \mu \begin{bmatrix} 1 \\ 2 \\ -3 \end{bmatrix}$  respectively.
  - (a) Show that  $l_1$  and  $l_2$  are perpendicular.

(2 marks)

- (b) Show that  $l_1$  and  $l_2$  intersect and find the coordinates of the point of intersection, P.

  (5 marks)
- (c) The point A(-4,0,11) lies on  $l_2$ . The point B on  $l_1$  is such that AP = BP.

  Find the length of AB.

  (4 marks)
- 8 (a) Solve the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{\sqrt{1+2y}}{x^2}$$

given that y = 4 when x = 1.

(6 marks)

(b) Show that the solution can be written as  $y = \frac{1}{2} \left( 15 - \frac{8}{x} + \frac{1}{x^2} \right)$ . (2 marks)

## END OF QUESTIONS