



ASSESSMENT and
QUALIFICATIONS
ALLIANCE

Mark scheme

June 2003

GCE

Physics B

Unit PHB1

Copyright © 2003 AQA and its licensors. All rights reserved.

PHB1

Section A

Question 1

- Resistance decreasing with decreasing temperature above transition temperature B1
Abrupt discontinuous vertical change to zero resistance at $-120\text{ }^{\circ}\text{C}$ B1 **2**
- (a) Use of moment formula C1
 $0.5 \times 550 + 1.2 \times 650 = \text{Weight C} \times 2.1$ C1
Weight C = 502 N A1
- (b) Weight of see-saw = $9.8 \times 35 = 343\text{ N}$ or total people wt = $1200 + \text{C}$ B1
ecf B1 **5**
Total weight = 2.05 kN

Question 3

- (a) (i) $22 - 10 = 12\text{ V}$ B1
- (ii) use of $V = IR$ C1
 $R_{\text{total}} = 12 / 0.25 = 48$ C1
So $R = 48 - 0.9 = 47.1\ \Omega$ A1
- (b) Charge = $It = 0.25 \times 8 \times 3600 = 7200\text{ C}$ [cnao] B1 **5**

Question 4

- (a) Time for one cycle M1
One cycle defined correctly in terms of diagram, can be on diagram A1
- (b) B B1
Mention of air resistance, allow *drag* OR bob faster in centre of motion B1
Links two ideas B1 **5**

Question 5

- (a) $[V_1 = V \times R_1 / (R_1 + R_2)]$ C1
 $= 16 \times 1200 / 2000$
 $= 9.6\text{ V}$ A1
- (b) LDR resistance drops B1
voltmeter reading decreases B1
because more conduction electrons/charge carriers released B1 **5**

Question 6

- | | | | |
|-----|--|----------|---|
| (a) | Electrons | B1 | |
| (b) | n : number of charge carriers per unit volume OWTTE
v : drift speed/velocity or average speed/velocity | B1
B1 | 3 |

Section B**Question 7**

- | | | | |
|--------|---|----------------|---|
| (a) | $V \propto I$ [allow proportional]
physical condition constant | M1
A1 | |
| (b)(i) | Line goes through (12, 2) [within one square]
Straight line at origin aimed at (1,0.5) and smooth curve (correct shape) beyond (1,0.5)
Calculation clearly supporting second mark [$V=IR$, $I=0.5$, so $V=1$] | B1
B1
B1 | |
| (ii) | Correct shape for V +ve
Non-zero, positive breakaway from V -axis, $V \leq 1V$; line not $> 1V$
Zero current for reverse bias explicit | M1
A1
B1 | 8 |

Question 8

- | | | | |
|--------|--|----------------|--|
| (a)(i) | $\frac{1}{2} mv^2 = \frac{1}{2} \times 2.8 \times 10^4 \times 71^2$
$= 7.1 \times 10^7 \text{ J}$ | C1
A1 | |
| (ii) | decel = gradient of graph or $a = (v-u)/t$ or $\Delta v/\Delta t$ or evidence on graph
$= (71-0)/(3.5 - 0)$
$= 20.3 \text{ [m s}^{-2}\text{]}$ | B1
B1
B1 | |
| (iii) | [$F=ma$]
$= 2.8 \times 10^4 \times 20.3$
$= 568 \text{ kN}$ | C1
A1 | |
| (b)(i) | [$F = 2T \cos \theta$] some use of resolved vector
$T = F/2 \cos \theta = 568\,000/2 \times \cos 12.5^\circ$ (ecf)
$= 291\,000 \text{ [N]}$ | C1
C1
A1 | |
| (ii) | [$\frac{1}{2} F \Delta l$]
$= \frac{1}{2} \times 290\,000 \times 0.15$
$= 22 \text{ kJ [21.8]}$ | C1
A1 | |
| (c) | $v^2 = u^2 + 2as$
$a = v^2/2s = 71^2/124$ or alt process
$= 41 \text{ m s}^{-2} \text{ [40.6]}$ | C1
A1 | |

(d)	drawing correct, scale clearly stated, wind speed line >+ 2 cm or one correct calculation	B1	
	speed 82/83/82.5 m s ⁻¹ [80 – 84 if drawn]	B1	
	course 14° [12 – 16] west of north [346°]	B1	17

Question 9

	Sensible method for timing	B1	
	Sensible method for distance/speed measurement	B1	
	max 2 for totally inappropriate method		
	Analysis description	B1	
	Further good detail (e.g. averaging or graphing <i>if analysis mark scored</i> /ignore air resistance with indication of effect on calculated <i>g</i> /in vacuum with good detail/electromagnetic release, must indicate logic of circuit/measure size of falling object if appropriate to expt/suitable described falling object/light gate used, show internal machine computation/datalogging with good detail/etc)	B1	
	[any mark can be scored for detail shown on diagram]		
	Use of physics terms is accurate, the answer is fluent/well argued with few errors in spelling, punctuation and grammar and gains at least 3 marks for physics	6	2
	Use of physics terms is accurate but the answer lacks coherence or the spelling, punctuation and grammar are poor and gains at least 1 mark for physics		1
	Use of physics terms is inaccurate, the answer is disjointed with significant errors in spelling, punctuation and grammar		0
			6

Question 10

(a)(i)	Use of $R = \rho l/A$	C1	
	$= 1.3 \times 10^5 \times 12 \times 10^{-3} / 2.5 \times 10^{-3} \times 1.5 \times 10^{-3}$	C1	
	$= 4.2 \times 10^8 \Omega$	A1	
(ii)	$P = V^2/R$		
	$= 25 / 4.2 \times 10^8$	C1	
	$= 6.0 \times 10^{-8} \text{ W}$	A1	
(iii)	total power = $12 \times 10^{-8} \text{ W}$	B1	
(iv)	area = $(7.5 \times 10^{-3}) \times 12 \times 10^{-3}$ [= $90 \times 10^{-6} \text{ m}^2$]	C1	
	p/area = $12 \times 10^{-8} / 90 \times 10^{-6}$		
	$= 1.3 \text{ mW m}^{-2}$	A1	

- | | | | |
|--------|---|----------|-----------|
| (b)(i) | area goes down 100 times, or quotes area $3.75 \times 10^{-8} \text{ m}^2$
$R = \rho(l \times 10)/(A \times 100)$, or quotes length $12 \times 10^{-4} \text{ m}$
[so resistance goes up 10 times] | B1
B1 | |
| (ii) | power dissipated is reduced [power down 10 times]
through area that is smaller by bigger factor than power | B1
B1 | 12 |

Question 11

- | | | |
|---|----|----------|
| Energy extracted from internal energy of rocks | B1 | |
| origin: original formation of Earth (e.g. volcanic activity)
or present radioactive decays | B1 | |
| heat used to produce steam | B1 | |
| for conventional turbine-generator system | B1 | |
| advantage no fuel cost/no pollution/etc [<i>not</i> no running costs] | B1 | |
| disadvantage sites limited by geology/expensive set-up only if
comparison with other energy source/steam/water often very
corrosive \therefore high maintenance | B1 | |
| Use of physics terms is accurate, the answer is fluent/well argued
with few errors in spelling, punctuation and grammar
and gains at least 3 marks for physics | | 2 |
| Use of physics terms is accurate but the answer lacks coherence or
the spelling, punctuation and grammar are poor
and gains at least 1 mark for physics | | 1 |
| Use of physics terms is inaccurate, the answer is disjointed with
significant errors in spelling, punctuation and grammar | | 0 |
| | | 7 |