

General Certificate of Education  
January 2006  
Advanced Subsidiary Examination



**MATHEMATICS**  
**Unit Statistics 1A**

**MS/SS1A/W**

**STATISTICS**  
**Unit Statistics 1A**

Thursday 12 January 2006 1.30 pm to 2.45 pm

**For this paper you must have:**

- an 8-page answer book
- the **blue** AQA booklet of formulae and statistical tables
- an insert for use in Question 4 (enclosed)

You may use a graphics calculator.

Time allowed: 1 hour 15 minutes

**Instructions**

- Use blue or black ink or ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MS/SS1A/W.
- Answer **all** questions.
- All necessary working should be shown; otherwise marks for method may be lost.
- The **final** answer to questions requiring the use of tables or calculators should normally be given to three significant figures.
- Fill in the boxes at the top of the insert.

**Information**

- The maximum mark for this paper is 60.
- The marks for questions are shown in brackets.
- Unit Statistics 1A has a **written paper and coursework**.

**Advice**

- Unless stated otherwise, formulae may be quoted, without proof, from the booklet.

---

Answer **all** questions.

---

- 1 At a certain small restaurant, the waiting time is defined as the time between sitting down at a table and a waiter first arriving at the table. This waiting time is dependent upon the number of other customers already seated in the restaurant.

Alex is a customer who visited the restaurant on 10 separate days. The table shows, for each of these days, the number,  $x$ , of customers already seated and his waiting time,  $y$  minutes.

$x$	9	3	4	10	8	12	7	11	2	6
$y$	11	6	5	11	9	13	9	12	4	7

- (a) Calculate the equation of the least squares regression line of  $y$  on  $x$  in the form  $y = a + bx$ .  
(4 marks)
- (b) Give an interpretation, in context, for each of your values of  $a$  and  $b$ .  
(2 marks)
- (c) Use your regression equation to estimate Alex's waiting time when the number of customers already seated in the restaurant is:
- (i) 5;
- (ii) 25. (2 marks)
- (d) Comment on the likely reliability of **each** of your estimates in part (c), given that, for the regression line calculated in part (a), the values of the 10 residuals lie between +1.1 minutes and -1.1 minutes. (3 marks)

2 Xavier, Yuri and Zara attend a sports centre for their judo club's practice sessions. The probabilities of them arriving late are, independently, 0.3, 0.4 and 0.2 respectively.

(a) Calculate the probability that for a particular practice session:

(i) all three arrive late; (1 mark)

(ii) none of the three arrives late; (2 marks)

(iii) exactly one of the three arrives late. (3 marks)

(b) Zara's friend, Wei, also attends the club's practice sessions. The probability that Wei arrives late is 0.9 when Zara arrives late, and is 0.25 when Zara does not arrive late.

Calculate the probability that for a particular practice session:

(i) both Zara and Wei arrive late; (2 marks)

(ii) either Zara or Wei, but not both, arrives late. (3 marks)

3 When an alarm is raised at a market town's fire station, the fire engine cannot leave until at least five fire-fighters arrive at the station. The call-out time,  $X$  minutes, is the time between an alarm being raised and the fire engine leaving the station.

The value of  $X$  was recorded on a random sample of 50 occasions. The results are summarised below, where  $\bar{x}$  denotes the sample mean.

$$\sum x = 286.5 \quad \sum (x - \bar{x})^2 = 45.16$$

(a) Find values for the mean and standard deviation of this sample of 50 call-out times.

(2 marks)

(b) Hence construct a 99% confidence interval for the mean call-out time.

(4 marks)

(c) The fire and rescue service claims that the station's mean call-out time is less than 5 minutes, whereas a parish councillor suggests that it is more than  $6\frac{1}{2}$  minutes.

Comment on **each** of these claims.

(2 marks)

4 [Figure 1, printed on the insert, is provided for use in this question.]

The table shows the times, in seconds, taken by a random sample of 10 boys from a junior swimming club to swim 50 metres freestyle and 50 metres backstroke.

Boy	A	B	C	D	E	F	G	H	I	J
<b>Freestyle (<math>x</math> seconds)</b>	30.2	32.8	25.1	31.8	31.2	35.6	32.4	38.0	36.1	34.1
<b>Backstroke (<math>y</math> seconds)</b>	33.5	35.4	37.4	27.2	34.7	38.2	37.7	41.4	42.3	38.4

(a) On **Figure 1**, complete the scatter diagram for these data. (2 marks)

(b) Hence:

(i) give **two** distinct comments on what your scatter diagram reveals; (2 marks)

(ii) state, **without calculation**, which of the following 3 values is most likely to be the value of the product moment correlation coefficient for the data in your scatter diagram.

0.912      0.088      0.462 (1 mark)

(c) In the sample of 10 boys, one boy is a junior-champion freestyle swimmer and one boy is a junior-champion backstroke swimmer.

Identify the **two** most likely boys. (2 marks)

(d) **Removing the data for the two boys whom you identified in part (c):**

(i) calculate the value of the product moment correlation coefficient for the remaining 8 pairs of values of  $x$  and  $y$ ; (3 marks)

(ii) comment, in context, on the value that you obtain. (1 mark)

- 5 (a) The baggage loading time,  $X$  minutes, of a chartered aircraft at its UK airport may be modelled by a normal random variable with mean 55 and standard deviation 8.

Determine:

- (i)  $P(X < 60)$ ; *(3 marks)*
- (ii)  $P(55 < X < 60)$ . *(2 marks)*

- (b) The baggage loading time,  $Y$  minutes, of a chartered aircraft at its overseas airport may be modelled by a normal random variable with mean  $\mu$  and standard deviation 16.

Given that  $P(Y < 90) = 0.95$ , find the value of  $\mu$ . *(4 marks)*

- 6 The table shows, for a particular population, the proportion of people in each of the four main blood groups.

<b>Blood group</b>	<b>O</b>	<b>A</b>	<b>B</b>	<b>AB</b>
<b>Proportion</b>	0.40	0.28	0.20	0.12

- (a) A random sample of 20 people is selected from this population.

Determine the probability that the sample contains:

- (i) at most 10 people with blood group O; *(2 marks)*
- (ii) exactly 3 people with blood group A; *(3 marks)*
- (iii) more than 4 but fewer than 8 people with blood group B. *(3 marks)*

- (b) A random sample of 500 people is selected from this population.

Find values for the mean and variance of the number of people in the sample with blood group AB. *(2 marks)*

**END OF QUESTIONS**

**There are no questions printed on this page**

**There are no questions printed on this page**

**There are no questions printed on this page**



Surname					Other Names				
Centre Number					Candidate Number				
Candidate Signature									

General Certificate of Education  
 January 2006  
 Advanced Subsidiary Examination



**MATHEMATICS**  
**Unit Statistics 1A**

**MS/SS1A/W**

**STATISTICS**  
**Unit Statistics 1A**

# Insert

Thursday 12 January 2006      1.30 pm to 2.45 pm

Insert for use in **Question 4**.

Fill in the boxes at the top of this page.

Fasten this insert securely to your answer book.

**Turn over for Figure 1**

Figure 1 (for use in Question 4)  
Scatter Diagram for Freestyle and Backstroke Swimming Times

