

Centre Number						Candidate Number			
Surname									
Other Names									
Candidate Signature									

For Examiner's Use	
Examiner's Initials	
Pages	Mark
3	
4–5	
6–7	
8	
TOTAL	



General Certificate of Secondary Education
Higher Tier
June 2011

Methods in Mathematics (Linked Pair Pilot)

93651H/B

Unit 1 Algebra and Probability
Section B Non-calculator

Monday 13 June 2011 9.50 am to 10.35 am

H

For this paper you must have:

- mathematical instruments.



You must **not** use a calculator.

Time allowed

- 45 minutes

Instructions

- Use black ink or black ball-point pen. Draw diagrams in pencil.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the space provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work that you do not want to be marked.
- You must **not** use your calculator in Section B. Your calculator must remain on the floor under your seat.
- When you have answered Section B you may work again on Section A but you must **not** use your calculator. It must remain on the floor under your seat.
- At the end of the examination tag Section A and Section B together with Section A on top.





Information

- The marks for questions are shown in brackets.
 - The maximum mark for this paper is 40.
 - The quality of your written communication is specifically assessed in Question 10.
- This question is indicated with an asterisk (*)
- You may ask for more answer paper, graph paper and tracing paper. These must be tagged securely to this answer booklet.

Advice

- In all calculations, show clearly how you work out your answer.



Formulae Sheet: Higher Tier**Set notation** A  A'  $A \cap B$  $A \cup B$ 


Answer **all** questions in the spaces provided.

- *10 The expression $4(x + 6) - x$ can be simplified to the form $3(x + a)$
What is the value of a ?

.....
.....
.....

Answer (3 marks)

- 11 The diagram shows a cube on a 3-D coordinate grid.



The length of each side of the cube is 8 units.

G has the coordinates (8, 0, 0).

Write down the coordinates of the midpoint of the line BF.

Answer (.....,,) (2 marks)



12 Work out $\left(\frac{3}{5} \times 4\right) - \left(\frac{3}{5} \div 4\right)$

.....
.....
.....

Answer (4 marks)

13 (a) Solve $8x - 1 = 5x + 5$

.....
.....
.....

Answer $x =$ (3 marks)

13 (b) $x = 4$ is the solution to the equation $a(2x - 3) = 5x - b$
 a and b are integers.

Find **two** possible pairs of values for a and b .

.....
.....
.....

Answer $a =$ $b =$

$a =$ $b =$ (3 marks)

13 (c) Solve $\frac{7x - 2}{4} + \frac{5x + 8}{3} = 9$


.....
.....
.....

Answer $x =$ (4 marks)



14

Five containers have volumes in the ratio 1 : 2 : 3 : 4 : 5



D and E are full of water.

A, B and C are empty.

You can pour water from one container into another one.

You can fill one container from another one.

You need the water in the containers A, B, C, D and E to be in the ratio 1 : 1 : 3 : 2 : 2

Show how this can be done with the least number of pours.


From container	Into container	New ratio				
		A :	B :	C :	D :	E
-	-	0	0	0	4	5

(3 marks)

17



- 15 (a) The graph of $y = x^2 + 2x - 2$ is shown for values of x from -4 to 2 .




Use the graph to find the approximate solutions to the equation $x^2 + 2x - 2 = 0$

Answer (2 marks)



- 15 (b)** The graph of $y = x^2$ is shown for values of x from -3 to 3 .



Use the graph to estimate the value of $\sqrt{7} - \sqrt{3}$

.....

Answer (2 marks)

- 16** Rearrange $4(x + t) = 9t + 2$ to make x the subject.
-
-
-

Answer (3 marks)

Turn over for the next question



- 17 G is inversely proportional to H .

When $G = 8$, $H = 7$.

Obtain an equation connecting G and H .

.....
.....

Answer (3 marks)

- 18 Four consecutive integers, p , q , r and s can be expressed as p , $p + 1$, $p + 2$ and $p + 3$.

Prove that $ps + 2 = qr$

.....
.....
.....
.....

(3 marks)

- 19 Simplify fully
$$\frac{(\sqrt{12} + \sqrt{3})(\sqrt{12} - \sqrt{3})}{(\sqrt{2} + \sqrt{8})^2}$$

.....
.....
.....
.....
.....
.....
.....

Answer (5 marks)

END OF QUESTIONS

