

**MARK SCHEME for the May/June 2009 question paper**  
**for the guidance of teachers**

|                |   |
|----------------|---|
| <b>9700/31</b> | <b>9700 BIOLOGY</b><br>Paper 31 (Advanced Practical Skills 1),<br>maximum raw mark 40 |
|----------------|---|

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

| Question  | Expected Answers   | Additional Guidance  | Mark           |  |     |     |     |     |     |         |                         |  |                |  |  |
|---|--|--|----------------|--|-----|-----|-----|-----|-----|---------|-------------------------|--|----------------|--|--|
| <b>1 (a) (i) Record colour of paper and pH for glucose and ethanol.</b>       |  |  |                |  |     |     |     |     |     |         |                         |  |                |  |  |
| MMO<br>collection 2   | with reference to glucose and ethanol record a colour for each;<br>one colour matches one pH or between two pH values;   | Credit ONLY the given pH values<br>Credit less than/<5.2 with yellow or<br>more than/>6.7 with purple/AW | [1]            |  |     |     |     |     |     |         |                         |  |                |  |  |
|   | <table border="1"> <tr> <td>pH</td> <td>5.2</td> <td>5.5</td> <td>5.8</td> <td>6.1</td> <td>6.4</td> <td>6.7</td> </tr> <tr> <td>colours</td> <td colspan="2">brown/<br/>orange/yellow</td> <td>pink/<br/>brown</td> <td colspan="3">pink/<br/>purple/violet/lilac/magenta/<br/>red/burgundy/plum</td> </tr> </table> <p>OR (if no colours given) with reference to glucose and ethanol two pH values from scale, same or different;</p> |  | pH             | 5.2  | 5.5 | 5.8 | 6.1 | 6.4 | 6.7 | colours | brown/<br>orange/yellow |  | pink/<br>brown | pink/<br>purple/violet/lilac/magenta/<br>red/burgundy/plum |  |
| pH  | 5.2  | 5.5  | 5.8            | 6.1  | 6.4 | 6.7 |     |     |     |         |                         |  |                |  |  |
| colours   | brown/<br>orange/yellow  |  | pink/<br>brown | pink/<br>purple/violet/lilac/magenta/<br>red/burgundy/plum |     |     |     |     |     |         |                         |  |                |  |  |
| <b>(ii) Decide which other concentrations to make and complete the table.</b> |  |  |                |  |     |     |     |     |     |         |                         |  |                |  |  |
| MMO<br>decisions 3  | (%) 0 and 40 plus any three which are evenly/serially spaced e.g. 0, 20, 30, 40, 50 or 0, 10, 20, 30, 40;  | Ignore where 0 is listed   | [1]            |  |     |     |     |     |     |         |                         |  |                |  |  |
|   | correct volumes used to dilute up to 10 cm <sup>3</sup> AND correct %;   |  | [1]            |  |     |     |     |     |     |         |                         |  |                |  |  |
|   | (tubes listed) either most dilute/lowest % to most concentrated/highest % or most concentrated to most dilute;   |  | [1]            |  |     |     |     |     |     |         |                         |  |                |  |  |

|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 3 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

|   |   |   |         |         |         |         |  |  |         |  |  |     |
|---|---|---|---------|---------|---------|---------|--|--|---------|--|--|-----|
| <b>(iii) Prepare space to record colour of each piece of paper and pH.</b>              |   |   |         |         |         |         |  |  |         |  |  |     |
| PDO recording 2   | single table AND all cells drawn AND %/percent(age) (top or left of data heading only);   | <table border="1"> <tr> <td>heading</td> <td>heading</td> <td>heading</td> </tr> <tr> <td>heading</td> <td></td> <td></td> </tr> <tr> <td>heading</td> <td></td> <td></td> </tr> </table> | heading | heading | heading | heading |  |  | heading |  |  | [1] |
| heading   | heading   | heading   |         |         |         |         |  |  |         |  |  |     |
| heading   |   |   |         |         |         |         |  |  |         |  |  |     |
| heading   |   |   |         |         |         |         |  |  |         |  |  |     |
| MMO collection 2  | (headings) colour AND pH;   | Do not credit if % in body of table   | [1]     |         |         |         |  |  |         |  |  |     |
|   | two different colours for two tubes recorded;   | Do not credit if pH/colour in body of table   | [1]     |         |         |         |  |  |         |  |  |     |
|   | (collected data/colours or pH) clearly for 1 min(ute)/start and 10 min(utes)/end;   | Collection of colour for two tubes.<br>Credit colour differences such as light orange vs orange   | [1]     |         |         |         |  |  |         |  |  |     |
|   |   | Credit colours only or pH values only – looking for clear collection of 1 minute and 10 minutes<br>Credit for one tube of data for 1 min and 10 min as minimum                            | [1]     |         |         |         |  |  |         |  |  |     |
| <b>(b) (i) Identify a significant error – read complete answer for any correct one.</b> |   |   |         |         |         |         |  |  |         |  |  |     |
| ACE interpretation 1  | judging colour/matching exact colours/colours very close together/pH paper narrow scale/colours not on scale/between colours/identification of colours;<br><br>idea of timing not the same/different/described;<br><br>loss of CO <sub>2</sub> /gas/AW; | Do not credit timing unqualified  | [max 1] |         |         |         |  |  |         |  |  |     |
| <b>(ii) State degree of uncertainty (of syringes).</b>                                  |   |   |         |         |         |         |  |  |         |  |  |     |
| ACE interpretation 1  | +/- AND half total division AND cm <sup>3</sup> ;   | Error with one reading is +/- half the smallest division with correct units as use syringe to measure single volume and release all contents  | [1]     |         |         |         |  |  |         |  |  |     |

|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 4 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

|  |   |   |   |     |
|--|---|---|---|-----|
| <b>(c) (i) Plot a graph of the data shown.</b>                           |   |   |   |     |
| PDO layout 4   | O   | x-axis temp(erature) ( $^{\circ}$ C AND y-axis (number/no. of) bubbles/min or per min or $\text{min}^{-1}$ ;  | Do NOT credit bubbles $\text{min}^{-1}$   | [1] |
|  | S   | scale as $10^{\circ}\text{C}$ to 2 cm and 5 to 2 cm;<br>Credit origin other than 0 e.g. 5/10/15 if labelled<br>Credit unlabelled origin only if should be 0   | Do not credit S if awkward scale or if less than half grid on y or x axis   | [1] |
|  | P   | plotting correct points using crosses/dots in circles only;<br>Do not credit if an extra point plotted at $25^{\circ}\text{C}$ .<br>No cross larger than x or more than one blob larger than o.<br>All plots must be on horizontal lines except for the 4 to 2 cm scale points within a square of the intersection/centre of dot must not touch horizontal lines. | Do not credit P plotting if awkward scale or if only blobs/dots/blobs in circles<br>Do not credit dot with cross<br><br>Credit x in circles | [1] |
|  | L   | line of best fit (no more than 2 points on one side)/points joined with straight line;<br>Quality – line no thicker than 1 mm thick max<br>Complete line should be smooth/not feathery.   | Credit line of best fit – no extrapolation<br>Joins point to point no extrapolation beyond first and last points                            | [1] |
| <b>(ii) Estimate enzyme activity at <math>25^{\circ}\text{C}</math>.</b> |   |   |   |     |
| ACE interpretation 1   | correct reading using candidate's graph at $25^{\circ}\text{C}$ AND bubbles per minute or $\text{min}^{-1}$ ; | Credit whole number of bubbles only<br>Credit 0.5 up or down  | [1]   |     |

|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

|   |  |   |                    |
|---|--|---|--------------------|
| <b>(iii) Suggest how to make sure results are as accurate as possible and as reliable as possible.</b>        |  |   |                    |
| ACE improvements 1  | control of any variable/use a water bath/same type of yeast/same volume of yeast/keep time the same/stagger the start/have separate experiments/(keep pH same) using buffer;   | Credit in either accuracy or reliability<br>Do not credit ref to enzymes or amount of yeast     | [1]                |
|   | Accuracy: collect volume using measuring cylinder/gas syringe/video to count bubbles/AW;   | Accuracy: (change method of measuring to obtain results as close as possible to the true value) | [1]                |
|   | Reliability 1: increase number or range of temperatures/2 extra named examples;  | Reliable: (to have results which are as repeatable as possible)                                 | [1]                |
|   | Reliability 2: repeat more/several times/twice/obtain three readings/(at each temp);   |   | [1]                |
|   | Reliability 3: calculate mean;   | Credit only two reliability marks   | [1]                |
|   |  |   | [max 3]            |
| <b>(d) State whether you think the hypothesis is supported by the student's results. Explain your answer.</b> |  |   |                    |
| ACE conclusion 2  | hypothesis true/yes/OR re-states the hypothesis OR partly true/true but only...;   | Needs clear statement<br>Do not credit idea that totally wrong                                  | [1]                |
|   | Either<br>(true for) 15 to 40°C as increases from 5 to 18/<br>or any two correct temps within 15 and 40/41 with two correct numbers of bubbles/may have two temps and difference in number of bubbles/calculated rate of increase/gradient;<br><br>OR<br>ONLY TRUE: 15 to 40°C as increases from 5 to 18/<br>or any two correct temps with two correct numbers of bubbles/may have two temps and difference in number of bubbles;<br>idea that (NOT TRUE) below 15°C and/or above 40°C as no data; | Credit temp as long as units are present once   | [max 1]            |
|   |  |   | <b>[Total: 21]</b> |


|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 6 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

| Question  | Expected Answers   | Additional Guidance  | Mark   |
|---|--|--|--|
| <b>2 (a) Draw a large, low power, plan diagram of quarter. Label phloem and xylem in a vascular bundle.</b>           |  |  |  |
| PDO layout 1  | clear, sharp, unbroken lines AND no shading AND cannot fit totally within the 6 cm by 6 cm grid;   |  | [1]  |
| MMO collection 3  | no cells AND outline irregular;  |  | [1]  |
|   | clear layer/layers below cortex AND cortex at widest is thicker than narrowest point of layer below; Ignore epidermis (2 lines)                              |  | [1]  |
|   | at least 3 complete vascular bundles AND length of largest vascular bundle twice length of smallest vascular bundle;<br>Do not credit if whole section drawn |  | [1]  |
| MMO decision 1  | phloem and xylem are labelled on the layer below cortex or a vascular bundle as shown by candidate;  |  | [1]  |
| <b>(b) (ii) Calculate mean width of the cells in micrometres. Mark clearly the cells you used. Show your working.</b> |  |  |  |
| MMO collection 1  | cell(s) marked on Fig 2.2 AND<br>Credit separate or<br>one line across cells selected  | selected cell(s) measured with mm or cm shown;<br><br>Do not credit if line is not on the fig.<br>Do not credit measurements in metres or micrometres. | Check recorded cell measurements are at or between 0.5 to 5.5 cm or 5 mm to 55 mm<br>Ignore more sig. figs.<br>OR if single line is drawn<br>check measurement of line is less than 170 mm/17 cm |
|   | MMO decision 1   | 5 or more complete cells measured;<br><br>Credit even if not shown on Fig. 2.2.<br>Do not credit if partial cells included.                            |  |
| PDO display 2   | shows any number of measurements added up or line measurement and divided by number of measurements/cells;   | Ignore the answer  | [1]  |

|        |                                |          |       |
|--------|--------------------------------|----------|-------|
| Page 7 | Mark Scheme: Teachers' version | Syllabus | Paper |
|        | GCE A/AS LEVEL – May/June 2009 | 9700     | 31    |

|  |  |   |     |
|--|--|---|-----|
|  | divides by 400 and multiplies by (cm) $10\,000/10^4$ or (mm) $1000/10^3$ ; | <p>E.g. cell 1 = 20 mm<br/>cell 2 = 21 mm<br/>cell 3 = 17 mm<br/>cell 4 = 16 mm<br/>cell 5 = 21 mm</p> <p>Mean = <math>\frac{20 + 21 + 17 + 16 + 21}{5}</math><br/>= 19 mm<br/>19 mm = <math>19 \times 1000 \mu\text{m}</math><br/>= 19 000<br/>Mag. = <math>\times 400</math><br/>Actual = <math>\frac{19000}{400} = 475</math></p> <p>Must show division by 400</p> | [1] |
|--|--|---|-----|

(ii) Label with a line and the letter X, the area from which section may have been cut.

|                  |  |  |     |
|------------------|--|--|-----|
| ACE conclusion 1 |  <p>The diagram shows a cross-section of a root tip. At the top, there is a central vascular tissue region. Below it is the root cap. A bracket is drawn across the central vascular tissue, and a line with the letter 'X' points to the end of the root cap. The diagram is labeled 'Fig. 2.3' at the bottom.</p> | <p>Credit anywhere between bracket for central vascular tissue and end of label line for root cap</p> <p>Do not credit if longitudinal section shown</p> | [1] |
|------------------|--|--|-----|

| <b>(c) Make a large labelled drawing of 3 complete cells which are touching, include at least 1 cell with a nucleus.</b> |   |   |  |  |                |
|--|---|---|--|--|----------------|
| PDO layout 1   | clear, sharp, AND unbroken lines<br><br>Ignore cell walls crossing over as cells appear to overlap.   | no shading AND<br><br>Ignore nucleus.<br><br>Do not credit stippled cytoplasm or shaded cell walls. | cannot fit totally into the 6 cm by 6 cm grid; |  | [1]            |
| MMO collection 1   | <u>3 complete cells</u> marked on Fig. 2.4<br>AND   | drawn 3 complete cells touching;<br><br>Ignore additional incomplete cells.                         |  |  | [1]            |
| PDO recording 1  | 2 nuclei each drawn near to one edge of cell;<br>Nucleus not in centre of cell.<br>Do not credit if additional detailed organelles or cell wall details e.g. plasmodesmata have been drawn which are not visible. |   |  |  | [1]            |
| MMO decisions 2  | space between outer wall and cytoplasm shown in part of two cells;<br><br>Ignore labelling.<br><br>nucleus and cell wall correctly labelled;<br><br>Do not credit nucleolus.                                      |   |  |  | [1]<br><br>[1] |



| <b>(ii) Show the differences between the cells in Fig. 2.2 and Fig. 2.4.</b> |  |   |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
|--|--|---|--|---------|--------------------|----------|--|--------------------------------|--------------------------------------|--|--------------------------------|-----------------------------------|-------------------------------|---|---|--|----------------------------------|--|----------------|---|-------------|-----------------------------|---|--|--|---------|
| PDO recording 1  | organise as a table/<br>Venn diagram/<br>ruled connected boxes   | headed  | comparative statements<br>opposite each other; |         | [1]                |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| ACE interpretation 3   | <table border="1"> <thead> <tr> <th>feature</th> <th>Fig. 2.2</th> <th>Fig. 2.4</th> </tr> </thead> <tbody> <tr> <td>nuclei<br/>Ignore ref. to nuclear membrane/size</td> <td>few/less distinct/less stained</td> <td>more/dense/obvious/<br/>more stained;</td> </tr> <tr> <td>chromosomes/dividing cells/mitosis/anaphase interphase</td> <td>present<br/>fewer in interphase</td> <td>not visible<br/>all in interphase;</td> </tr> <tr> <td>cytoplasm/<br/>plasma membrane</td> <td>more/fills cells<br/>not visible/pulled away</td> <td>less/does not fill cells/<br/>visible/pulled away;</td> </tr> <tr> <td>size/<br/>number of cells<br/>Credit more (tightly packed)</td> <td>smaller/calculated mean/ecf/more</td> <td>larger/calculated more than Fig 2.2/fewer;</td> </tr> <tr> <td>shape of cells</td> <td>have<br/>oval/corners/angular/h exagonal</td> <td>rounded/AW;</td> </tr> <tr> <td>(Intercellular) spaces/gaps</td> <td colspan="2">fewer/more/larger;<br/>Credit either way</td> </tr> </tbody> </table> |   |  | feature | Fig. 2.2           | Fig. 2.4 | nuclei<br>Ignore ref. to nuclear membrane/size | few/less distinct/less stained | more/dense/obvious/<br>more stained; | chromosomes/dividing cells/mitosis/anaphase interphase | present<br>fewer in interphase | not visible<br>all in interphase; | cytoplasm/<br>plasma membrane | more/fills cells<br>not visible/pulled away | less/does not fill cells/<br>visible/pulled away; | size/<br>number of cells<br>Credit more (tightly packed) | smaller/calculated mean/ecf/more | larger/calculated more than Fig 2.2/fewer; | shape of cells | have<br>oval/corners/angular/h exagonal | rounded/AW; | (Intercellular) spaces/gaps | fewer/more/larger;<br>Credit either way |  |  | [max 3] |
| feature  | Fig. 2.2   | Fig. 2.4  |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| nuclei<br>Ignore ref. to nuclear membrane/size                               | few/less distinct/less stained   | more/dense/obvious/<br>more stained;              |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| chromosomes/dividing cells/mitosis/anaphase interphase                       | present<br>fewer in interphase   | not visible<br>all in interphase;                 |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| cytoplasm/<br>plasma membrane  | more/fills cells<br>not visible/pulled away  | less/does not fill cells/<br>visible/pulled away; |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| size/<br>number of cells<br>Credit more (tightly packed)                     | smaller/calculated mean/ecf/more   | larger/calculated more than Fig 2.2/fewer;        |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| shape of cells   | have<br>oval/corners/angular/h exagonal  | rounded/AW;                                       |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
| (Intercellular) spaces/gaps  | fewer/more/larger;<br>Credit either way  |   |  |         |                    |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |
|  |  |   |  |         | <b>[Total: 19]</b> |          |  |                                |                                      |  |                                |                                   |                               |   |   |  |                                  |  |                |   |             |                             |   |  |  |         |