## MARK SCHEME for the May/June 2013 series

## 9700 BIOLOGY

9700/32

Paper 32 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013		32

Mark scheme abbreviations:

; /	separates marking points alternative answers for the same point
R	reject
Α	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
1	ignore
ACE	Analysis, Conclusions and Evaluation (skills)
ММО	Manipulations, Measurement and Observation (skills)
PDO	Presentation of Data and Observations (skills)
	i reseritation of Data and Observations (Shills)

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	32

		E	xpected Ans	wers	
1 (a	a) (i)				[1]
MMO decision 1	1	level of water in large beaker shown equal to or above level of yeast suspension in small beaker			AND below level of top of small beaker;
	(ii)				[1]
MMO decision 1	1	mark (test-tube B or delivery	tube);		
	(iii)				[6]
		f recorded as graph or bar char	t, not table, c	only mp4 and m	p6 can be scored.
ing 2	mp1	data		data colum either <u>tem</u>	ngs (top row or left of recorded n) <u>p</u> (erature/) <u>°C</u> <b>or</b> <u>time sec(</u> onds)
PDO recording 2				are	e mark if ny units (°C or sec(onds) or s) e in cells of headed row/column o rows of data in one cell
	mp2	heading <u>number</u> (of) <u>bubbles;</u>			
O on 2	mp3	exactly 8 readings per run for higher temperature		y 8 readings pe r temperature	r <b>AND</b> whole numbers only;
MMO collection	mp4	first reading higher than last reading for both temperatures;			
2	mp5	higher temperature recorded f	higher temperature recorded first;		
MMO decision	mp6	one temperature <u>between 40 a</u>	and 45( <sup>0</sup> C)	AND second t	emperature <u>at least 5(<sup>0</sup>C) lower;</u>

Page 4			Page 4         Mark Scheme           GCE AS/A LEVEL – May/June 2013		Syllabus 9700	Paper 32		
	(iv	')				[max 2]		
			cause of error		AND idea of e	rror		
			(dependent_variable)					
ACE Interpretation 2		mp1	(counting) bubbles	difficult rate var	/very fast/too m ies I) some;	any		
rpreta	max 2	mp2	size of bubbles	varies;				
: Inte	Ê		(independent variable)					
ACE		mp3	temperature	can change	/difficult to keep	constant		
			or					
			reaction mixture/yeast/ <b>A</b>	loses heat;				
			Do not give mark if <ul> <li>state that temperature of room or was</li> </ul>	ater-bath/ <b>W</b> (	or <b>Y</b> when <u>in be</u>	aker changes		
	(v	')				[max 3]		
mp1 (dependent variable) <u>gas</u> syringe or idea of downward displacement of water <u>and</u> measure <u>vo</u> or less/lower concentration or volume ( <u>not</u> amount) of hydro								
				mp2	(standardised variables)			
ents 3			put vaseline/grease around bung (in <b>A</b> ) or re	place with b	etter-fitting bun	g		
veme	с х		pH (controlled using) buffer;					
ACE improvements	max	mp3	(independent variable)					
ACE			maintained in thermostat(ically controlled wa	ter-bath)				
			or describe use of heating and cooling or hor check temperature)	t/cold water	AND uses ther	nometer (to		
			or describe how to insulate <u>A</u>					
			or more temps/bigger range of temps ( <b>not</b> tv temps);	vo temps fur	ther apart/large	r change in		
		mp4	repeat more than once/replicates/more times	s/multiple tes	sts;			

Page 5	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013		32

(k	o) (i)		[1]
MMO decision 1	1	circles 6% trial 3: 20	AND circles 12% trial 4: 9;
(t	) (ii)		[1]
г 1	1	13 (entered in gap in table or by question);	
ACE interpretation			Do not give mark if • 13.0/13.00/13.25 • 12/12.4/12.40
	(iii)		[4]
	mp1	<i>x</i> -axis: <u>percent(age)</u> or <u>%</u> <u>conc(</u> entration) (of) <u>hydrogen peroxide</u> or <u>H<sub>2</sub>0</u> 2	AND <i>y</i> -axis: (mean) <u>time</u> (taken) <u>to collect</u> (20 cm <sup>3</sup> of) <u>oxygen_or_O<sub>2</sub> (/) sec</u> (onds) or <u>s</u> ;
		Must have units for both axes	
	mp2	scale on <i>x-</i> axis: <u>5 to 2 cm</u> , <u>labelled each 2 cm</u>	AND scale on <i>y</i> -axis 10 to 2 cm, labelled each 2 cm;
PDO layout 4	mp3	<ul> <li>check there are six points</li> <li>all six as small cross (does not go o circle</li> <li>correct plotting of points,</li> </ul>	utside square on grid) <b>or</b> dot <u>in circle</u> <b>or</b> cross in
PDC	mp4	<ul> <li>six plots with</li> <li>either</li> <li>ruled lines exactly point to point</li> <li>or</li> <li>hand-drawn smooth curve for whole</li> <li>graph</li> <li>starts and ends exactly at end</li> <li>points</li> <li>also passes through at least two</li> <li>other points exactly</li> <li>within half a small square of any</li> <li>remaining points</li> </ul>	<b>AND</b> (quality) smooth line less than 1 mm thick (check with grid);

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	32

	(iv)					[2]
ACE conclusion 2		mp1	<ul> <li>more/m used/or used or more/m <u>substra</u></li> </ul>	5		<ul> <li><b>DR</b></li> <li>at low concentrations: <ul> <li>less/fewer <u>active sites</u></li> <li>occupied/bind/join/used <b>or</b></li> </ul> </li> <li>less/fewer <u>enzyme-</u></li> <li><u>substrate complexes/E-S</u></li> <li><u>complexes;</u></li> </ul>
ACE co	B       mp2       idea of why reaches maximum rate (limiting factor is enzyme/active sites or         V       not enough enzyme/active sites or         Imiting factor is enzyme concentration         Imiting factor is enzyme         Imiting factor is				or	
			1			[Total: 21]
2 (a	) (i)					[5]
PDO layout 1	mp1	Do not give m • any sha • drawn o the que • any rule	iding over the print of stion	<b>Do not give mark if</b> less than <u>40mm</u> from outmost line to base of corner vascular bundle		<ul> <li>AND clear, sharp, unbroken lines</li> <li>Do not give mark if <ul> <li>less than two lines and</li> <li>less than four enclosed</li> <li>areas (ignore cells)</li> </ul> </li> <li>or any lines with <ul> <li>any part of line 1mm or</li> <li>thicker (use grid)</li> <li>any feathery or broken or</li> <li>dashed line or gap</li> <li>any tail or overlap;</li> </ul> </li> </ul>
	mp2	<u>no</u> cells drawn			AND top	right sector drawn;
AO tion 3	mp3	draws at least	seven lines acros	ss any point of	width of s	ection (outside to inside);
MMO collection	mp4       corner vascular bundle:       AND         • wider than deep and       cells         • outer line not straight or concave			ded into at least 3 regions (ignore vertical rays);		
MMO decision 1	mp5	labels pith with label line either touching or further to the centre than the innermost line <b>or</b> ending further to the centre than the inside edge of the vascular bundle;				

Ρ	age	7
-		-

Mark Scheme		
GCE AS/A LEVEL – May/June 2013		

SyllabusPaper970032

	(ii)				[5]	
	mp1	Suitable drawing;				
PDO layout 1		<ul> <li>Do not give mark if <ul> <li>any shading</li> <li>drawn over the print of the question</li> <li>any ruled lines in lines of corner cells</li> </ul> </li> </ul>	Do not give mark if • less than 40 mm at widest distance across largest cell		<ul> <li>Do not give mark if <ul> <li>less than six outer</li> <li>enclosed areas</li> </ul> </li> <li>or if any outer lines (of enclosures) <ul> <li>are thicker than 1 mm (use grid)</li> <li>are feathery, broken/dashed or have gaps</li> <li>have tails or overlaps;</li> </ul> </li> </ul>	
				AND as two gr	oups of 3 touching cells;	
VIMO collection 3				dimension of times the n	rom tissue in centre) widest the biggest cell is at least <u>2</u> arrowest dimension of the rom cells in the corner);	
MI	mp4	<ul> <li>in <u>either</u> group of three cells:</li> <li>all cells must be drawn with double lines all the way round <b>and</b></li> <li>where two pairs of cells touch there must be 3 lines (representing the middle lamella);</li> </ul>				
MMO decision 1	mp5	one correct label " <u>cell wall"</u> , with <u>one</u> label line which must touch outermost line of a cell or finish between the two cell wall lines;				

Page 8	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	32

	(iii) [3]						
MMO decision 1	mp1	shows measurements for <u>both</u> types of cell	oth types of cell or x.5 only or e "line"		<b>AND</b> units as "eyepiece", (e)gu or epu or "units" or "divisions" or "lines" or "marks" written anywhere;		
		<ul> <li>Can have</li> <li>values recorded in a context, e.g. in addi</li> <li>1/2 instead of 0.5</li> <li>decimals in means</li> </ul>		<ul> <li>Do not give mark if</li> <li>no units</li> <li>units in m, cm, mm, μm, nm</li> <li>not clear which measurements correspond to which type of cell</li> </ul>			
PDO display 2	mp2	shows division by number of cells (3 or more), for both cell types;					
	mp3	<i>for final answer only:</i> larger whole number to smaller whole number (larger number first) <b>OR</b> as fraction, with larger whole number over smaller whole number			AND to the lowest common denominator;		
	(iv) [max						
ACE conclusion 1	max 1	one from: thick walls large walls small cells/lumen closely packed cells no spaces between cells high ratio of wall to cell (much) staining;					

Page 9 Mark Scheme		Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	32

(k	(b) [5]							
PDO recording 2	mţ	51	columns or rows separated M		<b>AND</b> two columns headed <u>M1/slide</u> and <u>Fig 2.2</u> in any order	<b>AND</b> third column contains features;		
	mp	52	only observable differences (at least two) recorded;					
	<b>Do not give mark</b> if describes "cell" rather than "section" or "stem" for incorrect tissues							
ACE interpretation 2	feature			feature	Slide M1	Fig. 2.2		
	max 1				r any comparative statement <b>except</b> size, or distance in from outside	any comparative statement <b>except</b> size, or distance in from outside, or in corners;		
	max 2	mp	02	pith/centre	not hollow/(has) cells/more cells/big(ger) ( <b>not</b> "present")	hollow/no cells/less cells/small(er) ( <b>not</b> "absent") <i>;</i>		
		mp	53	thickened cells/ collenchyma/ sclerenchyma/fibres/ described	in corners/not (on) vascular bundles/idea of more ( <b>not</b> present/absent)	not in corners/(on) vascular bundles/idea of less ( <b>not</b> present/absent);		
		mp	04	cortex/( layer) under epidermis	no/less/small(er) <u>air</u> <u>spaces</u>	yes/more/large(r) <u>air</u> <u>spaces:</u>		
		mp	5	outer layer/epidermis	thick(er) or more/2 layer(s) of cells or no gaps/stomata/guard cells or trichomes/hairs ( <b>not</b> root hairs) ( <b>not</b> smaller)	thin(ner) or less/1 layer of cells or gaps/stomata/ guard cells or no trichomes/hairs ( <b>not</b> root hairs) ( <b>not</b> bigger)		
	[Total: 19]							