#### **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

GCE Advanced Subsidiary Level and GCE Advanced Level

## MARK SCHEME for the May/June 2013 series

# 9700 BIOLOGY

9700/41

Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

#### Mark scheme abbreviations

; separates marking points

alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

**AW** alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

**ora** or reverse argument

**mp** marking point (with relevant number)

ecf error carried forward

I ignore

**AVP** Alternative valid point (examples given as guidance)

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

### **Question** Expected Answers

1 (a) A – palisade, mesophyll/cell/tissue/layer;

B - guard cell;

C - (sub-stomatal) air space;

[3]

- (b) (i) 1. through the stoma(ta);
  - 2. by diffusion/description;
  - 3. from the, atmosphere/air;
  - (ii) ribulose bisphosphate; I RuBP

[1]

[max 2]

(iii) reduces/donates hydrogen;A H/hydrogen atoms/H<sup>+</sup> AND e<sup>-</sup>

[2]

 $\mathbf{R} \, \mathbf{H}^{+} / \mathbf{H}_{2}$ 

GP to TP;
A PGA to PGAL

[Total: 8]

2 (a) male mosquitoes do not, bite humans/feed on blood transmit disease OR

only females, bite humans/feed on blood/transmit disease;

I GM male mosquitoes are not infected with the disease

[1]

- (b) 1. easier to, identify/screen;
  - 2. more economical/time saving/labour saving;
  - 3. resistance gene(s) can be passed to other bacteria;
  - idea of antibiotics no longer effective
     OR requiring development of new, antibiotics/treatments;

[max 2]

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

(c) (i) production of tTA causes production of more tTA/AW;

[1]

- (ii) 1. promoter, initiates transcription/switches on gene/causes gene expression/AW;
  - 2. ref. binding of, RNA polymerase/transcription factors;
  - 3. otherwise gene has to be inserted near an existing promoter;
  - 4. this is difficult to do/this may disrupt expression of existing gene;
  - 5. in eukaryotes precise position of promoter important;

[max 3]

- (iii) 1. GM larvae do not die immediately;
  - 2. so gives longer time for tTA, production/build up;
  - 3. so tTA gets into environment (when GM larvae die) and kills non-GM larvae;
  - 4. so (longer-lived larvae) compete with non-GM larvae (for, food/space);

[max 2]

R ref. to larvae breeding

- (d) (i) 1. chemical **A** has, similar shape to tTA/complementary shape to binding site;
  - 2. so chemical **A** binds to, DNA/binding site, **AND** prevents tTA from binding;
  - chemical A, binds to/changes shape of, tTA
     AND so prevents tTA binding to, DNA/binding site;
  - 4. stops positive feedback/small quantity of tTA does not kill;

[max 2]

- chemical A, binds to/changes shape of/breaks down, tTA, so no longer toxic;
- (ii) 1. GM males, mated/bred;
  - R with GM females
  - 2. mosquitoes fed chemical A;
  - 3. males, identified/separated;
  - 4. ref. cloning; [max 2]

Page 5	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (iii) 1. GM males die if they cannot get chemical A;
  - 2. (if males mate), their offspring die;
  - 3. only mate with, other A. aegypti/their own species;

[max 2]

[Total: 15]

- 3 (a) 1. nutrients added and product removed at a steady rate/AW;
  - 2. (so) volume kept constant;
  - 3. organism kept at, exponential/log, phase of growth;

[max 2]

(b) 1. (branched fungus tangles together in clumps so) too heavy for bubbles to, lift/stir

OR ref. to blocking;

- 2. difficult to, harvest/get desired texture;
- 3. mutant may be, harmful when eaten/toxic/allergenic;
- 4. mutant may produce, distasteful/coloured, substance;
- 5. mutant may be less productive;
- 6. mutant may have high concentration of RNA (which is difficult to lower);
- 7. approval for sale only applies to original strain;

[max 4]

(c) 864 kg; [1]

[Total: 7]

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- **4 (a) (i)** 1. ATP is made, in the electron transport chain/by oxidative phosphorylation;
  - 2. oxygen is the final electron acceptor;
  - 3. in the, inner membrane of the mitochondrion/cristae;
  - 4. transfer of electron (between electron carriers) provides energy;
  - 5. energy used to pump hydrogen ions (into intermembrane space);
  - 6. creates proton gradient;
  - 7. diffusion of hydrogen ions down their electrochemical gradient causes ATP to be synthesised;
  - 8. ref. chemiosmosis/ATP synthase/stalked particles;
  - 9. idea that if less oxygen (consumed/available) then fewer electrons transferred along the chain;

[max 4]

- (ii) 1. at high temperatures, reactions/enzyme activity/metabolism, faster;
  - 2. because, molecules/enzymes/substrates, have more kinetic energy;
  - 3. more frequent collisions;
  - 4. therefore, respiration/Krebs cycle/electron transport chain/production of reduced NAD, take place at a faster rate;
  - 5. idea of increase in rate of anabolic reactions (requiring more ATP);

[max 3]

- (b) (i) 1. oxygen consumed = oxygen inhaled oxygen exhaled;
  - 2. measure oxygen consumption at rest (x) **and** after exercise stops (y);
  - 3. extra oxygen consumed/oxygen debt = y x;
  - 4. measure mass of lizard;

[max 2]

- (ii) 1. less (oxygen debt )(for Varanus); ora
  - 2. difference is greater at higher temperatures;
  - 3. any two comparative figures at one temperature including units; **A** 102.0 cm<sup>3</sup> O<sub>2</sub> kg<sup>-1</sup> at 30°C and 40°C

[3]

	Page 7	7	Mark Scheme	Syllabus	Paper
			GCE AS/A LEVEL – May/June 2013	9700	41
	(iii)		<i>aranus</i> uses, less anaerobic/more aerobic, respiration (vunning);	when	
		2. n	nore ATP produced per glucose molecule;		
		3. at	ole to run for long time;		
		4. gc	ood chance of catching prey;		[max 3]
	(iv)		ame Varanus throughout arger surface area, in lungs/for gas exchange;		
			nore oxygen absorbed into blood (per unit time)/faster ra exchange;	ite of gas	
		3. n	nore oxygen supplied to muscles ( so oxygen debt lowe	r);	[max 2]
					[Total: 17]
5 (a	<b>a)</b> (ir	ndicat	es that they) have undergone meiosis I;		
			haploid/n; romosomes		[2]
(I	b) (i)	wate	<u>r</u> moved out of cells;		
			n water potential gradient/into a more concentrated solut r water potential;	ion/into a	
		(by)	osmosis;		[max 2]
	(ii)	` ,	nas, higher survival of oocytes after thawing/more succest sations;	ssful	
		supp	porting figures;		
		thes	e should compare columns 1 or 2 with column 3 or 5 for	both <b>A and</b>	[2]
		_	or manipulated data can be given		[2]
	(iii)	idea	of deferring, fertilisation/implantation;		
			of preserving oocytes from a woman who may lose her edical treatment;	fertility due	
		idea	of fewer rounds of, hormone treatment/oocyte retrieval;		[max 1]

[Total: 7]

P	<u>age</u>	ŏ		Mark 5	cneme	Syllabus	Paper
			GCE A	AS/A LEVEL	. – May/June 2013	9700	41
(a)	(i)	<b>A</b> – 0	calcium ions;	<b>A</b> Ca <sup>2+</sup>	<b>R</b> calcium/Ca/Ca <sup>⁺</sup>		
` `	, ,	<b>B</b> – 9	sodium ions ;	<b>A</b> Na⁺	<b>R</b> sodium/Na		[.
	(ii)	exoc	ytosis;				[
	(iii)	depo	olarisation (of po	st-synaptic ı	membrane)/action potentia	Ι;	[
	(iv)	1. sp	lits ACh;				
		2. int	to acetate and o	choline;			
		3. sto	ops continuous	depolarisatio	on of postsynaptic membra	ne/AW;	
		4. ch	oline recycled (	into presyna	ptic neurone);		[max
(b)	b	oinds to	/blocks, dopam	ine receptor	s (on postsynaptic membra	ane);	
	p	revent	s depolarizatior	ı (of postsyn	aptic membrane);		
	r	educes	effect of dopa	mine;			
	F	<b>R</b> redu	ces amount of	dopamine			[max
(c)			ase deletion <u>hift</u> /alters <u>readi</u> ı	ng <u>frame</u> (aft	er mutation);		
	(	so) all	amino acids dif	erent <b>after</b> r	nutation;		
	3	3-D sha	pe/tertiary strud	cture, of prot	ein changed;		
	(	wherea	as) 21 base-pai	deletion, los	ses 7 amino acids/no frame	e shift;	
	(	wherea	as) substitution,	may change	e only one amino acid/may	be silent;	[max
(d)	iı	ncreas	ed chances of,	survival/bree	eding/mating;		
	p	rovide	s a <u>selective</u> <u>ad</u>	vantage;			
	<u>a</u>	<u>allele</u> pa	assed on (to ne	xt generatior	າ);		
	а	allele in	creases in freq	uency over ti	me;		
	<u>r</u>	<u>natural</u>	selection;				[max

Mark Scheme

Syllabus

Paper

Page 8

[Total: 15]

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

### 7 (a) sex-linked

(gene) carried on, one sex chromosome/X, and not on, the other/Y;

gene

section of DNA/sequence of nucleotides/sequence of bases, that codes for a (particular) polypeptide;

[2]

parental genotypes

gametes

 $X_BX_O$ 

X<sup>B</sup>Y;

X<sup>B</sup> Y;

offspring genotypes  $X^BX^B$ 

 $\mathbf{X}^{\mathbf{B}}$ 

X<sup>B</sup>Y X<sup>B</sup>

X<sup>o</sup>Y;

offspring black black tortoiseshell orange phenotypes female male female male;

χo

[4]

(c) tortoiseshell is heterozygous;

males, heterogametic/only one X chromosome;

(therefore) only one copy of gene/only black or orange allele present;

[max 2]

[Total: 8]

## **8** (a) 550(%);;

allow one mark for 
$$\frac{104 - 16}{16}$$
 ( x 100)

[2]

- (b) 1. limiting/density dependent, factors or described;
  - 2. reached carrying capacity/AW;
  - 3. competition/AW;
  - 4. for, food/nesting sites/resources;
  - 5. large population attracts predators;
  - 6. large population spreads disease more easily;

[max 4]

Page 10	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (c) 1. not many to begin with;
  - 2. are carnivorous;
  - 3. prey numbers fell;
  - 4. slower reproductive rate;
  - 5. more likely to migrate (to other areas);

[max 2]

[Total: 8]

- 9 (a) 1. cultural/aesthetic / leisure, reasons;
  - 2. moral/ethical, reasons; e.g. right to exist/prevent extinction;
  - 3. resource material; e.g. wood (for building)/fibres for clothes/food for humans/(herbal) medicine
  - 4. (eco)tourism;
  - 5. economic benefits;
  - 6. ref. resource / species, <u>may have use in future</u>/AW; e.g. medical use
  - 7. maintains, food webs *I* food chains; **A** description
  - 8. nutrient cycling;
  - 9. protection against erosion;
  - 10. climate stability;
  - 11. maintains, (large) gene pool/genetic variation;
  - 12. scientific research;

[max 7]

Page 11	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (b) advantages (max 5)
  - 13. can monitor health of mother;
  - 14. can monitor development of foetus;
  - 15. storage of, sperm/eggs/gametes;
  - 16. artificial insemination;
  - 17. IVF;
  - 18. ref. surrogate mothers;
  - 19. international cooperation;
  - 20. genetic records kept;
  - 21. can prevent extinction/extend range of a species/used in restoring ecosystem;

disadvantages (max 5)

- 22. unnatural environment;
- 23. stress in captivity;
- 24. behavioural changes;
- 25. reproductive cycles disrupted;
- 26. may reject selected mate;
- 27. examples of problems with release;;
- 28. difficulty in finding food may not integrate into groups more susceptible to disease

very little natural habitat left to release animals into

[max 8]

[Total: 15]

Page 12	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- 10 (a) 1. in C3 plants at high temperature rubisco combines with oxygen;
  - 2. less rubisco to combine with CO<sub>2</sub>;
  - 3. in C4 plant such as maize idea of spatial separation of light-dependent stage from carbon fixation;
  - 4. rubisco/RuBP, in bundle sheath cells;
  - 5. kept away from, oxygen/air;
  - 6. mesophyll cells, absorb CO<sub>2</sub>;
  - 7. CO<sub>2</sub> released to combine with RuBP;
  - 8. avoid/reduce, photorespiration;
  - 9. high optimum temperatures of enzymes involved;
  - 10. Calvin cycle can continue;
  - 11.AVP ; e.g. CO<sub>2</sub> reacts with PEP PEP carboxylase

[max 7]

Page 13	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (b) 12. light energy absorbed by chlorophyll;A photosystems/pigments
  - 13. electron, excited/raised to higher energy level;
  - 14. (electron) emitted by chlorophyll;A photosystems/pigments
  - 15. passes to electron, acceptor/carrier;
  - 16. passes along, chain of electron carriers/ETC/Electron Transfer Chain;
  - 17. energy released used to pump protons;I ATP production here
  - 18. into thylakoid space;
  - 19. thylakoid membrane impermeable to protons;
  - 20. proton gradient forms;
  - 21. protons move down gradient;
  - 22. through/using, ATP synthase/ATP synthetase; **R** ATPase
  - 23. enzyme rotates;
  - 24. ATP produced from ADP and Pi;

[max 8]

[Total: 15]