GCE Advanced Level

MARK SCHEME for the November 2005 question paper

9700 BIOLOGY

9700/06

Paper 6 (Options), maximum raw mark 40

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. This shows the basis on which Examiners were initially instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

• CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2005 question papers for most IGCSE and GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Pa	ge 1	Mark Scheme GCE A LEVEL – OCTOBER/NOVEMBER 2005	Syllabus 9700	Paper 6	
		OPTION 1 – MAMMALIAN PHYSIOLOGY	7		-
(a)	Мау	need revising in light of the micrograph obtained			
	А	matrix / lamella			
	В	blood vessel / (Haversian) canal			
	С	osteocyte / lacuna			
	D	Haversian system			
	One	mark for two correct, round up ;;			2
(b)	outsi	de of shaft / ends / at joint / AW ;			1
(c) (i)	(carti	lage) no calcium (phosphate) in matrix;			
	no bl	ood vessels;			
	has o	chondrocytes / does not have osteocytes;			2 max
(ii)	cartil	age is very smooth ;			
	reduc	ces friction ;			
	cartil	age protects bone surface ;			
	preve	ents it wearing away / prevents roughening ;			2 max
(d) (i)	as a	control / to reduce variables ;			1
(ii)	bone	strength is reduced (when ovaries are removed);			
	Use	of figures, e.g. drops by 25% in femur / by 17% in	vertebra ;		2
(iii)	ovari	es produce oestrogen / no ovaries so no oestroge	n ;		
	num	pers of osteoblasts compared to osteoclasts decre	ases ;		
		ove e.g. as figs incorrect and alternatives poss. for oclasts	osteoblasts	v	
		of figures, e.g. osteoblasts 4 x without ovaries and y 7 times with ovaries;	osteoclasts		2 max
(iv)	both	increase bone strength;			
		either return it to normal (after ovaries removed) / pletely compensates for loss of ovaries;	neither		
	there	is a greater increase with estren than with oestrog	gen ;		
	use o	of comparative figures ;			3 max

	Page	2	Mark Scheme	Syllabus	Paper]
			GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6	
2	(a) (i)	{dif	122 16 ference is 138 – 123 = 15			
		so	11.6% percentage difference is 16 ÷ 138 x 100 = 10.9%}			
		cor	rect and understandable working ;			
		ans	swer;			2
	(ii)	glu	cose does not need digestion but starch does ;			
		SO	glucose is more quickly absorbed ;			
		-	cose absorption from starch continues over a longer cose ;	period than		2 max
	(b)	ins	ulin secreted when blood glucose rises above norma	al ;		
			ulin concentration follows pattern of changes in bloo ncentration ;	d glucose		
			re insulin secreted after 30 minutes (for glucose that re glucose in blood at that time ;	n rice) beca	use	
		as	blood glucose falls insulin secretion falls ;			
		refe	erence to negative feedback mechanism ;			
		use	e of comparative figures ;			3 max
	(c)	ins	ulin binds to receptors on cell surface membranes (o	of liver cells)	,	
		inc	reases absorption of glucose (by liver cells) ;			
		(sti	mulates) conversion of glucose to glycogen ;			
		gly	cogen stored in liver cells ;			3 max

Page 3	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6

3 (a) control of body temperature ;

4

receptors (in hypothalamus) measure blood temperature ; if too high stimulates neurones of autonomic nervous system ; controls secretions from pituitary gland ; neurones (of hypothalamus) secrete, ADH / oxytocin ; released from (neurone endings in) posterior pituitary ; neurones (of hypothalamus) secrete, releasing hormones / named releasing hormone (into blood); which affect secretions from anterior pituitary ; 3 max 1 (b) (i) cerebrum / cerebral hemisphere / occipital lobe ; (ii) ref generator potential; as action potentials in neurones; detail of action potential; in optic nerve; different pathways (in the brain) / parallel processing; correct detail about how different information transmitted (e.g. colour, shape, movement) ;; 3 max (a) ethanol dehydrogenase ; ethanoate / acetate ; 2 (b) mitochondrion ; 1 (c) Krebs cycle requires oxidised NAD ; to pick up hydrogen ; as a coenzyme for dehydrogenases ; 2 max (d) fatty acids not oxidised ; as little (oxidised) NAD available ; fatty acids converted to fats ; stored in liver cells ; surplus fat converted to LDPs ; passed from liver into blood to adipose tissue ; if liver cells damaged excess fat not converted to LDPs ; therefore accumulates in liver ; 3 max

Page	e 4	Mark Scheme	Syllabus	Paper
		GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6
		OPTION 2 – MICROBIOLOGY AND BIOTECHN	IOLOGY	
(a) (i)	aira	added must be sterile / fermenter must be sealed /	add airlock ;	
	avo	ids contamination by other microorganisms / conta	mination cos	tly ;
	coo	ling jacket needed / heater not needed ;		
	mix	er / respiration, produces heat ;		
	sur	face area : volume ratio less so less heat lost ;		
	imn	nobilised microbes ;		
	red	uces loss of microbes / reduces contamination ;		
	cha	inge to continuous culture ;		
	mai	intains microbe at, exponential / optimum, growth ;		
	(gre	eater production) more cost effective ;		
		P ;; (e.g. sparger ; small bubbles forced through cu robes in contact with O ₂)	lture so all	
		each alteration 1 + e	xplanation ma	ax 1
(ii)	Ph	/ temperature ;		
	ref.	enzyme denaturation ;		
	оху	gen concentration / nutrient / substrate concentrati	on ;	
	ref.	microbe respiration ;		
	end	I product concentration ;		
	ref.	inhibition ;		
		factor	1, explanatio	n 1.
(b) (i)	27	$\frac{+32+28}{3} = 29$		
(ii)	29 :	x 10 ⁷ wor	king 1, answe	er 1
(iii)	10-	⁷ too few colonies to be reliable ; ^₅ colonies may overlap / 10 ^{−6} colonies clearly sepa ^₅ too many colonies to count accurately ;	rated ;	
(c)		bidity / haemocytometry ; ad cells are included in measurement ;		
(d)	rap	al, slow increase from point above 0 (lag phase) ; id increase (exponential phase) ; teau (stationary phase) ;		
	•	creasing number (death phase) ;		
				[To

© University of Cambridge International Examinations 2003. the all papers.com

Pa	nge 5	Mark Scheme	9	Syllabus	Paper	
		GCE A LEVEL – OCTOBER/N	IOVEMBER 2005	9700	6	
(a)		e to survive at high temperature		-4		
		zymes with high optimum tempe nperatures ;	ratures / do not den	ature at nign		max '
(b)	has	s a high optimum temperature / o	optimum temperatur	e of 85-90°C	;	
	WO	rks well at pH range of 6-8 ;				
	COC	bling of reaction mixture after firs	t stage unnecessar	y ;		
	red	uction of pH unnecessary ;				
	sav	ves time / energy ;				max 2
(c)	enz	zymes can be recovered and use	ed again ;			
	pro	duct will not be contaminated by	enzyme ;			
	enz	zyme more stable to temperature	e and pH changes ;			
	enz	zyme activity more easily control	led ;			max 2
(d)	bat	<u>ch</u>	<u>continuous</u>			
	fixe	sed fermenter ed amount of substrate rients added at start	open fermenter ; substrate added c	ontinuously ;		
	larg pro of t	ge vessels used duct harvested after set period ime / when sufficient product s been made	small vessels used product harvested		y;	
	les cul	s cost-effective ture harvested when in tionary phase	more cost-effective culture kept in exp ;		se	max 3
					[T	otal: 8
					-	

 GCE A LEVEL - OCTOBER/NOVEMBER 2005 9700 6 (a) A conidium / conidiospore ; B conidiophore ; C septum / cross wall ; D hyphal wall ; (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation : Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 	Pa	ge 6	Mark Scheme	Syllabus	Paper
 B conidiophore ; C septum / cross wall ; D hyphal wall ; (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are Aspergillus ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; 		y		-	
 B conidiophore ; C septum / cross wall ; D hyphal wall ; (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are Aspergillus ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; 					
 c septum / cross wall ; D hyphal wall ; (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; 	(a)		• •		
 D hyphal wall ; (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (d) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 			•		
 (b) wash off conidia / any other feasible method ; use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		С	septum / cross wall ;		
 use aseptic conditions, ref. to sterile water, loops, flaming ; inoculation by loop or spreader ; spread 0.1 / 0.5 cm³ ; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		D	hyphal wall ;		
 inoculation by loop or spreader ; spread 0.1 / 0.5 cm³; nutrient medium containing cadmium ; ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 	(b)	was	sh off conidia / any other feasible method ;		
 spread 0.1/0.5 cm³; nutrient medium containing cadmium; ref. to range of cadmium concentrations; incubation conditions; isolate spores / conidia from any colonies that grow; check with Fig. 3.1 that they are <i>Aspergillus</i>; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining; detoxifying wastes; use to accumulate precious metals; (a) increases; use of figures / figure calculated from data; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		use	e aseptic conditions, ref. to sterile water, loops, flami	ng ;	
 nutrient medium containing cadmium; ref. to range of cadmium concentrations; incubation conditions; isolate spores / conidia from any colonies that grow; check with Fig. 3.1 that they are <i>Aspergillus</i>; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining; detoxifying wastes; use to accumulate precious metals; (a) increases; use of figures / figure calculated from data; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		inod	culation by loop or spreader ;		
 ref. to range of cadmium concentrations ; incubation conditions ; isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i> ; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		spre	ead 0.1 / 0.5 cm³ ;		
 incubation conditions; isolate spores / conidia from any colonies that grow; check with Fig. 3.1 that they are <i>Aspergillus</i>; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining; detoxifying wastes; use to accumulate precious metals; (a) increases; use of figures / figure calculated from data; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		nuti	rient medium containing cadmium ;		
 isolate spores / conidia from any colonies that grow ; check with Fig. 3.1 that they are <i>Aspergillus</i>; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		ref.	to range of cadmium concentrations;		
 check with Fig. 3.1 that they are Aspergillus; (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining; detoxifying wastes; use to accumulate precious metals; (a) increases; use of figures / figure calculated from data; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		incu	ubation conditions ;		
 (c) extract metals from low grade ores / treat raw ore before final processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		isol	ate spores / conidia from any colonies that grow ;		
 processing / idea of microbial mining ; detoxifying wastes ; use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		che	eck with Fig. 3.1 that they are Aspergillus ;		ı
 use to accumulate precious metals ; (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 	(c)		-	re final	
 (a) increases; use of figures / figure calculated from data; (b) ref. vector / plasmid / viral, DNA; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		dete	oxifying wastes ;		
 (a) increases ; use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u> ; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		use	e to accumulate precious metals ;		I
 use of figures / figure calculated from data ; (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 					[To
 (b) ref. vector / plasmid / viral, <u>DNA</u>; ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 	(a)	incr	reases ;		
 ref. Agrobacterium other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 		use	e of figures / figure calculated from data ;		I
 other method of getting the gene into cells e.g. projectiles / electroporation; Accept refs to role of calcium ions / protoplast; (c) (i) X – so that you know it is the Bt toxin / AW having the effect; Y – so you know that the X hybrid is growing normally / AW; (ii) Bt cotton reduces the amount of insecticide used; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness; Bt toxin / AW is only found in the cells not in the sap; 	(b)	ref.	vector / plasmid / viral, <u>DNA</u> ;		
 electroporation ; Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		ref.	Agrobacterium		
 Accept refs to role of calcium ions / protoplast ; (c) (i) X – so that you know it is the Bt toxin / AW having the effect ; Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 				les /	
 Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 					I
 Y – so you know that the X hybrid is growing normally / AW ; (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 	(c) (i)	X –	so that you know it is the Bt toxin / AW having the	effect ;	
 (ii) Bt cotton reduces the amount of insecticide used ; BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ; 		Y –	so you know that the X hybrid is growing normally	′ AW ;	
BT cotton almost doubles / dramatically increases / Aw, the yield / cost effectiveness ; Bt toxin / AW is only found in the cells not in the sap ;	(ii)				
effectiveness ; Bt toxin / AW is only found in the cells not in the sap ;	.,			, the vield / co	st
		effe	ectiveness ;	, , <u>,</u>	
IT.		טוו	σ_{A} , σ_{A} is only found in the cells for in the sap ,		[То

Page	7		Syllabus	Paper	_
		GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6	
	OF	PTION 3 – GROWTH, DEVELOPMENT AND REPR	ODUCTION		
(a)	<u>trar</u>	nscription:			
	only	y when gene switched on ;			
	moi	re RNA = gene, on longer/more active/used more ;			
	ref.	promoter/AW ;			max 3
(b) (i)	acti	vity/mRNA, rises in light and falls in dark in both reg	jimes ;		
	max	ximum, activity/mRNA, at end of light period in both	•		
	dec	reases in dark in both ;			
	mu	ch more, activity/mRNA, in 16h light ;			
	higł	ner production at, 8/12/15h, in 16h light ;			
	con	nparative figures ;			max 4
(ii)	long	g day plant ;			
	moi	re FT mRNA in longer light ;			2
(ii)	phy	tochrome ;			
		eaves ; forms/P _R and P _{FR} /P ₆₆₀ and P ₇₃₀ ;			
		$P_{\rm 660},$ absorbs, red/660nm, light and $P_{\rm FR}/P_{\rm 730},$ absorb /730nm, light ;	s, far		
	abs	orption of light by one form converts it into the other	- ; ;		
	P_{FR}	/P ₇₃₀ builds up during daylight ;			
	P_{FR}	$/P_{730}$, converted into P_R/P_{660} at night ;			max 4
(ii)	day	length more reliable trigger than temperature/humic	lity ;		
	ens	ures plants flower at same time for cross pollination	;		
	ens	ures plants flower when pollinators available ;			
	ens	ures seeds, produced/dispersed, in optimum condit	ions ;		max 2
				۲O	tal: 15]

		Page	8	Mark Scheme	Syllabus	Paper]
				GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6	
2	(a)) (i)	spe	erm trains faster than single sperm ;			
			at a	all viscosities ;			
			sin	gle sperm cannot swim at highest viscosity ;			
			ref.	comparative figures ;			max 2
		(ii)	spe	erm reach egg faster ;			
			spe	erm able to swim through viscous mucus/AW ;			
			ref.	cervical mucus ;			
			ref.	sperm competition ;			max 3
	(b)) (i)	acr	rosome swells ;			
			acr	osome membrane fuses with plasma membrane ;			
			rele	ease of acrosome enzymes ;			
			dig	estive/hyaluronidase/esterase ;			
			dig	est path through, follicle cells/zona ;			max 3
		(ii)	acr	osome enzymes digest cell-cell molecules/AW ;			
			acr	osome reaction destroys hooks ;			
			ref.	figures ;			max 1
		(iii)	sor	ne sperm must be able to fertilise ;			
			spe	erm with no acrosome cannot fertilise ;			1
						[Tota	al: 10]

Page 9	Mark Scheme	Syllabus	Paper
	GCE A LEVEL – OCTOBER/NOVEMBER 2005	9700	6

3	(a)	flexible filament ;	
		anther hangs outside flower ;	
		anther versatile / AW ;	
		produce light pollen grains ;	
		pollen, smooth/dry/aerodynamic ;	max 3
	(b) (i)	peaks at 1100 on both days ;	
		comparative figures (44,8) ;	
		(many) more on day 1 at all times ;	
		lowest 1700 both days ;	
		falls to 0 1700 day 2 ;	max 3
	(ii)	62 flies v. 8 flies	
		62 – 8 = 54;	
		54/62 x 100 ;	
		= 87%	max 2
			[Total: 8]
4	(a) (i)	time/energy, not wasted seeking mate ;	
		no wastage of gametes ;	
		rapid production of large numbers of offspring ;	
		offspring of well-adapted parent also well adapted ;	
		(if in wild) effective, dispersal/spread/colonisation ;	max 2
	(ii)	no <u>genetic</u> variation ;	
		other than by mutation ;	
		which is rare ;	
		no ability to adapt to changed environment ;	
		no ability to adapt to 'new' pathogen ;	max 3
	(iii)	one released animal could found a population ;	
		rapid colonisation ;	
		outcompete native species ;	
		affect food chain ;	
		AVP ;;	max 2
			[Total: 7]

Page 1	Mark Scheme Syllabus GCE A LEVEL – OCTOBER/NOVEMBER 2005 9700	Paper 6	
		0	
- \	OPTION 4 – APPLICATIONS OF GENETICS		
a)	initiate heart beat ;		
	no external nervous stimulation / myogenic ;		
	control, heart rate / rhythm ;		
	detail of wave of excitation ;		
	ref. autonomic nervous system / adrenaline ;		;
b) (i)	altering natural genotype ;		
	to treat (genetic) disease ;		
	by repairing defective gene ;		
	by replacing defective gene ;		
	by adding normal gene, leaving defective in place ;		
	ref. germ cell/somatic cell therapy ;		max 3
(ii)	protein/channel different, shape/3° structure ;		
	no longer accepts ion/ion no longer fits/receptor site different ;		
	no longer binds ATP ;		max 2
c) (i)	normal cells show no activity / treated cells show action potentials	3;	
	resting potential of –75 mV ;		
	treated cells have, smaller resting potential/resting potential of –6 mV/no stable RP ;	0	
	+38/39/40 mV ;		
	regular / repeated 550/560 ms ;		max 3
(ii)	functioning ion channels in normal cells gives, v. negative/stable, resting potential ;		
	channels in treated cells inactive ;		
	cannot transport potassium ions ;		
	less negative/unstable, resting potential ;		
	threshold to fire can be reached ;		max 3
(iii)	atrium/ventricle/heart, cells treated <i>in vitro</i> (AW) and placed in right atrium ;	ht	
	cells of right atrium treated in vivo (AW);		max 1
		[Tot	al: 15

	Page 1'	1		k Scheme		Syllabus	Paper
			GCE A LEVEL – OC	TOBER/NOVEMBEI	R 2005	9700	6
(a	•	-	olyse / break down, A ss synapse ;	ch/transmitter, to a	llow furthe	r transmissi	on
(b) (i) r	resist	ant Ach-ase slight af	fected v. susceptib	le strongly	affected/ A	W ;
			ant drop from 95% to to 2%/9-0.2 au ;	75% activity/9.5-7	.5 au/susc	ceptible from	1
	r	ref. e	ffect higher concentra	ations on susceptib	le ;		
	r	ref. to	specific concs. of pr	ropoxins in dm ⁻³ ;			
	(ii)	<u>8.5</u> – 8.5	<u>1.5</u> ∑×100 ;				
	=	= 82.	35 / 82.4 (%) ;				
(c) r	muta	tion ;				
	(chan	ce / random / pre-exis	sting / spontaneous	; ;		
	S	subst	titution ;				
	(chan	ge in a-acid alters sha	ape of active site;			
	(cann	ot be blocked by Prop	ooxur ;			
	5	selec	tive advantage/natura	al selection ;			
	F	Prop	oxur selective agent ;				
	r	resist	ants survive longer a	nd pass allele to of	fspring ;		m
							[Total

Page	12	Mark Scheme				Syllabus	Paper	7
		A LEVEL – C	OCTOBER/	NOVEMB	ER 2005	9700	6]
(a) (i)	to act as a, gene bank/genetic resource ;							
() (-)	of traits for future selective breeding ;							
	in changed climate/in case of new pathogen ;							
	in counteract, inbreeding/loss genetic diversity ;							
	known but presently unfashionable traits / unknown traits ;							max 3
(ii)	sperm checked for, abnormalities/motility/genetic disease ;							
(11)	may be sexed / X and Y sperm separated ;							
	diluted, with extender medium/albumin/citrate buffer ;							
	frozen, in liquid nitrogen / at –196° C ;							-
	in 'straws'/long thin tubes ;							max 3
(b)	different sires used ;							
	progeny testing to establish best sires ;							
	sire chosen to, maintain genetic diversity/minimise inbreeding ;							
	sperm sexed to guarantee sex of offspring ;							
	AVP ;							max 2
							[To	otal: 8]
(a) (i)	idea of interaction of, genes / loci ;							
	idea effect from dominant allele / recessive allele inactive ;							2
(ii)	AaBb white (flowers/petals) and Aabb yellow (flowers/petals) ;							1
(b)	parents AaBb x aabb and both white ;							
	gametes AB Ab ab x ab ;							
	offspring genotypes and phenotypes ;							
	<i>ratio</i> 3 white ; 1 yellow ;							4
	gametes	AB	Ab	aB	ab			
	ab .	AaBb	Aabb yellow	aaBb white	aabb white			
			, 5110 11				ITe	tal· 71

[Total: 7]