



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education

Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 9701/23

Paper 2 Structured Questions AS Core

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
Total	

This document consists of 11 printed pages and 1 blank page.



- Ammonia, NH<sub>3</sub>, and methane, CH<sub>4</sub>, are the hydrides of elements which are next to one another in the Periodic Table.
  - (a) In the boxes below, draw the 'dot-and-cross' diagram of a molecule of each of these compounds. Show outer electrons only.
    State the shape of each molecule.

NH <sub>3</sub>	CH <sub>4</sub>
shape	shape

[3]

**(b)** Ammonia is polar whereas methane is non-polar. The physical properties of the two compounds are different.

(1)	Explain, using ammonia as the example, the meaning of the term <i>bond polarity</i> .	
(ii)	Explain why the ammonia molecule is polar.	
(iii)	State <b>one</b> physical property of ammonia which is caused by its polarity.	
		[4]

(c)	When ammonia gas is mixed with hydrogen chloride, white, solid ammonium chloride is formed.	For Examiner's Use
	State <b>each type</b> of bond that is present in one formula unit of ammonium chloride and how many of each type are present. You may draw diagrams.	
	[3]	
	[Total: 10]	

For
Examiner's
1100

2		and diesel fuel are both used in internal combustion engines. may be regarded as having the formula $\rm C_9H_{20}$ and diesel fuel as having the formula					
	(a) (i)	To which class of compounds do these two hydrocarbons belong?					
	(ii)	Write a balanced equation for the complete combustion of petrol.					
		[2]					
	. ,	hen petrol or diesel fuel are used in internal combustion engines, several different oducts of the incomplete combustion of the fuel may be formed.					
	(i)	Name <b>two</b> of these products that do not contain hydrogen.					
		and					
	(ii)	Choose one of these and state a hazard it causes.					
		product					
		hazard					
	(iii)	Write a balanced equation for the formation of <b>one</b> of the products in <b>(i)</b> from diesel fuel.					

[4]

(c)	Def	ine the term standard enthalpy change of combustion.	For Examiner's Use
		[2]	
(d)	The Ass	$1.00\mathrm{cm^3}$ sample of $\mathrm{C_{14}H_{30}}$ was completely burnt in air. The heat produced raised the temperature of 250 g of water by 34.6 °C. Some no heat losses occurred during this experiment. The density of $\mathrm{C_{14}H_{30}}$ is $0.763\mathrm{gcm^{-3}}$ .	
	(i)	Use relevant data from the <i>Data Booklet</i> to calculate the amount of heat released in this experiment.	
	(ii)	Use the data above and your answer to (i) to calculate the energy produced by the combustion of 1 mol of $\rm C_{14}H_{30}$ .	
		[5]	
		[rotal: roj	

- 3 The elements of Group VII of the Periodic Table show variation in their properties.
  - (a) (i) Complete the table below, stating the colour of each element in its normal state at room temperature.

halogen	melting point/°C	colour
chlorine	-101	
bromine	<b>-</b> 7	
iodine	114	

(ii)	Briefly explain iodine.	why the	melting	points o	f the	halogens	increase	from	chlorine	to
										 [4]

- **(b)** The halogens form many interhalogen compounds in which two different halogens are combined. One such compound is bromine monochloride, BrC*l*.
  - (i) Complete the electronic configurations of chlorine and bromine.

chlorine	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup>
bromine	1s <sup>2</sup> 2s <sup>2</sup> 2p <sup>6</sup>

(ii) Draw a 'dot-and-cross' diagram of the BrC1 molecule. Show outermost electrons only.

[2]

(C)	mte	ernalogen compounds like BrCt have similar properties to the halogens.
	(i)	By considering your answers to (a) and (b), predict the physical state of ${\rm BrC} l$ at room temperature. Explain your answer.
		physical state
		explanation
	(ii)	Suggest the colour of BrC1.
		[4]
(d)	$Cl_2$	and BrCl each react with aqueous KI.
	(i)	Describe what would be seen when $\mathrm{C}l_{\mathrm{2}}$ is bubbled through aqueous KI for several minutes.
		initially
		after several minutes
	(ii)	Construct an equation for the reaction that occurs.
	/····\	
(	(iii)	Suggest an equation for the reaction that occurs between BrCl and aqueous KI.
	(iv)	How do $Cl_2$ and $BrCl$ behave in these reactions?
·	. ,	2
		[5]
		[Total: 15]

**4** Compound  $\mathbf{Q}$  is a viscous liquid which is very soluble in water. The  $M_r$  of  $\mathbf{Q}$  is 90.0.

Three possible structures for **Q** are shown below.

R	S	Т
HOCH,CH,CO,H	HOCH,CO,CH,	HCO,CH,CH,OH

(a) (i)	What type of isomerism do R, S and T show?	
(ii)	What oxygen-containing functional groups are present in R, S and T? Give their full names.	
	R and	
	<b>S</b> and	
	T and	
(iii)	Which functional group(s) in (ii) will react with sodium carbonate?	
(iv)	Which functional group(s) in (ii) will react with sodium metal?	
	[6]	

- **(b)** When  $0.002\,\text{mol}$  of **Q** is reacted with an excess of solid sodium carbonate,  $\text{Na}_2\text{CO}_3$ ,  $24\,\text{cm}^3$  of carbon dioxide, measured at room temperature and pressure, is produced.
  - (i) Calculate the amount, in moles, of carbon dioxide produced in this reaction.
  - (ii) Hence calculate the amount, in moles, of carbon dioxide produced by 1 mol of Q.

[2]

For
Examiner's
Use

When  $0.002\,\text{mol}$  of  $\mathbf{Q}$  is reacted with an excess of metallic sodium,  $48\,\text{cm}^3$  of hydrogen, measured at room temperature and pressure, is produced.

(c)	(i)	Calculate the amount, in moles, of hydrogen molecules produced in this reaction.
	(ii)	Hence calculate the amount, in moles, of hydrogen molecules produced by 1 mol of <b>Q</b> .
		[2]
(d)		your answers to <b>(b)</b> and <b>(c)</b> to deduce which structure, <b>R</b> , <b>S</b> or <b>T</b> , corresponds to the cture of <b>Q</b> and write balanced equations for the reactions that occurred.
	ider	ntity of <b>Q</b> is
	equ	ation for reaction with sodium carbonate
	equ	ation for reaction with sodium metal
		[5]
		[Total: 15]

5 The molecular formula C<sub>4</sub>H<sub>9</sub>OH represents four different alcohols, **W**, **X**, **Y** and **Z**.

For
Examiner's
Use

W	X	Y	Z
CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH	CH <sub>3</sub> CH <sub>2</sub> CH(OH)CH <sub>3</sub>	(CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> OH	(CH <sub>3</sub> ) <sub>3</sub> COH

(a) Draw the skeletal formula of Z.

[1]

**(b)** Acidified potassium dichromate(VI) is used as an oxidising agent in organic chemistry.

Give the **structural formula** of the organic product formed when **each** of the four alcohols above is heated under reflux with acidified potassium dichromate(VI). If you believe that no reaction occurs, write 'no reaction' in the box.

w	
x	
Y	
z	

[4]

(c) One of the alcohols, W, X, Y or Z, can be dehydrated to give more than one organic product.

Identify this alcohol and give the structural formulae of two of the products.

alcohol	
product 1	
product 2	

[2]

For

Examiner's

Use

[Total: 7]

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.