## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

## MARK SCHEME for the October/November 2006 question paper

## 9691 COMPUTING

9691/01

Paper 1, maximum raw mark 90

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2		Mark Scheme	Syllabus	Paper		
		GCE A/AS LEVEL - OCT/NOV 2006	9691	01		
(a)	-allow -Ques -allow -Meeti -Partia peopl -Colle -show -Obse -can s	view key personnel s questions to alter according to the answers given/confictionnaires s a large number of people to give their views in a short prings ally combines the good points of interviews and questions e in meeting ct present documentation s what form the input and output is expected to take enveronment system in action see first hand/unjaundiced view of what actually happens -, max 3 pairs, max 6)	eriod of time/maintains anony			
(b)	-to cor -to del -Adap -to ins -becar -Perfe -to imp -despi	ective maintenance rrect faults that are found after commissioning bug errors in the code tive maintenance stitute necessary changes use of changes in the way the organization works/tax charactive maintenance prove the performance of the system te the fact that it does all it needs to -, max 2 per type, max 4)	nges/law changes	(4		
(a)	-The times that the workers come and go are collected as a batch -Processing cannot be started until all the data is collected -Large amounts of data -Data is all very similar -needing similar processing -processing is simple -Once processing starts no human intervention is necessary -Results are not time sensitive -Pay must be calculated for <b>all</b> workers (1 per -, max 4)					
(b)	(i)	-Records are stored in a logical order -e.g. alphabetic/numeric -in this case in order of employee number (1 per -, max 2)		(2		
	(ii)	-All the records have to be updated -Necessary to compare each record with its entry in a tra -Which will also be in order -No need apparent for direct access to records	nsaction file			

-No need apparent for dii (1 per -, max 2)

(c)

-e.g. Playing a computer game
-Because the latest input must be processed before the next output. (2)

(2)

Page 3			Mark Scheme	Syllabus	Paper			
		- <b>3</b>		GCE A/AS LEVEL - OCT/NOV 2006	9691	01		
			·					
3	(a)	(i)	8,2 4			(2)		
		(ii)	6,0 6			(2)		
			-	ote: Allow one in each case if extra is given, e.g. A = 8)		(2)		
	(b)			ONTROL SYSTEM ON DO NOT TRIGGERED DO				
		END						
		END IF T>	טי MHII	LE THEN IF FAN OFF THEN FAN ON				
		11 12	טי	ENDIF				
			ELS	SE IF FAN ONTHEN FAN OFF ENDIF				
			WHIL	LE				
		END Mark	opoin	nts:				
		-Loo	p for	system switched on				
		-Loo		vait for M to be triggered vitch off fan in loop				
		-Con		n statement re. temperature				
			Tw	o correct outcomes: -Fan on				
			Co	-Fan off				
		-Cor	-Condition to reverse current state of fan -Correct positioning of loops					
		-Correct structure (e.g. End statements						
		(1 pe	er -, n	nax 6)		(6)		
4	(a)	(i)	On	e that gives information but cannot have that information change	ed .			
		(ii)	On	e where data held can be altered by the user.		(2)		
	(b)			be using the interface				
		<ul><li>-What experience/knowledge do they have</li><li>-What is the system requirement/time sensitive or not</li></ul>						
		-Wha	at is t	he information that needs to be shown				
				ch information is needed he best way to show the information required				
				that should/should not be used				
				er forms of output are sensible/possible in the environment of the	e control room			
				hnology is available Inguage to be used				
				nax 6)		(6)		

Page 4			Mark Scheme	Syllabus	Paper		
		<u> </u>		GCE A/AS LEVEL - OCT/NOV 2006	9691	01	
5	(a)	(i)	The	e transfer of data in only one direction.			
		(ii)	The	transfer of data in both directions but only one direction at a time	ne		
		(iii)	The	e transfer of data one bit at a time down a single (wire)			
		(iv)		e transfer of data down a number of wires/bits being sent simultate at a time.	ineously/normally oi	ne (4)	
	(b)	-Buffer filled from primary memory -Processor carries on with other task while -Hard drive empties buffer and stores data -When buffer empty -Interrupt sent to processor (from hard drive/buffer) -requesting buffer to be refilled -Processor decides according to importance of interrupt -whether to suspend current job and carry out interrupt or -to store interrupt for later execution					
		-Pro	cesso	or refills buffer from primary memory hax 6)		(6)	
		, ,				(0)	
	(c)	-because the processor requires the data to be downloaded as quickly as possible -Half duplex					
		-Bec	ause	there needs to be communication in both directions		(4)	
6	(a)	(i)	-so -So -Ea	rd copy necessary so that the text can be read easily that it is easily portable me people find looking at a screen for long periods uncomfortab sier to record notes on hard copy per -, max 2)	ole	(2)	
		(ii)	-so -so	ectronic form so that it can be sent from person to person withou that it can be copied easily that corrections can be easily made per -, max 2)	t delay	(2)	
	(b)	(i)	cou -Ho	need for expensive central offices/Can employ people who live intry so wages lower/Should be a more contented workforce, so wever, difficult to coordinate work/Difficult to supervise work beiner -, max 2)	better work	the (2)	
		(ii)	fam -Do her	nes not need to travel to work/More control over working times/molily/cost of living less les not have social experience with other workers/difficult to be race earn promotion, bonuses/distractions from family over -, max 2)		and (2)	
		(iii)	pre	ss pollution because of fewer journeys to work/less need for infra ssure on centres of major cities s social cohesion/need for new legislation to cover new practice		l	
				per -, max 2)	_	(2)	
	(c)	-Communications software/dial up softwareso that the individual systems can communicate with head office over the medium -Network cards					
				e machine can communicate on the WAN SDN line (or other communications medium)			
		-so t	hat m	achine can access the network nax 1 hardware and 1 software, max 4)		(4)	
		-					

Page 5		ge 5	Mark Scheme	Syllabus	Paper		
			GCE A/AS LEVEL - OCT/NOV 2006	9691	01		
7	<ul> <li>-Circuit switching involves keeping a fixed circuit open for the duration of the message         <ul> <li>-Advantage is that message arrives without having to be reordered</li> <li>-Packet switching sends individual packets onto the network to find their way independently of each other</li> <li>-Advantage is that message is difficult to hack/large part of network not tied up for long period/can circumvent blocked routes.</li> </ul> </li> </ul>						
	(b)	-Ci -Si -Si -7,	member of the) character set that a computer recognizes haracter on a standard keyboard andard to many machines tored in binary as 8,9,16 bits per character per -, max 2)		(2)		
		by: -TI -C -If -Pi -Ty -U!	heck sum is the result of adding all the bytes of data (and ignoring te) he result is sent along with the data and hecked against the total calculated as the data arrives the two totals differ then a transmission error has occurred arity involves every byte having its bits adding to either an odd or type of parity must be agreed between sender and recipient se of a parity bit to make each byte the correct type bit is changed during transmission then the sum of bits will not ma typer -, max 2 per type of check, max 4)	even total	the (4)		
8	Custom-written is specially written for that application -Off-the-shelf is generic software that needs tailoring for the application Company would choose off-the-shelf software because: -Cheaper than custom-written -Available in much shorter time because does not need to go through whole writing process -Increased functionality over time -Compatible with other software -Based on software that is widely known so training is easier -Fewer bugs will be found because of the wide use of the software, the bugs will already have been found by other users						
9	(i)	-To divide	e up the surface of a disk into more easily manageable sectors itor will use a hard disk which will need to be formatted before be	ing used/to store	(4) texts (2)		
	(ii)		age the files that are stored on a computer system itor would need to save/open/delete/sort files held on the system.		(2)		
	(iii)		control communication between computer and peripherals formatting and fonts of text sent to the printer.		(2)		
	(iv)		s size of files without the loss of any detail d up the transfer of files which are very large		(2)		
	(v)	-Copy wr	check any files on or entering the system for viruses iter will <b>use the communications regularly</b> and hence files will l ng received.	be subject to attac	ck/many (2)		