

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

COMPUTING 9691/03

Paper 3 October/November 2007

2 hours

Additional Materials: Answer Booklet/Paper

READ THESE INSTRUCTIONS FIRST

If you have been given an Answer Booklet, follow the instructions on the front cover of the Booklet.

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.





	2	
1	A bus company runs services throughout a country. The company proposes to introduce a necomputerised ticketing machine on its buses. The analyst who is in charge of the introduction considers • phased • pilot • direct implementation of the new system. Evaluate each of these types of implementation for this application.	
2	There are a number of TEAMs which represent a school. Each team has a TEACHER who runs it and a teacher may run more than one team. Each team has a number of PLAYERs and each one may play for more than one team.	
	Draw an entity relationship (E-R) diagram to represent this data model in third normal form a label the relationships.	nd [6]
3	A retail business specialises in souvenir items for tourists. It has a number of shops in different sitions	∍nt
	cities. Discuss how the Internet can be used in this business.	[6]
4	Describe changes to the working patterns of office workers following the introduction computerised communications.	of [5]
5	(a) State two different types of interrupt and give an example of how each may be generated.	[4]
	(b) Explain the process carried out by the operating system on receipt of an interrupt.	[5]
6	Names are to be stored in a binary tree according to the algorithm 1. Repeat 2. If Name > node then take right pointer 3. Else take left pointer 4. Until empty node 5. Insert Name	
	(a) Given that the root node is DAMON, create the binary tree resulting from inserting:	
	CANDU RISH AAMON TENAR GLAN	

(b) Describe an algorithm for using the tree to read the names in alphabetic order.

Describe how a variable in a high level language program is dealt with by a compiler.

9691/03/O/N/07

in the given order.

7

© UCLES 2007

[3]

[3]

[6]

(b) Describe what is needed to run a parallel process rather than a serial process. (a) State the purpose of the Memory Address Register (MAR) in a computer. (b) Describe two stages of the fetch/execute cycle which would change the contents of the MAR. State clearly, in each case, what the MAR contains. (4) A computer stores fractional numbers in floating point binary representation. Five bits are used for the mantissa and three bits for the exponent. All values are stored in two's complement form. (a) By using a diagram of this representation, state the value of each of the bits. (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. (c) State the floating point binary value of - ¾ in this representation. (d) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. (2) A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could																
9 (a) State the purpose of the Memory Address Register (MAR) in a computer. [1 (b) Describe two stages of the fetch/execute cycle which would change the contents of the MAR. State clearly, in each case, what the MAR contains. [4] 10 A computer stores fractional numbers in floating point binary representation. Five bits are user for the mantissa and three bits for the exponent. All values are stored in two's complement form. (a) By using a diagram of this representation, state the value of each of the bits. [4] (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. [3] (c) State the floating point binary value of - ¾ in this representation. [2] 11 (a) Describe the characteristics of (i) a procedural programming language, [2] (ii) a declarative programming language. [2] (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [2] A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could be a computer of the contents of two software tools, apart from an entity relationship (E-R) diagram, that could be contents of the conte	8	(a)														
(b) Describe two stages of the fetch/execute cycle which would change the contents of the MAR. State clearly, in each case, what the MAR contains. 10 A computer stores fractional numbers in floating point binary representation. Five bits are used for the mantissa and three bits for the exponent. All values are stored in two's complement form. (a) By using a diagram of this representation, state the value of each of the bits. (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. (c) State the floating point binary value of - ¾ in this representation. (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. (2) 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could		(b)	Des	escribe what is needed to run a parallel process rather than a serial proces									s.	[3]		
MAR. State clearly, in each case, what the MAR contains. [4] 10 A computer stores fractional numbers in floating point binary representation. Five bits are used for the mantissa and three bits for the exponent. All values are stored in two's complement form. [5] 10 A computer stores fractional numbers in floating point binary representation. Five bits are used for the mantissa and three bits for the exponent. All values are stored in two's complement form. (a) By using a diagram of this representation, state the value of each of the bits. [6] (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. (c) State the floating point binary value of - ¾ in this representation. [7] 11 (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. (j) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. [2] 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could be a computer system is being developed.	9	(a)	(a) State the purpose of the Memory Address Register (MAR) in a computer.												[1]	
for the mantissa and three bits for the exponent. All values are stored in two's complement form. Mantissa Exponent (a) By using a diagram of this representation, state the value of each of the bits. (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. (c) State the floating point binary value of - ¾ in this representation. [2] (i) a procedural programming language, (ii) a declarative programming language. [2] (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [3] (2) (3) (4) (4) (5) (6) (6) (7) (7) (8) (9) (9) (10) (11) (11) (12) (13) (14) (15) (15) (16) (17) (17) (18) (18) (19) (19) (10) (10) (10) (11) (11) (12) (13) (14) (15) (15) (16) (17) (17) (18) (18) (19) (19) (19) (10) (10) (11) (11) (12) (13) (14) (15) (15) (16) (17) (17) (18) (18) (18) (19) (19) (19) (10) (10) (11) (11) (12) (13) (14) (15) (15) (16) (17) (17) (18) (18) (18) (19) (19) (19) (19) (10) (10) (10) (11) (11) (12) (13) (14) (15) (15) (16) (17) (17) (18) (18) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19) (19)		(b)		·										ents of the		
 (a) By using a diagram of this representation, state the value of each of the bits. [4 (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. [3 (c) State the floating point binary value of - ¾ in this representation. [2 11 (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. [2 (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [2 (ii) Inheritance. [2 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 	10		· · · · · · · · · · · · · · · · · · ·													
 (a) By using a diagram of this representation, state the value of each of the bits. [4 (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. [3 (c) State the floating point binary value of - ¾ in this representation. [2 11 (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. [2 (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [2 (ii) Inheritance. [2 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 																
 (a) By using a diagram of this representation, state the value of each of the bits. [4 (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. [3 (c) State the floating point binary value of - ¾ in this representation. [2 11 (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. [2 (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [2 (ii) Inheritance. [2 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 				l			lantice			Ev	none	nt				
 (b) By using 2 ½ as an example, explain how real numbers can be shown in normalised form in this representation. (c) State the floating point binary value of - ¾ in this representation. (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 		(0)	·													
this representation. (c) State the floating point binary value of - ¾ in this representation. [2] (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. [2] (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [3] (ii) Inheritance. [2] 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could		(b) By using 2 ½ as an example, explain how real numbers can be shown in normalised f														
 (a) Describe the characteristics of (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. (2 (2 (2 (3) A computer system is being developed. (4) Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 													sed form ir [3]			
 (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. (2 (2 (3) Data encapsulation, (4) Inheritance. (5) Data encapsulation, (6) Data encapsulation, (7) Data encapsulation, (8) Data encapsulation, (9) Data encapsulation, (10) Inheritance. (11) Data encapsulation, (12) Data encapsulation, (13) Data encapsulation, (14) Data encapsulation, (15) Data encapsulation, (16) Data encapsulation, (17) Data encapsulation, (18) Data encapsulation, (19) Data encapsulation, (20) Data encapsulation, (3) Data encapsulation, (4) Data encapsulation, (5) Data encapsulation, (6) Data encapsulation, (7) Data encapsulation, (8) Data encapsulation, (9) Data encapsulation, (10) Data encapsulation, (11) Data encapsulation, (12) Data encapsulation, (13) Data encapsulation, (14) Data encapsulation, (15) Data encapsulation, (16) Data encapsulation, (17) Data encapsulation, (18) Data encapsulation, (19) Data en		(c) State the floating point binary value of - 3/4 in this representation.										[2				
 (i) a procedural programming language, (ii) a declarative programming language. (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 	11	(a)	Desc	cribe the chara	cterist	ics of										
 (ii) a declarative programming language. [2 (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, [2 (ii) Inheritance. [2 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 		` ,						lade								[2]
 (b) Explain what is meant by the following terms when referring to object-oriented languages: (i) Data encapsulation, (ii) Inheritance. 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 																
 (i) Data encapsulation, (ii) Inheritance. 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 		(ii) a declarative programming language.														
 (ii) Inheritance. [2 12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could 		(b)	•		•	the to	ollowir	ng terr	ns wh	en ret	erring	to ob	ect-oi	riente	d lang	, 0
12 A computer system is being developed. Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could			(i) Data encapsulation,												[2]	
Describe the use of two software tools, apart from an entity relationship (E-R) diagram, that could			(ii)	Inheritance.												[2]
	12	A c	ompu	iter system is b	eing d	levelo	ped.									
		· · · · · · · · · · · · · · · · · · ·											, that could			

- 13 A mail order company employs a number of computer operators who take orders by telephone. There is also a warehouse department from which orders are dispatched. The management staff interrogate the data to inform their decisions. The computers in all three areas are networked with a central storage facility.
 - (a) Discuss, the different topologies and media available for transmitting data around the network, with reference to suitability for this example. [8]
 - (b) Describe how various users can be given different access to the data held on the central database. [2]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.