

## **MARK SCHEME for the October/November 2013 series**

### **9691 COMPUTING**

**9691/21**

Paper 2 (Written Paper), maximum raw mark 75

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award]. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2013	9691	21

- 1 (a) – easier to understand the problem  
– when dealing with smaller problems  
– simpler to debug  
– small parts at a time  
– easier to maintain  
– changing small sections  
– can re-use his modules  
– in this and future work
- or comparable  
3 × 2 marks [6]
- (b) (i) – structure diagram/Jackson diagram/comparable  
– orders sequence of modules/comparable [2]
- (ii) – top level  
– 3<sup>rd</sup> level in order [2]
- (c) – procedures  
– functions  
– block structures [max 2]
- (d) – using parameters  
– to pass information about a data item  
– can be by value or by reference [max 2]
- (e) – array fixed size  
– file not fixed  
– array data volatile  
– file saved  
– array can be multi-dimensional  
– array data can be added to a specific location  
– array direct access  
– file sequential access [6]
- (f) – array declaration and size  
– type integer  
– loop  
– set each element to sensible value (probably 0) [4]
- 2 (a) (i) – each condition not separate  
– IF( Index > 100) OR( index < 0) THEN OUTPUT “Error” [2]
- (ii) – arithmetic must be on RHS  
– NumberOfCopies[Index] = NumberOfCopies[Index] + 1 [2]
- (iii) – assigning value of wrong type  
– NumberOfCopies[Index] = 3  
3 × 2 marks [2]

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2013	9691	21

```
(b) IF ResourceID < 1001
    THEN
        OUTPUT "Cabinet 1"
    ELSE
        IF ResourceID <=3000
            THEN
                OUTPUT "Cabinet 2"
                IF ResourceID MOD 2 = 0
                    THEN
                        OUTPUT "Drawer 1"
                    ELSE
                        OUTPUT "Drawer 2"
                    ENDIF
            ELSE
                IF ResourceID <=5000
                    THEN
                        OUTPUT "Cabinet 3"
                    ELSE
                        OUTPUT "Invalid ID"
                    ENDIF
            ENDIF
        ENDIF
    ENDIF
```

- 1<sup>st</sup> condition
- correct output including OUTPUT/PRINT or equivalent
- dealing with inner nesting of odd/even
- correct 2<sup>nd</sup> and 3<sup>rd</sup> conditions
- correctly nested
- indentation

[6]

```
(c) e.g. PASCAL
var ResourceID : integer;
begin
    readln(ResourceID);
    case ResourceID of
        1..1000:      writeln('Cabinet 1');
        1001..3000: if ResourceID mod 2 = 0 then
                        writeln('Cabinet 2, Drawer 1')
                    else
                        writeln('Cabinet 2, Drawer 2');
        3001..5000: writeln('Cabinet 3');
    else
        writeln('Invalid Resource ID');
    end;
end.
```

- CASE/SELECT header
- correct form of each case (no =)
- dealing with inner options (odd/even)
- output of resource allocation
- correct logic overall
- terminating statement

[6]

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2013	9691	21

- 3 (a) – prompt to enter name  
– drop-down list for type  
– drop-down calendar for date  
– box for resource ID  
– box for keeping place  
– buttons/similar for other actions  
– uses space available [max 6]
- (b) – title and date  
– heading for resource  
– heading for keeping place  
– method of grouping  
– use of all page [5]
- (c) – indentation  
– meaningful variable names  
– comments  
– capitalisation of keywords/variables [4]
- (d) Flag ← 0  
INPUT P  
X ← 1  
REPEAT  
    X ← X + 1  
        **IF myresources [X] = P**  
            **THEN**  
                OUTPUT keptin [X]  
                Flag ← 1  
            **ENDIF**  
UNTIL flag = 1 OR X=5000  
IF flag = 0  
    THEN  
        OUTPUT "Not Found"  
ENDIF
- mark as follows  
– indentation  
– comments  
– initialising X  
– incrementing X  
– correct UNTIL condition  
– correctly adopt code in bold (do not give if FOR loop left in) [6]
- (e) (i) – logic error ONLY  
– their example (must make sense)  
– run-time/syntax/semantic/logic (if not above) error  
– their example [4]

<b>Page 5</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE AS/A LEVEL – October/November 2013</b>	<b>9691</b>	<b>21</b>

- (ii) – break point is a point where the program can be halted
  - to see the current values of variable
  - memory locations and registers
  - stepping looks at one statement at a time
  - to see the effect of each instruction
- [max 3]

**4 (a)** – within the function [1]

**(b)** – 7 [1]

**(c)** – Add(2)  
– Add(1)  
– Add(0) [3]