## MARK SCHEME for the May/June 2010 question paper

## for the guidance of teachers

## 0610 BIOLOGY

0610/61

Paper 61 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

## **General notes**

Symbols used in mark scheme and guidance notes.

/	separates alternatives for a marking point
• ,	separates points for the award of a mark
А	accept – as a correct response
R	reject – this is marked with a cross and any following correct statements do not gain any marks
I	ignore/irrelevant/inadequate – this response gains no mark, but any following correct answers can gain marks.
( )	the word/phrase in brackets is not required to gain marks but sets context of response for credit. e.g. (waxy) cuticle. Waxy not needed but if it was described as a cellulose cuticle then no mark.
<u>Small</u>	underlined words – this word only/must be spelled correctly
ORA	or reverse argument/answer
ref./refs.	answer makes appropriate reference to
AVP	additional valid point (e.g. in comments)
AW	alternative words of equivalent meaning
ecf	error carried forward

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

Question	Expected Answe	ers		Marks	Guidance
1 (a) (i)	<ul> <li>(i) Drawing: O quality mark – clear complete lines, shape and larger than photograph, no shading; L more than 1 layer of wall recognised; D asymmetric right side / inside layer folded – detail;</li> <li>Any two labels if correct: lumen / space / hole; muscles; thick(er) wall / AW; elastic (wall / fibres); connective tissue (outer layer); folded inner layer / endothelium / lining;</li> </ul>		[5]	Score the drawing by a vertical row of ticks or crosses in order <b>O</b> , <b>L</b> and <b>D</b> shown to the uncluttered side of the drawing. <b>A.</b> if circles are incomplete to show more than one layer. If drawn only the vein, <b>Y</b> – award <b>O</b> only. Accept lumen label. If a compass or equivalent has used – do not award <b>O</b> mark. Look for 'bulge' in wall of blood vessel not the 'floating' bit in the middle. Lumen = AW e.g. 'room for blood' <b>I.</b> blood alone. <b>A.</b> correct terms referring to <i>tunica adventitia</i> = outer layer; <i>tunica media</i> = muscle + elastic tissue; <i>tunica intima</i> = endothelium. <b>I.</b> reference to 'smooth' 'longitudinal' 'stretching layer. 'radial'. <b>R.</b> striated / cardiac. <b>I.</b> cytoplasm / cell wall / cell membrane / nucleus. If inner layer or wall, must have <u>folded</u> . Endothelium alone = 1 mark. If both blood vessels are drawn, mark the artery only. Longitudinal views – mark the end section only.	
(ii)	X – <u>artery</u> ;			[1]	<b>A.</b> arteries. or arteriole or specific named artery. Mark in list order. <b>R.</b> vein.
(iii)	feature shape in section wall thickness lining tissue	thick folded / AW (more) muscle / elastic	Y – vein oval thin smooth / AW less		<ul> <li>'thick muscular wall' = 2</li> <li>marks from either side depending on approach. Not comparative.</li> <li>If capillary points are made ignore – question is to distinguish between Y and Y.</li> </ul>
	lumen size	small / AW	large / AW	[max 2]	distinguish between X and Y.

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

(b) (i)	14, 15, 16, 17, 17, and 18 in table	[1]	all numbers correct in table.
(ii)	Axes – orientations and labels; Scales – linear scale, to fill more than half the printed grid; Plot – all correct; Line – joined point to point with ruled lines;	[4]	<ul> <li>(X – mass of weight g and Y – increase in mm)</li> <li>+/- half a small square.</li> <li>ecf – from table. All plotted points (11) to be included on the graph.</li> <li>If plot internal diameter (2nd column) allow: A and L – Max 2.</li> <li>A. smooth curve passing through most points.</li> <li>R. extrapolation of line beyond 100g. R. thick lines.</li> <li>Straight line, non linear scale allow A only if correct.</li> <li>Score the drawing by a vertical row of ticks or crosses in order A, S, P and L.</li> <li>Histogram – A, P only.</li> </ul>
(iii)	original size, shape or position / decrease / contract; ( <i>reason</i> ) elasticity must be linked to return in size / recoil; thick wall / elastic tissue / AW; AVP e.g. ref blood pressure / pulsation ;	[max 3]	<ul> <li>I. expansion / damaged / overstretched.</li> <li>I. reference to elastic limit and to overstretching.</li> </ul>
		[Total: 16]	

	Page 5	Mark S	Scheme: Teachers'	version	Syllabus	Paper	
	IGCSE – May/June 2010		010	0610	61		
2	(a) (i)	<b>One visible</b> from; Skin / peel / outer outer layer darker side buds / spots / inner tissue – simi	wall / shell; than inside; 'eyes' present;		[1]		
	(ii)	feature inner tissue	sweet potato	<b>irish potato</b> no spots, uniform	 ];	I. difference Any <b>two</b> diff	s in composition – starch / storage. ferences.
		skin / peel / wall	speckled darker thicker	lighter; thinner;		Comments should match and accept one difference printed row on the question paper. Both spaces on mark scheme for 2 differences can refe the same feature e.g. skin or margin.	
		shape of ends	pointed / slanted (both ends)	rounded (both ends);			
		overall shape	long / narrow	short / round / more circular / oval;			
		margin	two layers visible not smooth / uneven	one layer; smooth;		Look for cor	mparative terms '-er'.
		section shape	circular /rounded smaller	oval; larger;		*	
		stalk / root *	absent	present;	[max 2]	scar or ha	irs at the base.

Page 6	Mark Scheme: Teachers' version	Syllab	ous	Paper	
	IGCSE – May/June 2010 06		0	61	
(b) 1.	IGCSE – May/June 2010         starch         equal sample size of each potato; ONCE         iodine in KI / iodine reagent;         same concentration / volume of iodine solution;         expected colour change; (yellow / orange / red brow         blue / blue black / purple)       compare colour change; (how fast / darker) (not colorimeters)         Safety – one from:         Tie back hair / tie; ONCE         Safety goggles / spectacles; ONCE         Lab coat; ONCE	061( wn to using same ed)		<ul> <li>A. drops of vague referer 'same volume</li> <li>I. using ethan Need original</li> <li>A. chemical dark blue)</li> <li>Not just warm = 2 marks.</li> <li>Need original</li> </ul>	iodine if stated number of drops but ignore nees such as few or several. e of iodine solution' = 2. iol. and final colours for expected change. components / Fehling's / Clinistix. (pink → n but heat – maybe used a boiling water bath and final colours for expected change.
	Safety – <b>one</b> from: water bath; test-tube holders; same as above		[max 5]	I. repeats.	uret ignore description of test but allow safety
	Same as above	[8	marks]		
		[To	otal: 11]		

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0610	61

3 (a) (i)	dish <b>A</b> – 19/20, dish <b>B</b> – 2/20, and dish <b>C</b> 9/10;;	[2]	<ul> <li>A. numbers 19, 2 and 9 only. Mark wherever these figures occur e.g. on dish.</li> <li>1 mistake – 1 mark / 2 mistakes – no marks.</li> </ul>
(ii)	800%;; <i>possible working</i> $18 - 2 = 16  \frac{16}{2} \times 100 = 800\%$	[2]	Correct answer = 2 marks. Credit alternative methods of working if answer is incorrect. Might round down dish <b>B</b> to 1 / 10. = 1 mark. Might round up dish <b>C</b> to 18 / 20. = 1 mark. 80% = 1 mark. If error in table – award one working mark if applicable.
(iii)	<ul> <li>(dish C no tomato juice and dish B has therefore) there is another chemical in juice which stops the germination AW; same pH as dish B but higher % in C so not pH sensitive;</li> <li>correct reference to osmotic / turgor / concentration of tomato juice / contains less water / absorbs less water;</li> <li>stops seeds developing near parent plant / prevents competition / saves overcrowding / lack space;</li> <li>AVP e.g. alleopathy / bacteria in juice;</li> </ul>	[max 2]	Dish <b>C</b> is referred to from the question by implication. <b>I.</b> dish <b>C</b> has more nutrients Chemicals – accept suitable named examples e.g. Vit. C.
(iv)			Ignore fair test / efficiency. A. to test viability of seeds.
	to show it was not pH 6 – weak acid solution;	[max 1]	

Page 8	3	Mark Scheme: Teachers' version	Syllabus	Paper	
		IGCSE – May/June 2010	0610	61	
(b)	3. 4. 5. 6. 7. 8.	same batch of seeds / same type / same maturity; same volume of solution; same environmental conditions of oxygen; same environmental conditions of light / warmth; same number of seeds for each test; wash surface of seeds first to remove juice of f chemicals / bacteria / spores / AW; suitable range of pH solutions / suggest 3 or me named pH / acid solutions; how obtained such as use of buffers or named lique e.g. vinegar.;	ore	A. Same ter Need more vague. from low pH e.g. strong a	than one seed for pt 5. few / several – too to high $pH - 3$ or more examples. (pt 7) and weak acid and weak alkali = 3 solutions.
		same period of time for soaking or germinating; repeat whole procedure / two + dishes or use replicas the same time; plot graph;	at [max 6	months) Not just for r	several' days. (specified number of days not number of seeds – that is pt. 5.
			[Total: 13]	-	