

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

BIOLOGY 0610/63

Paper 6 Alternative to Practical

October/November 2011

1 hour

Candidates answer on the Question Paper

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use									
1									
2									
3									
Total									

This document consists of 9 printed pages and 3 blank pages.




1 Two students carried out an investigation into reaction times.

Student 1 dropped a metre rule.

Student 2 tried to catch the metre rule as soon as possible after it had been dropped.

Fig. 1.1 shows a metre rule about to be dropped by Student 1, whilst Student 2 is ready to catch the rule.

Fig. 1.2 shows the metre rule after it has been caught.



Once the ruler has been caught, the distance from their thumb to the bottom of the ruler was measured in centimetres.

Three results for each hand were taken and recorded in Table 1.1.

The last result for the right hand is shown in Fig. 1.2.

(a) (i) Read the distance on the ruler and record this value in Table 1.1. [1]

Table 1.1

rooding	distance ruler dropped / cm										
reading	left hand	right hand									
1	22	16									
2	16	12									
3	13										
mean	17										

(ii) Complete Table 1.1 by calculating the mean distance for the right hand.

[1]

(b)	(i)	Sug	gest what this experiment was de	signed to investigate.												
	(ii)	Sta	te three variables that should be ke	ept the same throughout this invest	igation.											
		1														
		2														
		3			[3]											
(c)	App	oroxi	mate reaction times can be calcula	ated from the distance the ruler has	dropped.											
			2 shows these approximate reaction													
			Table 1	.2												
			P. 4													
			distance / cm	reaction time / s												
			5 0.10													
			10	0.14												
			15	0.17												
			20	0.20												
			25	0.23												
	(i)		mate the reaction times for the ances in Table 1.1.	left hand and right hand using	the mean											
		left	hand													
		righ	t hand		[2]											
	(ii)	Exp	lain what conclusion you can mak	e about the reaction time of this stu	ident.											
					[2]											

(d)	Some drugs act as stimulants on the body and others act as depressants.
	Suggest how this experiment could be adapted to investigate the effect of a stimulant on reaction times.
	[3]
	[Total: 13]

For

This fruit is composed of many small fruits (fruitlets) joined together.



Fig. 2.1

(a) Make a large, labelled drawing of this fruit.

48 of these fruits were collected and, for each fruit, the number of fruitlets was counted. The results were recorded as shown below.

For Examiner's Use

65	75	86	82	84	86	98	97
77	63	73	5/3	97	76	5/9	77
72	69	104	5/9	75	5/2	66	68
5/2	93	84	85	74	82	5/9	65
80	76	75	69	74	63	85	61
82	76	69	71	91	68	77	92

(b) (i) Arrange the number of fruitlets in each fruit into a tally chart, as shown for 50 – 59 fruitlets.

	tally of fruitlets in each fruit												
50 - 59	60 - 69	70 - 79	80 - 89	90 - 99	100 - 109								
## 1													
6													

[3]

					Ŧ				-			1	12		Ţ	-		1				1			-							-				7				Ŧ		1		7	-		1			
						ļ	_	1	-		4		-		‡	ļ							-									+				. <u>‡</u> .				+-				‡	ļ.,		- -		4	
:				-	+	<u> </u>	-		#		+	+			‡	-		#	-	#		#	+		-		+	H	-			+	H	+		‡		-		‡	++	#		÷	‡		#	-	÷	1
					ŀ	-			ŀ		1	1	1		Ì							-[-										-				Ţ				Ť		1		Ī	1		1			}
	-		-	-	+-			-	÷		+				+	-				-	-	+	-				-		+	-		-	-			‡				+				+	-		+		+	
-				-	÷	ļ	-	1	1	H	4	1			‡	ļ			-	-	-	‡				- -			-			ļ.,	H			‡				‡				‡	ļ.,			-	÷	1
	- 1				1	-			1		1	1			1					-1-					-					-		1		-	Н	‡				Ť				1	1				1	1
				-	-	ļ	-	-	+		-	+			+	-				+	-	+					-	11	-			-	Н			‡	Н			+				+	-				+	
ŀ	- 3			-	ļ.,			-	-		-				÷.					-		:	-						- -			÷								+				÷	ļ.,				-	1
				4	Ť	1	-	4	1	П	4	1	10		‡	1	Н	4	-	4		- -		H	-	H	ij.	Ħ	- -			1	Ħ	-	П	Ŧ	H	-	П	Ť	11	-		Ť	Ŧ		-		1	1
					-						-	1			1							1										-				Ŧ				Ŧ		-		1	-		-		1	
1						 			-		-	4			‡	ļ				-		: -	-						- -			+-				÷				+				‡	-				+	1
				-	+-	ļ	-		+		+	4		H	‡	-		#	-	4		4	-	H	#		-	H	-			+	H	-		‡	H			‡	H	‡		‡	-		#	-	4	1
Ī					I	-			I		1	H	1	Н	Ŧ			H		-		I			-}-	Н				-		1			Н	Ŧ			П	Ŧ	Н	H		Ŧ]		H		J]
-					-	ļ		1	-		4				‡	ļ																-				‡				+				‡	ļ.,				4	
-				-	+-	 	-	1	‡		+				#					+	-	#	+-			- -	-	++				+				‡	+-1		-	‡-	+-+			‡	+				+	
-	4			-	÷		-	1	ŀ		1	1			+	-					-	- -							- -	i		-		-	;;	‡		-		Ŧ				+	ļ.				÷	1
					1				-		-	-1-			1							-										1				1				÷		-		1	1					
-					+	 	_	-	1	Н	-‡			-	‡	-				+	-	#	1				-	!:	-			-				‡				+				‡	-		+		+	
ŀ						ļ	-	1	-		-	1			+	ļ						- -	-							ļ		÷				‡				+				+	ļ.,				+	1
				-	1		-	-	1	Н	+	-			1	-		-	-	-		+	-				-	H	-	-		-	H	-		1	H	-	H	Ŧ	H	#		7	-		-		1	1
-					ŀ	-						1			Ţ			1				1			1.											Ţ				Ţ		-		Ţ						
ŀ						 		-	-	Н		4	-		‡	ļ				4	-1	4	1.		-			11	- -			‡.	Н	-		‡	14	-		‡-				‡	‡.		‡-		4	1
-				-	+-		-		+		+	+	-		÷	-		#	-	+		+	+		- -		+	H	-			+	H	-		ŧ				‡	++	#-		÷	+		#	-	+	
ř					ŀ				I		1	1			Ī	}				-}-		-[-{-	-				Ī				Ī				Ī	1				1	}
-					-			-	-			+	-		‡	ļ						-	-						- -			+	Н			‡				+-				+	1				-	
-				4	‡	÷		#	‡	H	-	1			‡	-		4	-	-		#	+						-			+		-		‡		-	H	‡				‡	‡			-	4	
					1	-			ŀ		1	1			Ť							-[-			- -					-		1		-	Н	1				Ť		1		Ť	1					1
-				-	+-		-	-	+		+	+			+	-			-	+		+					-	H	-			+	Н			‡	Н			+				+	+			-	+	
-	- 3			-	-	 			1		-	1			‡	-			-	+	-1	‡			-			H				‡.	H			‡		-		‡-				‡	-				‡	
_) (e:																								b <u>;</u>	-								-								•••				•			
₹		a:	sp	ob	··· e	rr	ту	··	ru																	ig															•••	•••			•••					
	;ι 	J(gg	g∈ 	es 	t 	h:	۰۰	<i>N</i> 	tr 	n∈		se	е 	d	s 	in 	nsi	id	e 	th 	e: 	se	e f	ru 	iits 	S	m	a)	y	b∈ 		di:	sp 	е 	rs 	e													••
				•••	•••						•••	•••							•••	•••			•••		•••					•••			•••				•••		•••	•••						•••				


3 Plants take up water through their roots.

Water passes to all parts of the plant through the xylem.

The leaves carry out photosynthesis to form sugars.

Phloem transports these sugars to different parts of the plant where they are stored in an insoluble form.

(a) Fig. 3.1 shows a young, unthickened dicotyledonous plant.



- (i) In circle **A**, draw the distribution of phloem and xylem as found in a section through a stem. Label the phloem and xylem. [3]
- (ii) In circle **B**, draw the distribution of phloem and xylem as found in a section through a root. Label the phloem and xylem. [3]
- $\begin{tabular}{ll} \textbf{(b)} & \textbf{(i)} & \textbf{Name the sugar that is transported in the phloem}. \end{tabular}$

[1]

(ii) Name the insoluble carbohydrate that is stored in plants.

[1]

Use

For Examiner's

(c)	Describe a food test you could carry out to show where the insoluble carbohydrate named in (b)(ii) is found in a root.	E
	[2]	
	[Total:10]	

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.