

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CHEMISTRY

0620/02

Paper 2

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
You may use a calculator.

Answer **all** questions.
The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is provided on page 16.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
Total	

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

This document consists of **15** printed pages and **1** blank page.



- 1 The table below gives some information about the elements in Group I of the Periodic Table.

<i>element</i>	<i>boiling point / °C</i>	<i>density / g cm⁻³</i>	<i>radius of atom in the metal / nm</i>	<i>reactivity with water</i>
lithium	1342	0.53	0.157	
sodium	883	0.97	0.191	rapid
potassium	760	0.86	0.235	very rapid
rubidium		1.53	0.250	extremely rapid
caesium	669	1.88		explosive

- (a) How does the density of the Group I elements change down the Group?

..... [2]

- (b) Suggest a value for the boiling point of rubidium.

..... [1]

- (c) Suggest a value for the radius of a caesium atom.

..... [1]

- (d) Use the information in the table to suggest how fast lithium reacts with water compared with the other Group I metals.

..... [1]

- (e) State three properties shown by **all** metals.

1.

2.

3. [3]

- (f) When sodium reacts with water, hydrogen is given off.



- (i) State the name of the other product formed in this reaction.


..... [1]

- (ii) Describe a test for hydrogen.

test

result [2]

- (g) The diagrams below show three types of hydrogen atom.



- (i) State the name of the positively charged particle in the nucleus.

..... [1]

- (ii) What is the name given to atoms with the same number of positive charges in the nucleus but different numbers of neutrons?

..... [1]

- (iii) State the number of nucleons in a single atom of tritium.

..... [1]


- (iv) Tritium is a radioactive form of hydrogen.

State **one** medical use of radioactivity.


..... [1]

2 The structures of some compounds found in plants are shown below.


A




B




C



D



E



(a) Which **two** of these compounds are unsaturated hydrocarbons?

..... [1]

(b) Which **two** of these compounds contain a carboxylic acid functional group?

..... [1]

(c) Write the molecular formula for compound **D**.

..... [1]

(d) Draw the structure of the product formed when compound **A** reacts with bromine.

Show all atoms and all bonds.


[1]

- (e) Strawberry fruits produce compound **A** (ethene) naturally.

A scientist left some green strawberry fruits to ripen.

The scientist measured the concentration of ethene and carbon dioxide produced by the strawberry fruits over a ten day period.

The graph below shows the results.



- (i) Between which two days does the rate of ethene production increase most rapidly?

..... [1]

- (ii) What is the name given to the process in which carbon dioxide is produced by living organisms?

Put a ring around the correct answer.

acidification **combustion** **neutralization** **respiration** [1]

- (iii) Carbon dioxide concentration over 350 ppm has an effect on ethene production by the fruits.

What effect is this?

..... [1]

- (iv) Ethene gas spreads throughout the fruit by a random movement of molecules.

What is the name given to the random movement of molecules?

Put a ring around the correct answer.

aeration **diffusion** **evaporation** **ionisation** [1]

- (v) Ethene gas promotes the ripening of strawberry fruits.

Ripening of strawberries is slowed down by passing a stream of nitrogen over the fruit.

Suggest why this slows down the ripening process.


.....
..... [1]

- (vi) Enzymes are involved in the ripening process.

What is an *enzyme*?

.....
..... [2]

- (f) Plants make a variety of coloured pigments.
A student extracted red colouring from four different plants, **R**, **S**, **T** and **U**.
The student put a spot of each colouring on a piece of filter paper.
The filter paper was dipped into a solvent and left for 30 minutes.
The results are shown below.



- (i) What is name given to the process shown in the diagram?

..... [1]

- (ii) Which plant contained the greatest number of different pigments?

..... [1]

- (iii) Which two plants contained the same pigments?

..... [1]

3 Read the following instructions for the preparation of hydrated nickel(II) sulphate ($\text{NiSO}_4 \cdot 7\text{H}_2\text{O}$), then answer the questions which follow.

- 1 Put 25 cm^3 of dilute sulphuric acid in a beaker.
- 2 Heat the sulphuric acid until it is just boiling then add a small amount of nickel(II) carbonate.
- 3 When the nickel(II) carbonate has dissolved, stop heating, then add a little more nickel carbonate. Continue in this way until nickel(II) carbonate is in excess.
- 4 Filter the hot mixture into a clean beaker.
- 5 Make the hydrated nickel(II) sulphate crystals from the nickel(II) sulphate solution.

The equation for the reaction is



(a) What piece of apparatus would you use to measure out 25 cm^3 of sulphuric acid?

..... [1]

(b) Why is the nickel(II) carbonate added in excess?

..... [1]

(c) When nickel(II) carbonate is added to sulphuric acid, there is a fizzing.

Explain why there is a fizzing.

..... [1]

(d) Draw a diagram to describe step 4.

You must label your diagram.

[3]

- (e) After filtration, which one of the following describes the nickel(II) sulphate in the beaker?

Put a ring around the correct answer.


crystals **filtrate** **precipitate** **water** [1]

- (f) Explain how you would obtain pure dry crystals of hydrated nickel(II) sulphate from the solution of nickel(II) sulphate.

.....
..... [2]

- (g) When hydrated nickel(II) sulphate is heated gently in a test tube, it changes colour from green to white.

- (i) Complete the symbol equation for this reaction.



- (ii) What does the sign \rightleftharpoons mean?

..... [1]

- (iii) How can you obtain a sample of green nickel(II) sulphate starting with white nickel(II) sulphate?

..... [1]

- 4 The table below shows the composition of the mixture of gases coming from a typical car exhaust.

gas	% of the gas in the exhaust fumes
carbon dioxide	9
carbon monoxide	5
oxygen	4
hydrogen	2
hydrocarbons	0.2
nitrogen oxides	0.2
sulphur dioxide	less than 0.003
gas X	79.6

- (a) State the name of the gas X.

..... [1]

- (b) The carbon dioxide comes from the burning of hydrocarbons, such as octane, in the petrol.

- (i) Complete the word equation for the complete combustion of octane.

octane + → carbon dioxide + [2]

- (ii) Which **two** chemical elements are present in hydrocarbons?

..... [1]

- (iii) To which homologous series of hydrocarbons does octane belong?

..... [1]

- (c) Suggest a reason for the presence of carbon monoxide in the exhaust fumes.

..... [1]

(d) Nitrogen oxides are present in small quantities in the exhaust fumes.

(i) Complete the following equation for the formation of nitrogen dioxide.



(ii) State **one** harmful effect of nitrogen dioxide on organisms.

..... [1]

(e) Sulphur dioxide is an atmospheric pollutant which is only found in small amounts in car exhausts.

(i) What is the main source of sulphur dioxide pollution of the atmosphere?

..... [1]

(ii) Sulphur dioxide is oxidised in the air to sulphur trioxide. The sulphur trioxide may dissolve in rainwater to form a dilute solution of sulphuric acid, H₂SO₄.

State the meaning of the term *oxidation*.


..... [1]

(iii) Calculate the relative molecular mass of sulphuric acid.

..... [1]

(iv) Sulphuric acid reacts with metals such as iron.

Complete the following word equation for the reaction of sulphuric acid with iron.



(v) What effect does acid rain have on buildings made of stone containing calcium carbonate?

..... [1]

5 Fertilizers often contain ammonium nitrate.

(a) (i) What effect do fertilizers have on crops?

..... [1]

(ii) Name **one** metal ion which is commonly present in fertilizers.

..... [1]

(iii) Which **one** of the following ions is commonly present in fertilizers?

Put a ring around the correct answer.

bromide **chloride** **hydroxide** **phosphate** [1]

(b) Describe a test for nitrate ions.

test

.....

result [4]

(c) Ammonium nitrate can be made by adding nitric acid to a solution of ammonia.

(i) What type of reaction is this?

..... [1]

(ii) Complete the symbol equation for this reaction.

..... + HNO₃(aq) → NH₄NO₃(aq) [1]

(d) Which **two** of the following statements about ammonia are true?

Tick **two** boxes.

ammonia is insoluble in water

ammonia turns red litmus blue

a solution of ammonia in water has a pH of 7

ammonia has a molecular structure

[2]

6 The electrolysis of a concentrated solution of sodium chloride, provides us with chemicals.

(a) Sodium chloride has an ionic giant structure.

Which **one** of the following is a correct description of a property of sodium chloride.

Tick **one** box.

sodium chloride has a low melting point

sodium chloride conducts electricity when it is solid

sodium chloride has a high boiling point

sodium chloride is insoluble in water

[1]

(b) (i) Explain what is meant by the term *electrolysis*.

.....
..... [1]

(ii) At which electrode is hydrogen produced during the electrolysis of aqueous sodium chloride?

..... [1]

(iii) Name a suitable substance that can be used for the electrodes.

..... [1]

(c) (i) State the name of the particle which is added to a chlorine atom to make a chloride ion.

..... [1]

(ii) Describe a test for chloride ions.

test

result [2]

- (d) If chlorine is allowed to mix with sodium hydroxide, sodium chlorate(I), NaOCl is formed.

Balance the equation for this reaction.



[1]

- (e) One tonne (1 000 kg) of a commercial solution of sodium hydroxide produced by electrolysis contains the following masses of compounds.

<i>compound</i>	<i>mass of compound kg/ tonne</i>
sodium hydroxide	510
sodium chloride	10
sodium chlorate(V)	9
water	471
total	1000

- (i) How many kilograms of sodium hydroxide will be present in 5 tonnes of the solution?

[1]

- (ii) All the water from one tonne of impure sodium hydroxide is evaporated.

What would the approximate percentage of the remaining impurities be?

Put a ring around the correct answer.

0.036%


3.6%

36%

96%

[1]

- (f) The hydrogen obtained by electrolysis can be used in the manufacture of margarine.



- (i) Complete the following sentences about this reaction using words from the list.

catalyst
inhibitor
monomeric
saturated
unsaturated

Hydrogen gas is bubbled through carbon compounds
using a nickel which speeds up the reaction.

The margarines produced are compounds. [3]

- (ii) State **one** other use of hydrogen.

..... [1]

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																																																																																																										
I	II	III	IV	V	VI	VII	0																																																																																																																																																																					
7 Li Lithium 3	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 N Nitrogen 7	15 O Oxygen 8	16 F Fluorine 9	17 Ne Neon 10	18 Ar Argon 18	19 Cl Chlorine 17	20 S Sulphur 16	21 P Phosphorus 15	22 Si Silicon 14	23 Al Aluminium 13	24 Mg Magnesium 12	25 Na Sodium 11	26 K Potassium 19	27 Ca Calcium 20	28 Sc Scandium 21	29 Ti Titanium 22	30 V Vanadium 23	31 Cr Chromium 24	32 Mn Manganese 25	33 Fe Iron 26	34 Co Cobalt 27	35 Ni Nickel 28	36 Cu Copper 29	37 Zn Zinc 30	38 Ga Gallium 31	39 Ge Germanium 32	40 As Arsenic 33	41 Se Selenium 34	42 Br Bromine 35	43 Kr Krypton 36	44 Rb Rubidium 37	45 Sr Strontium 38	46 Y Yttrium 39	47 Zr Zirconium 40	48 Nb Niobium 41	49 Mo Molybdenum 42	50 Tc Technetium 43	51 Ru Ruthenium 44	52 Rh Rhodium 45	53 Pd Palladium 46	54 Ag Silver 47	55 Cd Cadmium 48	56 In Indium 49	57 Sn Tin 50	58 Sb Antimony 51	59 Te Tellurium 52	60 I Iodine 53	61 Xe Xenon 54	62 Cs Caesium 55	63 Ba Barium 56	64 La Lanthanum 57	65 Hf Hafnium 72	66 Ta Tantalum 73	67 W Tungsten 74	68 Re Rhenium 75	69 Os Osmium 76	70 Ir Iridium 77	71 Pt Platinum 78	72 Au Gold 79	73 Hg Mercury 80	74 Tl Thallium 81	75 Pb Lead 82	76 Bi Bismuth 83	77 Po Polonium 84	78 At Astatine 85	79 Rn Radon 86	80 Fr Francium 87	81 Ra Radium 88	82 Ac Actinium 89	83 Th Thorium 90	84 Pa Protactinium 91	85 U Uranium 92	86 Np Neptunium 93	87 Pu Plutonium 94	88 Am Americium 95	89 Cm Curium 96	90 Bk Berkelium 97	91 Cf Californium 98	92 Es Einsteinium 99	93 Fm Fermium 100	94 Md Mendelevium 101	95 No Nobelium 102	96 Lr Lawrencium 103	97 Th Thorium 90	98 Pa Protactinium 91	99 U Uranium 92	100 Np Neptunium 93	101 Pu Plutonium 94	102 Am Americium 95	103 Cm Curium 96	104 Bk Berkelium 97	105 Cf Californium 98	106 Es Einsteinium 99	107 Fm Fermium 100	108 Md Mendelevium 101	109 No Nobelium 102	110 Lr Lawrencium 103	111 Ce Cerium 58	112 Pr Praseodymium 59	113 Nd Neodymium 60	114 Pm Promethium 61	115 Sm Samarium 62	116 Eu Europium 63	117 Gd Gadolinium 64	118 Tb Terbium 65	119 Dy Dysprosium 66	120 Ho Holmium 67	121 Er Erbium 68	122 Tm Thulium 69	123 Yb Ytterbium 70	124 Lu Lutetium 71	125 Ce Cerium 58	126 Pr Praseodymium 59	127 Nd Neodymium 60	128 Pm Promethium 61	129 Sm Samarium 62	130 Eu Europium 63	131 Gd Gadolinium 64	132 Tb Terbium 65	133 Dy Dysprosium 66	134 Ho Holmium 67	135 Er Erbium 68	136 Tm Thulium 69	137 Yb Ytterbium 70	138 Lu Lutetium 71	139 Ce Cerium 58	140 Pr Praseodymium 59	141 Nd Neodymium 60	142 Pm Promethium 61	143 Sm Samarium 62	144 Eu Europium 63	145 Gd Gadolinium 64	146 Tb Terbium 65	147 Dy Dysprosium 66	148 Ho Holmium 67	149 Er Erbium 68	150 Tm Thulium 69	151 Yb Ytterbium 70	152 Lu Lutetium 71	153 Ce Cerium 58	154 Pr Praseodymium 59	155 Nd Neodymium 60	156 Pm Promethium 61	157 Sm Samarium 62	158 Eu Europium 63	159 Gd Gadolinium 64	160 Tb Terbium 65	161 Dy Dysprosium 66	162 Ho Holmium 67	163 Er Erbium 68	164 Tm Thulium 69	165 Yb Ytterbium 70	166 Lu Lutetium 71	167 Ce Cerium 58	168 Pr Praseodymium 59	169 Nd Neodymium 60	170 Pm Promethium 61	171 Sm Samarium 62	172 Eu Europium 63	173 Gd Gadolinium 64	174 Tb Terbium 65	175 Dy Dysprosium 66	176 Ho Holmium 67	177 Er Erbium 68	178 Tm Thulium 69	179 Yb Ytterbium 70	180 Lu Lutetium 71

*58-71 Lanthanoid series
90-103 Actinoid series

Key

a	X	b
---	----------	---

 a = relative atomic mass
 X = atomic symbol
 b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).