



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CHEMISTRY

0620/13

Paper 1 Multiple Choice

October/November 2010

45 Minutes

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)



READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of **16** printed pages.



1 In which changes do the particles move further apart?



- A** W and X **B** W and Z **C** X and Y **D** Y and Z

2 The table shows the structure of different atoms and ions.

particle	proton number	nucleon number	number of protons	number of neutrons	number of electrons
Mg	12	24	12	W	12
Mg ²⁺	X	24	12	12	10
F	9	19	9	Y	9
F ⁻	9	19	9	10	Z

What are the values of W, X, Y and Z?

	W	X	Y	Z
A	10	10	9	9
B	10	12	10	9
C	12	10	9	10
D	12	12	10	10

3 Element X has a nucleon (mass) number of 19 and a proton (atomic) number of 9.

To which group in the Periodic Table does it belong?

- A** I **B** III **C** VII **D** 0

4 A mixture of ethanol and methanol are separated by fractional distillation.

This method of separation depends on a difference in property X of these two alcohols.


What is property X?

- A** boiling point
B colour
C melting point
D solubility

5 Chromatography is used to find out if a banned dye, P, is present in foodstuffs.


The results are shown in the diagram.

Which foodstuff contains P?




6 Which diagram does **not** show the outer shell electrons in the molecule correctly?


A




B



C











D





7 Two isotopes of hydrogen are ${}^1_1\text{H}$ and ${}^2_1\text{H}$.

Which diagram shows the arrangement of particles in the two isotopes?

	${}^1_1\text{H}$	${}^2_1\text{H}$	
A			key ⊖ = an electron ⊕ = a proton ⊘ = a neutron ○ = a nucleus
B			
C			
D			

8 The chemical compositions of two substances, W and X, are given.



Which statements are correct?

- 1 W and X contain the same amount of oxygen.
- 2 W contains three times as much silicon as X.
- 3 X contains twice as much aluminium as W.


A 1 and 2

B 1 and 3

C 2 and 3

D 1, 2 and 3

- 9 The electronic structures of atoms X and Y are shown.



X and Y form a covalent compound.

What is its formula?


- A** XY_5 **B** XY_3 **C** XY **D** X_3Y
- 10 Element X is shiny and can be formed into a sheet by hammering.

Which row correctly describes the properties of element X?

	conducts electricity	melts below 25°C
A	✓	✓
B	✓	x
C	x	✓
D	x	x

- 11 Substance X was electrolysed in an electrolytic cell.


A coloured gas was formed at the anode and a metal was formed at the cathode.



What is substance X?

- A** aqueous sodium chloride
B molten lead bromide
C molten zinc oxide
D solid sodium chloride

12 The diagram shows apparatus used in an attempt to electroplate a metal ring with copper.




The experiment did not work.

What change is needed in the experiment to make it work?

- A Add solid copper(II) sulfate to the electrolyte.
- B Increase the temperature of the electrolyte.
- C Replace the copper electrode by a carbon electrode.
- D Reverse the connections to the battery.

13 When concentrated sodium chloride solution is electrolysed, elements X and Y are formed.



What are X and Y?

	X	Y
A	chlorine	hydrogen
B	hydrogen	chlorine
C	hydrogen	oxygen
D	oxygen	hydrogen

- 14 Calcium carbonate was reacted with hydrochloric acid in a conical flask. The flask was placed on a balance and the mass of the flask and contents was recorded as the reaction proceeded.

During the reaction, carbon dioxide gas was given off.

The reaction was carried out at two different temperatures.


Which row is correct?

	change in mass	temperature at which mass changed more quickly
A	decrease	higher temperature
B	decrease	lower temperature
C	increase	higher temperature
D	increase	lower temperature

- 15 Which is an endothermic process?

- A** burning hydrogen
- B** distilling petroleum
- C** reacting potassium with water
- D** using petrol in a motor car engine


- 16 The diagrams show some pieces of laboratory equipment.



Which equipment is needed to find out whether dissolving salt in water is an endothermic process?

- A** 1 only
- B** 1 and 3
- C** 2 and 3
- D** 3 only


- 17 Which reaction will result in a decrease in pH?
- A** adding calcium hydroxide to acid soil
- B** adding citric acid to sodium hydrogen carbonate solution
- C** adding sodium chloride to silver nitrate solution
- D** adding sodium hydroxide to hydrochloric acid
- 18 When pink crystals of cobalt(II) chloride are heated, steam is given off and the colour of the solid changes to blue.



What happens when water is added to the blue solid?

	colour	temperature
A	changes to pink	decreases
B	changes to pink	increases
C	remains blue	decreases
D	remains blue	increases

- 19 The red colour in some pottery glazes may be formed as a result of the reactions shown.



These equations show that1..... is oxidised and2..... is reduced.

Which substances correctly complete gaps 1 and 2 in the above sentence?

	1	2
A	CO ₂	SnO ₂
B	CuCO ₃	CuO
C	CuO	SnO
D	SnO	CuO

20 Some barium iodide is dissolved in water.

Aqueous lead(II) nitrate is added to the solution until no more precipitate forms.

This precipitate, X, is filtered off.

Dilute sulfuric acid is added to the filtrate and another precipitate, Y, forms.

What are the colours of precipitates X and Y?

	X	Y
A	white	white
B	white	yellow
C	yellow	white
D	yellow	yellow

21 The table shows some reactions of the halogens.

Which reaction is the most likely to be explosive?

reaction	chlorine gas	bromine gas	iodine gas
reaction with hydrogen	A	B	C
reaction with iron	very vigorous	less vigorous	D

22 Which compound is likely to be coloured?


A KMnO_4 **B** KNO_3 **C** K_2CO_3 **D** K_2SO_4

23 A salt is made by adding an excess of an insoluble metal oxide to an acid.

How can the excess metal oxide be removed?

- A** chromatography
- B** crystallisation
- C** distillation
- D** filtration

24 The oxide of element X was added to an acid. It reacted to form a salt and water.



What is the pH of the acid before the reaction and what type of element is X?

	pH	type of element X
A	greater than 7	metal
B	greater than 7	non-metal
C	less than 7	metal
D	less than 7	non-metal

25 The diagram shows the positions of elements P, Q, R, S and T in the Periodic Table.

These letters are not the chemical symbols for the elements.

The diagram shows a simplified periodic table with the following elements marked:

- P**: Located in the first column of the second row.
- Q**: Located in the first column of the third row.
- R**: Located in the second column of the third row.
- S**: Located in the fifth column of the second row.
- T**: Located in the sixth column of the second row.

There are also empty boxes above the first and sixth columns of the second row, and a box above the second column of the third row.

Which statement about the properties of these elements is correct?

- A** P reacts more vigorously with water than does Q.
- B** P, Q and R are all metals.
- C** T exists as diatomic molecules.
- D** T is more reactive than S.

26 The table compares the properties of Group I elements with those of transition elements.


Which entry in the table is correct?

	property	Group I elements	transition elements
A	catalytic activity	low	high
B	density	high	low
C	electrical conductivity	low	high
D	melting point	high	low

27 Which pollutant, found in car exhaust fumes, does **not** come from the fuel?

- A carbon monoxide
- B hydrocarbons
- C lead compounds
- D nitrogen oxides


28 The diagram shows the materials used in the production of steel from impure iron.



What could element X be?

- A calcium
 - B carbon
 - C nitrogen
 - D sulfur
- 29 Which property do **all** metals have?
- A Their boiling points are low.
 - B Their densities are low.
 - C They conduct electricity.
 - D They react with water.

30 Which diagram could represent the structure of an alloy?




31 Some metals react readily with dilute hydrochloric acid.

Some metals can be extracted by heating their oxides with carbon.

For which metal are **both** statements correct?

- A** calcium
- B** copper
- C** iron
- D** magnesium

32 Which diagram shows a common use of stainless steel?




33 Why is chlorination used in water treatment?

- A to kill bacteria in the water
- B to make the water neutral
- C to make the water taste better
- D to remove any salt in the water

34 A test-tube containing damp iron wool is inverted in water.

After three days, the water level inside the test-tube has risen.



Which statement explains this rise?

- A Iron oxide has been formed.
- B Iron wool has been reduced.
- C Oxygen has been formed.
- D The temperature of the water has risen.

35 A bag of fertiliser 'Watch it grow' contains ammonium sulfate and potassium sulfate.


Which of the three elements N, P and K does 'Watch it grow' contain?

	N	P	K
A	✓	✓	x
B	✓	x	✓
C	x	✓	x
D	x	x	✓

36 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane
A	formed when vegetation decomposes	✓	✗
B	greenhouse gas	✓	✓
C	present in unpolluted air	✗	✗
D	produced during respiration	✗	✓

37 Ethene reacts with Y to produce ethanol.




What is Y?

- A** hydrogen
- B** oxygen
- C** steam
- D** yeast

38 In an oil refinery, crude oil is separated into useful fractions.


The diagram shows some of these fractions.



What are fractions X, Y and Z?

	X	Y	Z
A	fuel oil	bitumen	paraffin (kerosene)
B	fuel oil	paraffin (kerosene)	bitumen
C	paraffin (kerosene)	bitumen	fuel oil
D	paraffin (kerosene)	fuel oil	bitumen





39 The diagram shows the structure of a compound.



To which classes of compound does this molecule belong?

	alkane	alkene	alcohol
A	no	no	no
B	no	yes	yes
C	yes	no	yes
D	yes	yes	yes

40 Which structures show compounds that are members of the same homologous series?



A 1 and 2

B 1 and 4

C 2 and 3

D 3 and 4

DATA SHEET
The Periodic Table of the Elements

		Group																										
	I	II	III	IV	V	VI	VII	0																				
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;"></td> <td style="width: 10%;">1 H Hydrogen 1</td> <td colspan="9"></td> <td style="width: 10%;">4 He Helium 2</td> </tr> </table>												1 H Hydrogen 1										4 He Helium 2					
	1 H Hydrogen 1										4 He Helium 2																	
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">9 Be Beryllium 4</td> <td colspan="9"></td> <td style="width: 10%;">20 Ne Neon 10</td> </tr> </table>											9 Be Beryllium 4										20 Ne Neon 10						
9 Be Beryllium 4										20 Ne Neon 10																		
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">23 Na Sodium 11</td> <td style="width: 10%;">24 Mg Magnesium 12</td> <td colspan="7"></td> <td style="width: 10%;">35.5 Cl Chlorine 17</td> <td style="width: 10%;">40 Ar Argon 18</td> </tr> </table>											23 Na Sodium 11	24 Mg Magnesium 12								35.5 Cl Chlorine 17	40 Ar Argon 18						
23 Na Sodium 11	24 Mg Magnesium 12								35.5 Cl Chlorine 17	40 Ar Argon 18																		
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">39 K Potassium 19</td> <td style="width: 10%;">40 Ca Calcium 20</td> <td style="width: 10%;">45 Sc Scandium 21</td> <td style="width: 10%;">48 Ti Titanium 22</td> <td style="width: 10%;">51 V Vanadium 23</td> <td style="width: 10%;">52 Cr Chromium 24</td> <td style="width: 10%;">55 Mn Manganese 25</td> <td style="width: 10%;">56 Fe Iron 26</td> <td style="width: 10%;">59 Co Cobalt 27</td> <td style="width: 10%;">59 Ni Nickel 28</td> <td style="width: 10%;">64 Cu Copper 29</td> <td style="width: 10%;">65 Zn Zinc 30</td> <td style="width: 10%;">70 Ga Gallium 31</td> <td style="width: 10%;">73 Ge Germanium 32</td> <td style="width: 10%;">75 As Arsenic 33</td> <td style="width: 10%;">79 Se Selenium 34</td> <td style="width: 10%;">84 Kr Krypton 36</td> </tr> </table>											39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	84 Kr Krypton 36
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	84 Kr Krypton 36												
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">85 Rb Rubidium 37</td> <td style="width: 10%;">88 Sr Strontium 38</td> <td style="width: 10%;">89 Y Yttrium 39</td> <td style="width: 10%;">91 Zr Zirconium 40</td> <td style="width: 10%;">93 Nb Niobium 41</td> <td style="width: 10%;">96 Mo Molybdenum 42</td> <td style="width: 10%;">101 Ru Ruthenium 44</td> <td style="width: 10%;">103 Rh Rhodium 45</td> <td style="width: 10%;">106 Pd Palladium 46</td> <td style="width: 10%;">108 Ag Silver 47</td> <td style="width: 10%;">112 Cd Cadmium 48</td> <td style="width: 10%;">115 In Indium 49</td> <td style="width: 10%;">119 Sn Tin 50</td> <td style="width: 10%;">122 Sb Antimony 51</td> <td style="width: 10%;">128 Te Tellurium 52</td> <td style="width: 10%;">127 I Iodine 53</td> <td style="width: 10%;">131 Xe Xenon 54</td> </tr> </table>											85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54												
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">133 Cs Caesium 55</td> <td style="width: 10%;">137 Ba Barium 56</td> <td style="width: 10%;">139 La Lanthanum 57</td> <td style="width: 10%;">178 Hf Hafnium 72</td> <td style="width: 10%;">181 Ta Tantalum 73</td> <td style="width: 10%;">184 W Tungsten 74</td> <td style="width: 10%;">190 Os Osmium 76</td> <td style="width: 10%;">192 Ir Iridium 77</td> <td style="width: 10%;">195 Pt Platinum 78</td> <td style="width: 10%;">197 Au Gold 79</td> <td style="width: 10%;">201 Hg Mercury 80</td> <td style="width: 10%;">204 Tl Thallium 81</td> <td style="width: 10%;">207 Pb Lead 82</td> <td style="width: 10%;">209 Bi Bismuth 83</td> <td style="width: 10%;">210 Po Polonium 84</td> <td style="width: 10%;">210 At Astatine 85</td> <td style="width: 10%;">210 Rn Radon 86</td> </tr> </table>											133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	210 Rn Radon 86
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	210 Rn Radon 86												
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">226 Ra Radium 88</td> <td style="width: 10%;">227 Ac Actinium 89</td> <td colspan="9"></td> <td style="width: 10%;">175 Lu Lutetium 71</td> </tr> </table>											226 Ra Radium 88	227 Ac Actinium 89										175 Lu Lutetium 71					
226 Ra Radium 88	227 Ac Actinium 89										175 Lu Lutetium 71																	
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">140 Ce Cerium 58</td> <td style="width: 10%;">141 Pr Praseodymium 59</td> <td style="width: 10%;">144 Nd Neodymium 60</td> <td style="width: 10%;">150 Sm Samarium 62</td> <td style="width: 10%;">152 Eu Europium 63</td> <td style="width: 10%;">157 Gd Gadolinium 64</td> <td style="width: 10%;">159 Tb Terbium 65</td> <td style="width: 10%;">162 Dy Dysprosium 66</td> <td style="width: 10%;">165 Ho Holmium 67</td> <td style="width: 10%;">167 Er Erbium 68</td> <td style="width: 10%;">169 Tm Thulium 69</td> <td style="width: 10%;">173 Yb Ytterbium 70</td> <td style="width: 10%;">175 Lu Lutetium 71</td> </tr> </table>											140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71				
140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71																
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">232 Th Thorium 90</td> <td style="width: 10%;">238 Pa Protactinium 91</td> <td style="width: 10%;">238 U Uranium 92</td> <td style="width: 10%;">238 Np Neptunium 93</td> <td style="width: 10%;">238 Pu Plutonium 94</td> <td style="width: 10%;">238 Am Americium 95</td> <td style="width: 10%;">238 Cm Curium 96</td> <td style="width: 10%;">238 Bk Berkelium 97</td> <td style="width: 10%;">238 Cf Californium 98</td> <td style="width: 10%;">238 Es Einsteinium 99</td> <td style="width: 10%;">238 Fm Fermium 100</td> <td style="width: 10%;">238 Md Mendelevium 101</td> <td style="width: 10%;">238 No Nobelium 102</td> <td style="width: 10%;">238 Lr Lawrencium 103</td> </tr> </table>											232 Th Thorium 90	238 Pa Protactinium 91	238 U Uranium 92	238 Np Neptunium 93	238 Pu Plutonium 94	238 Am Americium 95	238 Cm Curium 96	238 Bk Berkelium 97	238 Cf Californium 98	238 Es Einsteinium 99	238 Fm Fermium 100	238 Md Mendelevium 101	238 No Nobelium 102	238 Lr Lawrencium 103			
232 Th Thorium 90	238 Pa Protactinium 91	238 U Uranium 92	238 Np Neptunium 93	238 Pu Plutonium 94	238 Am Americium 95	238 Cm Curium 96	238 Bk Berkelium 97	238 Cf Californium 98	238 Es Einsteinium 99	238 Fm Fermium 100	238 Md Mendelevium 101	238 No Nobelium 102	238 Lr Lawrencium 103															

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

	a	X	b
Key	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number

*58-71 Lanthanoid series
†90-103 Actinoid series

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.