

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		
OLIENIOTOV					20/20

CHEMISTRY
Paper 6 Alter

0620/62

Paper 6 Alternative to Practical

October/November 2010

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use					
1					
2					
3					
4					
5					
6					
7					
Total					


This document consists of 13 printed pages and 3 blank pages.



For Examiner's Use

1 The diagram shows the apparatus used by a student to find the concentration of hydrochloric acid.

Sodium hydroxide solution was added to hydrochloric acid until the solution was neutral.



(a) Complete the boxes to name the apparatus use
--

[3]

(b)	How could	the	student	tell	when	the	solution	was	neutra	۱?

. [2]

[Total: 5]

2 Three bottles of liquids have lost their labels. The liquids are known to be:


aqueous potassium chloride, ethanol, sodium hydroxide solution.

Outline chemical tests you could use to distinguish between the liquids in the three bottles.

liquid	test	result
aqueous potassium chloride		
ethanol		
Guidiloi		
sodium hydroxide solution		
,		

[Total: 6]

3 Dilute sulfuric acid was added to zinc carbonate in a conical flask as shown.



Two experiments were carried out.

Experiment 1

The flask was placed on a balance and the mass of the flask and contents recorded every five minutes. The temperature of the sulfuric acid was $30\,^{\circ}$ C. The results have been plotted on the grid.


Experiment 2

Experiment 1 was repeated but the temperature of the acid was different. The results are shown in the table.

Table of results for Experiment 2

time/minutes	0	5	10	15	20	25	30
mass of flask and contents/g	129.8	128.4	127.0	125.6	124.0	122.6	121.2

(a) Plot the results for Experiment 2 on the grid and draw a straight line graph.



(b)	Why does	the mass	of the flask	and contents	decrease?
-----	----------	----------	--------------	--------------	-----------

[1]

(c) Suggest the purpose of the cotton wool.

______[1]

- (d) (i) In which experiment was the loss of mass of the flask and contents the fastest?
 - (ii) Compare the temperature of the sulfuric acid in Experiment 2 with Experiment 1.

______[1]

- (e) Use the graph for Experiment 1 to find the time taken for the mass of the flask and contents to decrease to 120 g. Indicate clearly on the grid how you obtained your answer. [2]
- (f) On the grid, sketch the graph you would expect if Experiment 1 was repeated using more concentrated sulfuric acid. [1]


[Total: 10]

4 A student investigated the temperature changes when two different solids, **A** and **B**, dissolved in water.


Two sets of experiments were carried out.

Experiment 1

Using a measuring cylinder, $20\,\mathrm{cm^3}$ of distilled water was poured into a polystyrene cup. The temperature of the water was measured. $2\,\mathrm{g}$ of solid **A** was added to the cup and the mixture was stirred with a thermometer. The temperature of the solution was measured after one minute.




initial temperature




final temperature

The experiment was repeated using 3 g of solid A.




initial temperature




final temperature

The experiment was repeated using 4g of solid A.





initial temperature



final temperature

The experiment was repeated using $6\,g$ of solid \boldsymbol{A} .





initial temperature

final temperature

(a) Use the thermometer diagrams for Experiment 1 to record the initial and final temperatures in Table 4.1.

Table 4.1


mass of solid A/g	initial temperature/°C	final temperature/°C
2		
3		
4		
6		

[3]


Experiment 2

Experiment 1 was repeated using 2 g, 3 g and 4 g of solid B respectively.

2g of **B**




initial temperature




final temperature

3 g of **B**




initial temperature




final temperature

4 g of **B**



initial temperature



final temperature


(b) Use the thermometer diagrams for Experiment 2 to record the initial and final temperatures in Table 4.2.

Table 4.2

mass of solid B /g	initial temperature/°C	final temperature/°C
2		
3		
4		

[2]

(c) Plot the results of the experiments on the grid below. Draw two best-fit straight line graphs. Clearly label your graphs.



(d) (i) Use your graph to estimate the temperature of the reaction mixture if 6g of solid B was added to 20 cm³ of water.

.....[2]

For
Examiner's
Use

	(ii)	From your graph work out the temperature of the reaction mixture if 5 g of solid A was added to 20 cm ³ of water.
		Show clearly on the graph how you worked out your answer.
		[2]
(e)	Wh	at type of chemical reaction occurred when solid A dissolved in water?
		[1]
(f)	-	plain how the temperature changes would differ in the experiments if 40 cm ³ of water s used.
		[2]
(g)	Pre	dict the effect of using lumps of solid B in Experiment 2. Explain your answer.
		[2]
		[Total: 20]


5 A mixture of two solids, **C** and **D**, was analysed. Solid **C** was lead nitrate, which is water-soluble. Solid **D** was insoluble.

The tests on **C** and **D**, and some of the observations, are in the following table.

Complete the observations in the table.

	tests	observations
tube	er was added to the mixture in a boiling and shaken. The contents of the tube e filtered.	
<u>test</u>	s on filtrate	
(a)	To about 1 cm³ of the solution, a few drops of dilute nitric acid and about 1 cm³ of aqueous potassium iodide was added.	[2]
(b)	To about 1 cm ³ of the solution, sodium hydroxide solution and aluminium powder were added. The mixture was heated. Any gases given off were tested with damp pH	
	indicator paper.	[3]
test	s on residue	
(c)	Dilute hydrochloric acid was added to the residue. The gas given off was tested with limewater.	rapid effervescence, limewater turns milky
	The solution was divided into two equal portions.	
	(i) To the first portion, aqueous sodium hydroxide was added a little at a time until in excess.	white precipitate, soluble in excess aqueous sodium hydroxide
	(ii) To the second portion, aqueous ammonia solution was added a little at a time until in excess.	white precipitate, soluble in excess aqueous ammonia solution
((d) Identify the gas given off in test (c).	[1]
((e) Identify solid D .	
		[2]
		[Total: 8]

6 The apparatus below was used to deposit a thin layer of chromium on a steel knife. The knife was cleaned carefully and all grease removed before the process started.



(a)	WI	hat is the name of the process when metal objects are coated with other metals?	
			[1]
(b)	(i)	Suggest the identity of metal A.	
			[1]
	(ii)	Suggest the name of salt B .	
			[1]
(c)	Gi	ve two reasons why steel knives are coated with chromium.	
	1.		
	2.		[2]
		[Tota	l: 5]

[Total: 6]

7 Iron rusts when in contact with air and water.
You are provided with iron nails and three different samples of water:

tap water, sea water,

distilled water.

Plan an investigation to find out which sample of water causes iron to rust the fastest.

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.