



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CHEMISTRY

0620/11

Paper 1 Multiple Choice

October/November 2011

45 Minutes

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)



READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of **16** printed pages.



- 1 In which substance are the particles close together and slowly moving past each other?
- A air
B ice
C steam
D water

- 2 A student was provided with only a thermometer, a stopwatch and a beaker.

What could the student measure?


- A 10.5 g solid and 24.8 cm³ liquid
B 10.5 g solid and 25 °C
C 24.8 cm³ liquid and 45 seconds
D 25 °C and 45 seconds
- 3 Mixture 1 contains sand and water.

Mixture 2 contains salt and water.

Which method of separation could be used to obtain each of the required products from each mixture?

	mixture 1		mixture 2	
	to obtain sand	to obtain water	to obtain salt	to obtain water
A	crystallisation	distillation	filtration	filtration
B	crystallisation	filtration	filtration	distillation
C	filtration	distillation	crystallisation	filtration
D	filtration	filtration	crystallisation	distillation

4 The diagram shows the electronic structures of atoms P and Q.




P and Q combine to form a molecule.

What is the formula of this molecule?

- A** PQ_4 **B** PQ **C** P_2Q **D** P_4Q


5 Two isotopes of helium are ${}^3_2\text{He}$ and ${}^4_2\text{He}$.

Which two diagrams show the arrangement of particles in these two isotopes?



- 6 Two elements, represented by \bigcirc and \bullet , form a compound.

Which diagram shows molecules of the compound?



- 7 The table describes the structures of four particles.

particle	number of protons	number of neutrons	number of electrons
O	8	8	8
O ²⁻	8	8	X
Na	11	Y	11
Na ⁺	11	12	Z

What are the correct values of X, Y and Z?


	X	Y	Z
A	9	11	10
B	9	11	11
C	10	12	10
D	10	12	11

- 8 The relative formula mass, M_r , of copper(II) sulfate, CuSO_4 , is 160.

Which mass of sulfur is present in 160 g of copper(II) sulfate?

- A 16 g B 32 g C 64 g D 128 g

- 9 The diagram shows a section of an overhead power cable.



Which statement explains why a particular substance is used?

- A** Aluminium has a low density and is a good conductor of electricity.
B Porcelain is a good conductor of electricity.
C Steel can rust in damp air.
D Steel is more dense than aluminium.
- 10 Metals could be extracted from their molten chlorides using electrolysis.

Which substances are formed at each electrode?

	anode	cathode
A	chlorine	hydrogen
B	chlorine	metal
C	hydrogen	metal
D	metal	chlorine

- 11 Concentrated aqueous potassium bromide solution is electrolysed using inert electrodes.

The ions present in the solution are K^+ , Br^- , H^+ and OH^- .

To which electrodes are the ions attracted during this electrolysis?

	attracted to anode	attracted to cathode
A	Br^- and K^+	H^+ and OH^-
B	Br^- and OH^-	H^+ and K^+
C	H^+ and K^+	Br^- and OH^-
D	H^+ and OH^-	Br^- and K^+

- 12 Which fuel needs oxygen in order to produce heat energy and which type of reaction produces the energy?

	fuel	type of reaction
A	a radioactive isotope	endothermic
B	a radioactive isotope	exothermic
C	hydrogen	endothermic
D	hydrogen	exothermic

- 13 Some reactions are listed.

methane + oxygen → carbon dioxide + water

sodium + water → sodium hydroxide + hydrogen

magnesium + hydrochloric acid → magnesium chloride + hydrogen

Which word correctly describes all of these reactions?

- A** combustion
B endothermic
C exothermic
D neutralisation
- 14 The sign \rightleftharpoons is used in some equations to show that a reaction is reversible.


Two incomplete equations are given.

	reactants	products
P	$\text{CoCl}_2 + 2\text{H}_2\text{O}$	$\text{CoCl}_2 \cdot 2\text{H}_2\text{O}$
Q	$\text{C} + \text{O}_2$	CO_2

For which of these reactions can a \rightleftharpoons sign be correctly used to complete the equation?


	P	Q
A	✓	✓
B	✓	x
C	x	✓
D	x	x

- 15 An experiment to determine the rate of a chemical reaction could be carried out using the apparatus shown.



Which reaction is being studied?

- A** $\text{Cl}_2 + 2\text{KBr} \rightarrow 2\text{KCl} + \text{Br}_2$
B $\text{Mg} + \text{H}_2\text{SO}_4 \rightarrow \text{MgSO}_4 + \text{H}_2$
C $\text{NaCl} + \text{AgNO}_3 \rightarrow \text{NaNO}_3 + \text{AgCl}$
D $\text{NaOH} + \text{HCl} \rightarrow \text{NaCl} + \text{H}_2\text{O}$
- 16 Copper(II) carbonate reacts with dilute sulfuric acid.



The speed of the reaction can be changed by varying the conditions.

Which conditions would always increase the speed of this chemical reaction?

- 1 Increase the concentration of the reactants.
- 2 Increase the size of the pieces of copper(II) carbonate.
- 3 Increase the temperature.
- 4 Increase the volume of sulfuric acid.

- A** 1, 3 and 4 **B** 1 and 3 only **C** 2 and 3 **D** 3 and 4 only
- 17 Which type of reaction always forms a salt and water?

- A** exothermic
B neutralisation
C oxidation
D polymerisation

18 Which property is **not** characteristic of a base?

- A It reacts with a carbonate to form carbon dioxide.
- B It reacts with an acid to form a salt.
- C It reacts with an ammonium salt to form ammonia.
- D It turns universal indicator paper blue.

19 An alloy contains copper and zinc.

Some of the zinc has become oxidised to zinc oxide.

What is the result of adding an excess of dilute sulfuric acid to the alloy?

- A A blue solution and a white solid remains.
- B A colourless solution and a pink/brown solid remains.
- C The alloy dissolves completely to give a blue solution.
- D The alloy dissolves completely to give a colourless solution.

20 The results of three tests on a solution of compound **X** are shown.

test	result
aqueous sodium hydroxide added	white precipitate formed, soluble in excess
aqueous ammonia added	white precipitate formed, soluble in excess
dilute hydrochloric acid added	bubbles of gas

What is compound **X**?

- A aluminium carbonate
- B aluminium chloride
- C zinc carbonate
- D zinc chloride

21 Statement 1: Helium is a reactive gas.

Statement 2: Helium can be used to fill balloons.

Which is correct?

- A Both statements are correct and statement 2 explains statement 1.
- B Both statements are correct but statement 2 does not explain statement 1.
- C Statement 1 is correct but statement 2 is incorrect.
- D Statement 2 is correct but statement 1 is incorrect.

22 An element has the following properties.

- It forms coloured compounds.
- It acts as a catalyst.
- It melts at 1539 °C.

In which part of the Periodic Table is the element found?

- A Group I
- B Group IV
- C Group VII
- D transition elements


23 The table shows some properties of two elements in Group VII of the Periodic Table.

element	state at 20 °C	density/g per cm ³	melting point/°C
chlorine	gas	0.0032	-101
bromine	liquid	3.1	-7

Which properties is fluorine likely to have?

	state at 20 °C	density/g per cm ³	melting point/°C
A	gas	0.0017	-220
B	gas	0.17	-188
C	liquid	0.0017	-220
D	liquid	0.17	-188

24 When sodium reacts with water, a solution and a gas are produced.



The solution is tested with litmus paper and the gas is tested with a splint.

What happens to the litmus paper and to the splint?

	litmus paper	splint
A	blue to red	glowing splint relights
B	blue to red	lighted splint 'pops'
C	red to blue	glowing splint relights
D	red to blue	lighted splint 'pops'

25 Which statements are correct?

- 1 Metals are often used in the form of alloys.
- 2 Stainless steel is an alloy of iron.
- 3 Alloys always contain more than two metals.

A 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

26 Which statement is true about **all** metals?

- A** They are attracted to a magnet.
- B** They are weak and brittle.
- C** They may be used to form alloys.
- D** They react with water.

27 A chemical engineer plans to produce hydrochloric acid.

Which metal is best for the reaction container?

- A** copper
- B** iron
- C** magnesium
- D** zinc

28 Alloy X is strong and has a low density.

Alloy Y is heavy but is resistant to corrosion.

Which could be uses of X and Y?

	bridge supports	aircraft	overhead cables
A	X	X	Y
B	X	Y	Y
C	Y	X	X
D	Y	Y	X

29 A metal is extracted from hematite, its oxide ore.

What is the metal and how is the oxide reduced?


	metal	method of reduction
A	Al	electrolysis
B	Al	heating with carbon
C	Fe	electrolysis
D	Fe	heating with carbon

30 A liquid turns white anhydrous copper sulfate blue and has a boiling point of 103°C.

Which could be the identity of the liquid?

- A** alcohol
- B** petrol
- C** salt solution
- D** pure water

31 Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm^3 .

What is the starting volume of dry air?

- A** 132 cm^3 **B** 150 cm^3 **C** 180 cm^3 **D** 600 cm^3

32 In which row is the air pollutant **not** correctly matched with its source?

	air pollutant	source
A	carbon monoxide	incomplete combustion of fuels
B	lead compounds	burning petrol in cars
C	nitrogen oxides	decomposing vegetation
D	sulfur dioxide	burning coal and other fossil fuels

33 Iron is a metal that rusts in the presence of oxygen and water.


Mild steel is used for1..... and is prevented from rusting by2..... .

Stainless steel is prevented from rusting by3..... it with another metal.

Which words correctly complete gaps 1, 2 and 3?

	1	2	3
A	car bodies	greasing	covering
B	car bodies	painting	mixing
C	cutlery	greasing	covering
D	cutlery	painting	mixing

34 Which combination of chemical compounds could be used to produce the fertiliser shown?




- A NH_4NO_3 , $\text{Ca}_3(\text{PO}_4)_2$
- B NH_4NO_3 , $\text{CO}(\text{NH}_2)_2$
- C NH_4NO_3 , K_2SO_4 , $(\text{NH}_4)_2\text{SO}_4$
- D $(\text{NH}_4)_3\text{PO}_4$, KCl

35 Which pollutant gas is produced by the decomposition of vegetation?

- A carbon monoxide
- B methane
- C nitrogen oxide
- D sulfur dioxide

36 The diagram represents the molecule of an organic compound.



key

- = carbon
- = oxygen
- = hydrogen

What is the name of the compound?

- A ethane
- B ethanoic acid
- C ethanol
- D ethene



37 Petroleum is a very important raw material that is separated into more useful products.

Which terms describe petroleum and the method used to separate it?



	petroleum is a	method used to separate petroleum
A	compound	cracking
B	compound	fractional distillation
C	mixture	cracking
D	mixture	fractional distillation

38 Which pair of compounds are members of the same homologous series?



A





B



C



D



39 The table shows the composition of four different types of petroleum (crude oil).

fraction	Arabian Heavy /%	Arabian Light /%	Iranian Heavy /%	North Sea /%
gasoline	18	21	21	23
kerosene	11.5	13	13	15
diesel	18	20	20	24
fuel oil	52.5	46	46	38

Which type of petroleum is best for the motor vehicle industry?

- A Arabian Heavy
- B Arabian Light
- C Iranian Heavy
- D North Sea

40 When glucose is fermented, ethanol is formed together with

- A carbon dioxide.
- B ethene.
- C methane.
- D oxygen.

DATA SHEET
The Periodic Table of the Elements

		Group																																							
		I	II	III	IV	V	VI	VII	0																																
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">1</td> <td style="width: 10%; text-align: center;">H Hydrogen 1</td> <td colspan="9"></td> </tr> </table>										1	H Hydrogen 1																												
1	H Hydrogen 1																																								
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">9</td> <td style="width: 10%; text-align: center;">Be Beryllium 4</td> <td colspan="9"></td> </tr> </table>										9	Be Beryllium 4																												
9	Be Beryllium 4																																								
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">23</td> <td style="width: 10%; text-align: center;">Na Sodium 11</td> <td style="width: 10%; text-align: center;">24</td> <td style="width: 10%; text-align: center;">Mg Magnesium 12</td> <td colspan="8"></td> </tr> </table>										23	Na Sodium 11	24	Mg Magnesium 12																										
23	Na Sodium 11	24	Mg Magnesium 12																																						
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">39</td> <td style="width: 10%; text-align: center;">K Potassium 19</td> <td style="width: 10%; text-align: center;">40</td> <td style="width: 10%; text-align: center;">Ca Calcium 20</td> <td style="width: 10%; text-align: center;">45</td> <td style="width: 10%; text-align: center;">Sc Scandium 21</td> <td style="width: 10%; text-align: center;">48</td> <td style="width: 10%; text-align: center;">Ti Titanium 22</td> <td style="width: 10%; text-align: center;">51</td> <td style="width: 10%; text-align: center;">V Vanadium 23</td> <td style="width: 10%; text-align: center;">56</td> <td style="width: 10%; text-align: center;">Fe Iron 26</td> <td style="width: 10%; text-align: center;">59</td> <td style="width: 10%; text-align: center;">Co Cobalt 27</td> <td style="width: 10%; text-align: center;">64</td> <td style="width: 10%; text-align: center;">Cu Copper 29</td> <td style="width: 10%; text-align: center;">65</td> <td style="width: 10%; text-align: center;">Zn Zinc 30</td> <td style="width: 10%; text-align: center;">70</td> <td style="width: 10%; text-align: center;">Ga Gallium 31</td> <td style="width: 10%; text-align: center;">73</td> <td style="width: 10%; text-align: center;">Ge Germanium 32</td> <td style="width: 10%; text-align: center;">75</td> <td style="width: 10%; text-align: center;">As Arsenic 33</td> <td style="width: 10%; text-align: center;">79</td> <td style="width: 10%; text-align: center;">Se Selenium 34</td> <td style="width: 10%; text-align: center;">84</td> <td style="width: 10%; text-align: center;">Kr Krypton 36</td> </tr> </table>										39	K Potassium 19	40	Ca Calcium 20	45	Sc Scandium 21	48	Ti Titanium 22	51	V Vanadium 23	56	Fe Iron 26	59	Co Cobalt 27	64	Cu Copper 29	65	Zn Zinc 30	70	Ga Gallium 31	73	Ge Germanium 32	75	As Arsenic 33	79	Se Selenium 34	84	Kr Krypton 36		
39	K Potassium 19	40	Ca Calcium 20	45	Sc Scandium 21	48	Ti Titanium 22	51	V Vanadium 23	56	Fe Iron 26	59	Co Cobalt 27	64	Cu Copper 29	65	Zn Zinc 30	70	Ga Gallium 31	73	Ge Germanium 32	75	As Arsenic 33	79	Se Selenium 34	84	Kr Krypton 36														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">85</td> <td style="width: 10%; text-align: center;">Rb Rubidium 37</td> <td style="width: 10%; text-align: center;">88</td> <td style="width: 10%; text-align: center;">Sr Strontium 38</td> <td style="width: 10%; text-align: center;">89</td> <td style="width: 10%; text-align: center;">Y Yttrium 39</td> <td style="width: 10%; text-align: center;">91</td> <td style="width: 10%; text-align: center;">Zr Zirconium 40</td> <td style="width: 10%; text-align: center;">93</td> <td style="width: 10%; text-align: center;">Nb Niobium 41</td> <td style="width: 10%; text-align: center;">101</td> <td style="width: 10%; text-align: center;">Ru Ruthenium 44</td> <td style="width: 10%; text-align: center;">106</td> <td style="width: 10%; text-align: center;">Pd Palladium 46</td> <td style="width: 10%; text-align: center;">108</td> <td style="width: 10%; text-align: center;">Ag Silver 47</td> <td style="width: 10%; text-align: center;">112</td> <td style="width: 10%; text-align: center;">Cd Cadmium 48</td> <td style="width: 10%; text-align: center;">115</td> <td style="width: 10%; text-align: center;">In Indium 49</td> <td style="width: 10%; text-align: center;">119</td> <td style="width: 10%; text-align: center;">Sn Tin 50</td> <td style="width: 10%; text-align: center;">122</td> <td style="width: 10%; text-align: center;">Sb Antimony 51</td> <td style="width: 10%; text-align: center;">128</td> <td style="width: 10%; text-align: center;">Te Tellurium 52</td> <td style="width: 10%; text-align: center;">131</td> <td style="width: 10%; text-align: center;">Xe Xenon 54</td> </tr> </table>										85	Rb Rubidium 37	88	Sr Strontium 38	89	Y Yttrium 39	91	Zr Zirconium 40	93	Nb Niobium 41	101	Ru Ruthenium 44	106	Pd Palladium 46	108	Ag Silver 47	112	Cd Cadmium 48	115	In Indium 49	119	Sn Tin 50	122	Sb Antimony 51	128	Te Tellurium 52	131	Xe Xenon 54		
85	Rb Rubidium 37	88	Sr Strontium 38	89	Y Yttrium 39	91	Zr Zirconium 40	93	Nb Niobium 41	101	Ru Ruthenium 44	106	Pd Palladium 46	108	Ag Silver 47	112	Cd Cadmium 48	115	In Indium 49	119	Sn Tin 50	122	Sb Antimony 51	128	Te Tellurium 52	131	Xe Xenon 54														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">133</td> <td style="width: 10%; text-align: center;">Cs Caesium 55</td> <td style="width: 10%; text-align: center;">137</td> <td style="width: 10%; text-align: center;">Ba Barium 56</td> <td style="width: 10%; text-align: center;">181</td> <td style="width: 10%; text-align: center;">Ta Tantalum 73</td> <td style="width: 10%; text-align: center;">184</td> <td style="width: 10%; text-align: center;">W Tungsten 74</td> <td style="width: 10%; text-align: center;">190</td> <td style="width: 10%; text-align: center;">Os Osmium 76</td> <td style="width: 10%; text-align: center;">192</td> <td style="width: 10%; text-align: center;">Ir Iridium 77</td> <td style="width: 10%; text-align: center;">195</td> <td style="width: 10%; text-align: center;">Pt Platinum 78</td> <td style="width: 10%; text-align: center;">197</td> <td style="width: 10%; text-align: center;">Au Gold 79</td> <td style="width: 10%; text-align: center;">201</td> <td style="width: 10%; text-align: center;">Hg Mercury 80</td> <td style="width: 10%; text-align: center;">204</td> <td style="width: 10%; text-align: center;">Tl Thallium 81</td> <td style="width: 10%; text-align: center;">207</td> <td style="width: 10%; text-align: center;">Pb Lead 82</td> <td style="width: 10%; text-align: center;">209</td> <td style="width: 10%; text-align: center;">Bi Bismuth 83</td> <td style="width: 10%; text-align: center;">210</td> <td style="width: 10%; text-align: center;">Po Polonium 84</td> <td style="width: 10%; text-align: center;">210</td> <td style="width: 10%; text-align: center;">At Astatine 85</td> <td style="width: 10%; text-align: center;">210</td> <td style="width: 10%; text-align: center;">Rn Radon 86</td> </tr> </table>										133	Cs Caesium 55	137	Ba Barium 56	181	Ta Tantalum 73	184	W Tungsten 74	190	Os Osmium 76	192	Ir Iridium 77	195	Pt Platinum 78	197	Au Gold 79	201	Hg Mercury 80	204	Tl Thallium 81	207	Pb Lead 82	209	Bi Bismuth 83	210	Po Polonium 84	210	At Astatine 85	210	Rn Radon 86
133	Cs Caesium 55	137	Ba Barium 56	181	Ta Tantalum 73	184	W Tungsten 74	190	Os Osmium 76	192	Ir Iridium 77	195	Pt Platinum 78	197	Au Gold 79	201	Hg Mercury 80	204	Tl Thallium 81	207	Pb Lead 82	209	Bi Bismuth 83	210	Po Polonium 84	210	At Astatine 85	210	Rn Radon 86												
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">226</td> <td style="width: 10%; text-align: center;">Ra Radium 88</td> <td style="width: 10%; text-align: center;">227</td> <td style="width: 10%; text-align: center;">Ac Actinium 89</td> <td colspan="8"></td> </tr> </table>										226	Ra Radium 88	227	Ac Actinium 89																										
226	Ra Radium 88	227	Ac Actinium 89																																						
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">140</td> <td style="width: 10%; text-align: center;">Ce Cerium 58</td> <td style="width: 10%; text-align: center;">141</td> <td style="width: 10%; text-align: center;">Pr Praseodymium 59</td> <td style="width: 10%; text-align: center;">144</td> <td style="width: 10%; text-align: center;">Nd Neodymium 60</td> <td style="width: 10%; text-align: center;">150</td> <td style="width: 10%; text-align: center;">Sm Samarium 62</td> <td style="width: 10%; text-align: center;">152</td> <td style="width: 10%; text-align: center;">Eu Europium 63</td> <td style="width: 10%; text-align: center;">157</td> <td style="width: 10%; text-align: center;">Gd Gadolinium 64</td> <td style="width: 10%; text-align: center;">159</td> <td style="width: 10%; text-align: center;">Tb Terbium 65</td> <td style="width: 10%; text-align: center;">162</td> <td style="width: 10%; text-align: center;">Dy Dysprosium 66</td> <td style="width: 10%; text-align: center;">165</td> <td style="width: 10%; text-align: center;">Ho Holmium 67</td> <td style="width: 10%; text-align: center;">167</td> <td style="width: 10%; text-align: center;">Er Erbium 68</td> <td style="width: 10%; text-align: center;">169</td> <td style="width: 10%; text-align: center;">Tm Thulium 69</td> <td style="width: 10%; text-align: center;">173</td> <td style="width: 10%; text-align: center;">Yb Ytterbium 70</td> <td style="width: 10%; text-align: center;">175</td> <td style="width: 10%; text-align: center;">Lu Lutetium 71</td> </tr> </table>										140	Ce Cerium 58	141	Pr Praseodymium 59	144	Nd Neodymium 60	150	Sm Samarium 62	152	Eu Europium 63	157	Gd Gadolinium 64	159	Tb Terbium 65	162	Dy Dysprosium 66	165	Ho Holmium 67	167	Er Erbium 68	169	Tm Thulium 69	173	Yb Ytterbium 70	175	Lu Lutetium 71				
140	Ce Cerium 58	141	Pr Praseodymium 59	144	Nd Neodymium 60	150	Sm Samarium 62	152	Eu Europium 63	157	Gd Gadolinium 64	159	Tb Terbium 65	162	Dy Dysprosium 66	165	Ho Holmium 67	167	Er Erbium 68	169	Tm Thulium 69	173	Yb Ytterbium 70	175	Lu Lutetium 71																
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">232</td> <td style="width: 10%; text-align: center;">Th Thorium 90</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">U Uranium 92</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Np Neptunium 93</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Pu Plutonium 94</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Am Americium 95</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Cm Curium 96</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Bk Berkelium 97</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Cf Californium 98</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Es Einsteinium 99</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Fm Fermium 100</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Md Mendelevium 101</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">No Nobelium 102</td> <td style="width: 10%; text-align: center;">238</td> <td style="width: 10%; text-align: center;">Lr Lawrencium 103</td> </tr> </table>										232	Th Thorium 90	238	U Uranium 92	238	Np Neptunium 93	238	Pu Plutonium 94	238	Am Americium 95	238	Cm Curium 96	238	Bk Berkelium 97	238	Cf Californium 98	238	Es Einsteinium 99	238	Fm Fermium 100	238	Md Mendelevium 101	238	No Nobelium 102	238	Lr Lawrencium 103				
232	Th Thorium 90	238	U Uranium 92	238	Np Neptunium 93	238	Pu Plutonium 94	238	Am Americium 95	238	Cm Curium 96	238	Bk Berkelium 97	238	Cf Californium 98	238	Es Einsteinium 99	238	Fm Fermium 100	238	Md Mendelevium 101	238	No Nobelium 102	238	Lr Lawrencium 103																

Key

a	X	a = relative atomic mass
b	X	X = atomic symbol
	X	b = proton (atomic) number

* 58-71 Lanthanoid series
† 90-103 Actinoid series

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.