

#### CHEMISTRY

Paper 1 Multiple Choice

0620/12 October/November 2012

**45 Minutes** 

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 15 printed pages and 1 blank page.



- 1 What are the processes W, X, Y and Z in the following diagram?
  - $\begin{array}{ccc} W & X \\ \text{solid} &\rightleftharpoons \text{liquid} &\rightleftharpoons \text{gas} \\ Y & Z \end{array}$

	W	Х	Y	Z
Α	condensing	boiling	freezing	melting
в	condensing	freezing	melting	boiling
С	melting	boiling	freezing	condensing
D	melting	freezing	condensing	boiling

2 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm<sup>3</sup> of acid.

What is the best piece of apparatus to use?

- A a burette
- B a conical flask
- C a measuring cylinder
- D a pipette
- **3** A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

	solubility in water	solubility in carbon disulfide
sulfur	x	✓
iron filings	×	X

What are possible methods of separating the sulfur and iron filings?

	using water	using carbon disulfide	using a magnet
Α	$\checkmark$	$\checkmark$	x
в	×	$\checkmark$	$\checkmark$
С	$\checkmark$	x	$\checkmark$
D	x	$\checkmark$	x

0620/12/O/N/12

4 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

	<sup>19</sup> <sub>9</sub> F	<sup>20</sup> <sub>10</sub> Ne
Α	7	8
в	7	10
С	9	8
D	9	10

5 Which statements comparing the properties of electrons, neutrons and protons are correct?

	neutrons and protons are both heavier than electrons	only electrons and neutrons are charged
Α	$\checkmark$	$\checkmark$
В	$\checkmark$	X
С	x	$\checkmark$
D	×	X

6 The table shows the electronic structures of four atoms.

atom	electronic structure
W	2,1
x	2,7
Y	2,8,4
Z	2,8,8


Which two atoms combine to form an ionic compound?

- **A** W and X **B** W and Y **C** X and Y **D** X and Z
- 7 In the molecules CH<sub>4</sub>, HCl and H<sub>2</sub>O, which atoms use **all** of their outer shell electrons in bonding?
  - **A** C and C*l* **B** C and H **C** C*l* and H **D** H and O

**8** A compound has the formula  $CH_3CO_2H$ .

How should the relative molecular mass,  $M_r$ , of this compound be calculated?

- **A** 12 + 1 + 16
- **B** 3(12 + 1) + 2(12 + 16) + 1
- **C**  $(4 \times 12) + (2 \times 1) + 16$
- **D**  $(2 \times 12) + (4 \times 1) + (2 \times 16)$
- **9** The diagram shows an electrolysis experiment using metals X and Y as electrodes.




One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

	metal	aqueous solution	
A X		CrCl <sub>3</sub>	
вх		CuCl <sub>2</sub>	
C Y		CrCl <sub>3</sub>	
D	Y	CuCl <sub>2</sub>	


**10** The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

	product at cathode	product at anode	
Α	hydrogen	chlorine	
B hydrogen		oxygen	
С	sodium	chlorine	
D	sodium	oxygen	

**11** The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

	diagram	type of energy change
Α	1	endothermic
в	1	exothermic
С	2	endothermic
D	2	exothermic

- **12** Which change is an oxidation?
  - A FeO to Fe<sub>2</sub>O<sub>3</sub>
  - ${\bm B} \quad {Fe_2O_3} \text{ to FeO}$
  - **C**  $H_2O_2$  to  $H_2O$
  - **D**  $H_2O$  to  $H_2$
- **13** The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
Α	endothermic	because energy is used to strike the match
в	endothermic	because energy is given out as the match burns
С	exothermic	because energy is used to strike the match
D	exothermic	because energy is given out as the match burns

**14** Separate samples of anhydrous and hydrated copper(II) sulfate are heated.



Which shows the correct colour changes?

	anhydrous copper(II) sulfate	hydrated copper(II) sulfate	
Α	blue to white	white to blue	
в	no change	blue to white	
С	white to blue	blue to white	
D	white to blue	no change	

**15** Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?

	1	2	6	7
Α	1	1	x	x
В	$\checkmark$	x	$\checkmark$	x
С	x	x	$\checkmark$	$\checkmark$
D	x	$\checkmark$	x	$\checkmark$

- 16 Which change does not increase the speed of reaction between zinc and hydrochloric acid?
  - A adding a catalyst
  - B decreasing the particle size of the zinc
  - **C** decreasing the temperature
  - **D** using more concentrated acid
- 17 Barium hydroxide is an alkali. It reacts with hydrochloric acid.


How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

- A The pH decreases from 14 and becomes constant at 7.
- **B** The pH decreases from 14 to about 1.
- **C** The pH increases from 1 and becomes constant at 7.
- **D** The pH increases from 1 to about 14.
- 18 Which of these pairs of aqueous ions both react with dilute sulfuric acid to give a visible result?
  - **A** Ba<sup>2+</sup> and C $l^-$
  - **B**  $Ba^{2+}$  and  $CO_3^{2-}$
  - **C**  $NH_4^+$  and  $Cl^-$
  - **D**  $NH_4^+$  and  $CO_3^{2-}$
- **19** A compound is a salt if it
  - **A** can neutralise an acid.
  - **B** contains more than one element.
  - **C** dissolves in water.
  - **D** is formed when an acid reacts with a base.

**20** The table gives information about four elements.

	colour of element	electrical conductivity of element	colour of oxide
Α	black	high	colourless
в	colourless	low	white
С	grey	high	red
D	yellow	low	colourless

**21** The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1:1?

**A** U and X **B** U and Y **C** V and Y **D** W and X

**22** The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

RbBr

RbBr<sub>2</sub>

_		· · · · · · · · ·	
	type of bond	formula	colour
Α	covalent	RbBr	brown
в	covalent	RbBr <sub>2</sub>	white

Which descriptions of this compound are correct?

С

D

ionic

ionic

white

brown

**23** Brass is used in electrical equipment.

It contains two .....1..... elements. Together they form .....2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	metallic	a covalent compound
в	metallic	an alloy
С	non-metallic	a covalent compound
D	non-metallic	an alloy


- 24 Why are weather balloons filled with helium rather than hydrogen?
  - **A** Helium is found in air.
  - **B** Helium is less dense than hydrogen.
  - **C** Helium is more dense than hydrogen.
  - **D** Helium is unreactive.
- **25** Some properties of aluminium are listed.
  - 1 It has mechanical strength.
  - 2 It conducts heat.
  - 3 It is resistant to corrosion.
  - 4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

**A** 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

**26** Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.


Which test-tube contains iron and dilute hydrochloric acid?



27 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.




Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

	chemical reaction in step 1	type of oxides removed in step 2
Α	carbon is converted to carbon dioxide	acidic
в	carbon is converted to carbon dioxide	basic
С	iron is converted to iron(III) oxide	acidic
D	iron is converted to iron(III) oxide	basic

- 28 What is the correct order of abundance of the gases in the air?
  - **A** nitrogen  $\rightarrow$  oxygen  $\rightarrow$  argon  $\rightarrow$  carbon dioxide
  - $\textbf{B} \quad \text{nitrogen} \rightarrow \text{oxygen} \rightarrow \text{carbon dioxide} \rightarrow \text{argon}$
  - $\textbf{C} \quad \text{oxygen} \rightarrow \text{nitrogen} \rightarrow \text{argon} \rightarrow \text{carbon dioxide}$
  - $\textbf{D} \quad \text{oxygen} \rightarrow \text{nitrogen} \rightarrow \text{carbon dioxide} \rightarrow \text{argon}$
- 29 Which processes are used in the treatment of water?
  - A filtration and chlorination
  - B filtration and reduction
  - **C** neutralisation and chlorination
  - D neutralisation and reduction
- **30** A factory burns coal with a high sulfur content.

Which pollutant is most likely to lead to the death of trees?


- A carbon dioxide
- B carbon monoxide
- C lead compounds
- D sulfur dioxide
- **31** The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
в	no change	rises
С	rises	falls
D	rises	no change

- 32 Carbon dioxide is produced when dilute hydrochloric acid reacts with
  - A calcium sulfate.
  - **B** carbon.
  - **C** copper(II) carbonate.
  - D limewater.
- 33 The diagram shows two substances, X and Y, being heated together.




The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?

- A ammonium nitrate and hydrochloric acid
- B ammonium nitrate and sodium hydroxide
- C sodium carbonate and hydrochloric acid
- **D** sodium carbonate and sodium hydroxide

**34** A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?


- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

Α

- 35 Which properties of the different compounds in petroleum enable its separation into fractions?
  - 1 boiling point
  - 2 chain length
  - 3 chemical reactivity
  - 4 solubility in water

1 and 2 <b>B</b> 1 and 3 <b>C</b> 2 and 4	D	3 and 4
---	---	---------

36 Which structure is correctly named?



**37** Alkenes have the general formula  $C_nH_{2n}$ .

Which of the following is an alkene?

**A**  $CH_2$  **B**  $CH_4$  **C**  $C_3H_6$  **D**  $C_6H_6$ 

**38** A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

	alkane	alkene		
Α	X, Y and Z	_		
В	X and Y Z			
С	X and Z Y			
D	Y and Z	х		

**39** Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

	boiling point	size of molecules
Α	high	large
В	high	small
С	low	large
D	low	small

**40** Which row is correct for ethanol?

	burns	made by fermentation
Α	$\checkmark$	✓
В	$\checkmark$	x
С	x	$\checkmark$
D	x	x

# **BLANK PAGE**

15

	0	<sup>4</sup> He <sup>4</sup>	20 20 Neon 10 Argan 18 Argan	84 <b>Kr</b> Krypton 36	131 <b>Xe</b> 54	Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
	١١٨		19 Fluorine 9 35.5 C1 Chlorine	80 <b>Br</b> Bromine 35	127   lodine 53	At Astatine 85		173 <b>Yb</b> <sup>Ytterbium</sup> 70	
	N		16 O 8 32 32 32 16 Suffur	79 <b>Se</b> Selenium 34	128 <b>Te</b> 52	Po Polonium 84		169 <b>Tm</b> Thulium 69	Mendelevium 101
	>		14 <b>N</b> Nitrogen 31 Phosphorus 15	75 <b>AS</b> Arsenic 33	122 <b>Sb</b> Antimony 51	209 <b>Bi</b> Bismuth 83		167 <b>Er</b> <sup>Erbium</sup>	Fm Fermium 100
	2		12 Carbon 6 28 28 28 14	73 <b>Ge</b> Germanium 32	119 <b>Sn</b> 50	207 Pb Lead 82		165 <b>HO</b> Holmium 67	<b>ES</b> Einsteinium 99
	≡		11 <b>B</b> 5 80ron 5 27 <b>A1</b> Minimium 13	70 <b>Ga</b> 31	115 <b>  n</b> Indium 49	204 <b>T 1</b> Thallium 81		162 Dy Dysprosium 66	Cf Californium 98
2110				65 <b>Zn</b> 30	112 Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> <sup>Terbium</sup> 65	BK <sup>Berkelium</sup> 97
Group				64 Copper 29	108 <b>Ag</b> Silver 47	197 <b>Au</b> Gold 79		157 <b>Gd</b> Gadolinium 64	Curium Of
Group				59 Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95
			_	59 <b>Co</b> 27	103 <b>Rh</b> Rhodium 45	192 <b>  r</b> <sup>  r</sup>		150 <b>Sm</b> Samarium 62	
		Hydrogen		56 <b>Fe</b> Iron 26	101 <b>Ru</b> Ruthenium 44	190 <b>OS</b> Osmium 76		Promethium 61	Np Neptunium 93
				55 Manganese 25	Tc Technetium 43	186 <b>Re</b> Rhenium 75		144 Neodymium 60	238 <b>U</b> ranium 92
				52 Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>V</b> Tungsten 74		141 <b>Pr</b> Praseodymium 59	Pa Protactinium 91
				51 Vanadium 23	93 Niobium 41	181 <b>Ta</b> <sup>Tantalum</sup> 73		140 <b>Ce</b> <sup>Cerium</sup>	232 <b>Tho</b> 90
				48 Titanium 22	91 Zr Zirconium 40	178 Hafnium 72		n	nic mass bol nic) number
				45 Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 89	d series eries	a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		9 Beryllium 4 24 Magnesium 12	40 <b>Ca</b> calcium 20	88 <b>St</b> rontium 38	137 <b>Ba</b> Barium 56	226 <b>Rad</b> 88	*58-71 Lanthanoid series 190-103 Actinoid series	<u>م</u> × ة × ۳
			23 23 Sodium	39 <b>K</b> Potassium 19	85 <b>Rub</b> idium 7	133 Caesium	<b>Fr</b> Francium	Чĉ	م

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

### www.theallpapers.com

16