



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

**CHEMISTRY** 

0620/03

Paper 3 Theory (Core)

For Examination from 2016

SPECIMEN PAPER

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.


The syllabus is accredited for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



This document consists of **15** printed pages and **1** blank page.

[Turn over

1 The structures of diamond and chlorine are shown below.



(a) Describe the structure of these two substances. Use the list of words to help you.

CO	valent	diatomic	giant	macromolecule	molecule	structure	
diamon	d						
							•••••
chlorine	) )						
							[4]

**(b)** The structure of a compound containing carbon and chlorine is shown below.

$$\begin{array}{c|cccc}
Cl & Cl \\
Cl & C \\
Cl & C \\
Cl & Cl \\
Cl & Cl
\end{array}$$

What is the molecular formula of this compound?

\_\_\_\_\_[


					3		
(c)	Chl	orine is	a halogen.				
	(i)	State	the colour o	f chlorine.			
							[1]
	The	e table s	shows some	e properties of the h	nalogens.		
			element	boiling point/°C	density in liquid state/g per cm <sup>3</sup>	colour	
			fluorine	-188	1.51	yellow	
			chlorine	-35	1.56		
			bromine	<b>-7</b>		red-brown	
			iodine	+114	4.93	grey-black	
	Use	e the in	formation in	the table to answe	r the following ques	stions.	
	(ii)	Predic	t the density	y of liquid bromine.			
							[1]
	(iii)	Descr	ibe the trend	d in boiling point of	the halogens dowr	the group.	
					-		[1]
(d)	(i)	Comp	lete the wor	d equation for the r	eaction of bromine	with aqueous	potassium iodide.
		bromii	ne + potassi	ium iodide $\rightarrow$	+		
							[2]
	(ii)	Sugge	est why bron	nine does not react	t with aqueous pota	ssium chloride	Э.
							[1]
<b>/</b> -\	Det			an iania aubatanaa	hutiadina ia a mad		
(e)				an ionic substance d molecular substa	but iodine is a mol nces differ in their	ecular substar	ice.
	solı	ubility ir	n water?		********************************		
	ele						
							וסו

Bromine is an element in Group	VII of the Periodic Tabl	e.
(a) State the formula for a mole	ecule of bromine.	
		[1]
	n fumes were seen jus	e in the bottom of a sealed gas jar of air. It above the liquid surface. After one hour phout the gas jar.
liquid		
start	after 2 minutes	after 1 hour
Use the kinetic particle mod	lel of matter to explain t	hese observations.
		[3]

2

[Total: 4]

3 The structures of some substances containing nitrogen are shown below.




Answer the following questions by choosing from the structures  $\bf A$ ,  $\bf B$ ,  $\bf C$ ,  $\bf D$  or  $\bf E$ . You can use each structure once, more than once or not at all.

Which structure represents

(a)	an acidic oxide,	[1]
(b)	an ionic structure,	[1]
(c)	a gas which turns damp red litmus paper blue,	[1]
(d)	a compound which is formed under conditions of high temperature and pressure in car engines,	[1]
(e)	a molecule containing halogen atoms,	[1]
(f)	a salt?	[1]

[Total: 6]


The diagram shows a rotary lime kiln used to make lime from limestone. Limestone is fed in at the top of the kiln and lime comes out at the bottom.



(a) State the chemical name for lim	(a)	(
-------------------------------------	-----	---

		[1]
(b)	State the name of the type of chemical reaction that takes place in the kiln.	
		[1]
(c)	Suggest why the air coming out of the kiln has a greater percentage of carbon dioxide the air entering the kiln.	har
		[1]
(d)	State <b>one</b> use for lime.	


**(e)** A student compared the rates of reaction of three metal carbonates. She measured the volume of gas released using the apparatus shown.



State **one** thing that must be kept constant if the rates of the three reactions are to be compared in a fair way.

[1]

**(f)** The graph shows the volume of carbon dioxide released when the three metal carbonates were heated.



(1)	vynich carbonate produced carbon dioxide at the highest rate?	

	[1	[ ]	
--	----	-----	--

- (ii) What volume of carbon dioxide was produced by strontium carbonate in twelve minutes?
- (iii) How do the rates of the reactions of these three metal carbonates relate to the position of calcium, strontium and barium in the Periodic Table?

***************************************	 	
		[2]

(g)	Describe how hydrochloric acid	and	limewater	can	be	used	to	show	that	carbonate	ions	are
	present in calcium carbonate.											

		[3]

[Total: 12]

Iror	n is a transition element.	
(a)	State three properties of transition elements which are not shown by the Group I element	s.
	1	
	2.	
	3.	[3]
(b)	The symbols for two isotopes of iron are shown below.	
	<sup>54</sup> <sub>26</sub> Fe <sup>57</sup> <sub>26</sub> Fe	
	(i) How do these two isotopes differ in their atomic structure?	
		[1]
	(ii) Determine the number of neutrons present in one atom of the isotope $\frac{57}{26}$ Fe.	
		[1]
	(iii) Determine the number of electrons in one Fe <sup>3+</sup> ion?	
		[1]
(c)	Pure iron rusts very easily.	
	Describe and explain <b>one</b> method of preventing rusting.	
	method	
	explain why this method works	
		[2]
(d)	Iron can be recycled.	
()	Explain <b>two</b> advantages of recycling metals.	
		[2]

5

(e) In the blast furnace, iron(III) oxide reacts with carbon monoxide.


Fe <sub>2</sub> O <sub>2</sub> +	- 3CO	$\rightarrow$ 2Fe	+	3CO <sub>2</sub>

Which substance gets reduced in this reaction? Explain your answer.

	sub	estance	
	exp	lanation	
			[2]
(f)	(i)	Carbon monoxide is a pollutant gas produced in motor car engines. State why carbon monoxide is formed.	
			[1]
	(ii)	State <b>one</b> harmful effect of carbon monoxide.	
			[1]

[Total: 14]

**6** Concentrated hydrochloric acid can be electrolysed using the apparatus shown.




(a)	Define the term el	ectrolysis?					
		***************************************			***************************************		[1]
(b)	What is the name Put a ring around	•		,			
	anion	anode	cathode	cation	electrolyte		[1]
(c)	State the name of	the gas given o	ff at the negativ	e electrode			F41
				***************************************			[1]
(d)	Complete the follo	wing sentence a	about electrolys	is using wo	ds from the lis	st.	
	inert	magnesium	platinum	react	ive solic	i	
	Electrodes made	of graphite o	or	are	generally us	ed in	electrolysis
	because they are						[2]

(e) When concentrated hydrochloric acid is electrolysed, chlorine is released.

	(i)	Draw the shells and the electronic structure in an atom of chlorine.	
	(ii)	Draw the electronic structure of a chlorine molecule. Show only the outer electron shells.	[1]
			[2]
	(iii)	Describe a test for chlorine.	
		result	[2]
(f)	Нус	drochloric acid reacts with the base calcium hydroxide.	
	(i)	Complete the word equation for this reaction.	
		hydrochloric acid + calcium hydroxide → +	
			[2]
	(ii)	Hydrochloric acid also reacts with zinc. Complete the symbol equation for this reaction.	
		$Zn + \dots HCl \rightarrow ZnCl_2 + \dots$	
			[2]
		[Total	: 14]


7 The pie chart shows the composition of air.



(a) (i) What is the percentage of nitrogen in the air?

		[1]
(ii)	Apart from nitrogen and oxygen, state the names of <b>two</b> gases present in unpolluted	air.
	and	[2]

(b) The percentage of oxygen in air can be found using the apparatus shown below.



Air is passed backwards and forwards over the heated copper using the syringes. The copper reacts with oxygen in the air.

As the experiment proceeds, suggest what happens to

(i) the total volume of air in the gas syringes,

[1]

(ii) the mass of the wire in the tube.

[1]

(c) State one use of copper.

[1]

[Total: 6]

Eth	ene,	C <sub>2</sub> H <sub>4</sub> , is manufactured by cracking petroleum fractions.	
(a)	(i)	What do you understand by the term fraction?	
			<b></b> [1]
	(ii)	Complete the symbol equation for the manufacture of ethene from dodecane, $C_{12}H_{26}$ .	
		$C_{12}H_{26} \rightarrow C_2H_4 + \dots$	[1]
(b)		o fractions obtained from the distillation of petroleum are refinery gas and gasoline. te <b>one</b> use of each of these fractions.	
	refir	nery gas	
	gas	soline	[2]
(c)		ene is an unsaturated hydrocarbon. at do you understand by the following terms?	
		aturated	
	hyd	rocarbon	[2]
(d)	Eth	ene is used to make ethanol.	
	(i)	Which of these reactions is used to make ethanol from ethene? Tick one box.	
		catalytic addition of steam	
		fermentation	
		oxidation using oxygen	
		reduction using hydrogen	[1]

8

	(ii)	Draw the	structure of	ethanol, s	howing all atom	s and bonds.		
								[2]
(e)	Cor	nplete the	ed to make p following se om the list be	entences al	). cout this reactio	n.		
	ade	ditions	carbohy	drates	catalysts	monomers	polymers	
	The	ethene m	nolecules wh	nich join to	form poly(ethen	e) are the		
	The	poly(ethe	ene) molecu	es formed	are			[2]
							[Tota	ıl: 11]

## **BLANK PAGE**

								Group	din								
_	=											=	≥	>	5	=	=
							,-										2
							I										£
				Kov			hydrogen										hellum
6	-		do	odomio oumbo	,						_	×	q	,	a	o	, ç
-	r d		ale	atomic cambol	3 4							0 0	٥ (	- 2	0 0	ь	2 8
_	90		dio	IIIC ayılı	5							٥	)	Z	)		2
7	peryllium 9		nelativ	rame relative atomic mass	5500							11	carbon 12	rihogen 14	16	Austria 19	20
=	12											13	12	15	16	17	18
Na	Mg											ΑZ	S	۵	S	20	Ą
_	magnessum											ahminium	allocur 20	phosphone	Suffer	chlodre	negae
10	20 25	21	22	23	24	26	36	27	58	20	88	31	32	33	25 25	36.5	36
×	S	Sc	F	>	Ö	Mn	Fe	ပိ	ž	3	Z	Ga	99	As	Se	ä	Ż
potsestum	calchun	acardum	Starium	vanachum	dromhm	manganeen	iron	cobst	rickel	rapper	zque	gallum	permerium	ansenic	selectum	bramire	and and a
39	40	45	48	51	525	99	99	99	69	4	65	2	73	75	79	80	8
37	38	39	40	41	42	43	4	46	46	47	48	49	90	51	52	63	54
8	Š	>	Zr	g	Mo	JC	R	둔	Pd	Ag	8	ı	S	Sp	Te	П	×e
ε	anguage	yOhnm	zironium	riobium	molyboarum	todynotism.	ruharian	thodym	pollodum	silver	osemium	inchine	á	ardmony	tellurium	euto	xeron
98	88	68	91	93	96	ì	101	103	106	108	112	115	117	122	128	127	131
22	99	57-71	72	73	7.4	7.5	9/	77	78	7.9	8	84	82	83	8	92	98
ő	Ba	Israharoide	Ξ	д	≥	æ	so	Ir	盂	Αū	훈	ĭ	Ъ	ē	Ъ	Ą	듄
cassium	barken		hshium	tantahum	turgsten	meren	osmen	michin	platinum	pledi	mercury	thellum	lesd	biemuth	polonium	astatro	neben
133	137		178	181	184	188	190	192	38	187	201	204	202		1	1	)
87	88	89-103	104	106	106	107	108	109	110	111	112		114		116		
Ŀ	Ra	actinoéts	₹	g	Sg	B	£	ž	Ds	Rg	ర		F.		^		
francium	meden		ntherfordum	abnium	sespodem	potrium	hossium	medicrium	damistadium	noertparium	opericia		Serovices		Bremonum		
ı	)		1	1	1	1	1	)	1	1	1		t		1		
							1				- 1						
		27	28	20	8	9	62	63	t	65		67	89	69	2	7	
lanthanoids		Ę	ථ	ď	P	Pm	Sm	ū	8	P	á	운	ங்	Ę	ς,	3	
		Berthanum	cedism	praesot/mean	пеодини	promethum	semenum	europium	gadolinium	continu	_	holmáum	ethium	thullum	ytterbium	hriegem	
		139	140	141	144	I	150	152	157	159	_	185	167	169	173	175	
		88	90	9	35	93	36	96	8	26		8	100	101	102	103	
actinoids		Ac	£	Ра	>	ď	P	Am	ő	š		ŝ	E	Md	ž	۲	
		activium	thorium	protectrium	urarium	replunten	plytonium	americum	antum	berkelum	calfornium	ainsteinm	Semicin	mandelevium	nobelium	Iswrenchm	

The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.