## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## **COMBINED SCIENCE**

0653/03

Paper 3

May/June 2005

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [ ] at the end of each question or part question. A copy of the Periodic Table is printed on page 20.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.


Stick your personal label here, if provided.

For Exam	niner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of **20** printed pages.



1 (a) Fig. 1.1 shows the structure of a wind-pollinated flower.



Explain **one** way in which the structure of this flower increases the chance of successful pollination.

[2]

**(b)** Fig. 1.2 shows the structure of a cell that is found inside the plant's leaves.




Fig. 1.2

(i) Suggest **one** way in which the structure of this cell differs from a cell in the part labelled **P** in Fig. 1.1. Explain the reason for your suggestion.

.....

	(ii)	Describe the function of the part labelled <b>Q</b> in Fig. 1.2.		
		[2]		
(c)	The	leaf cell shown in Fig. 1.2 requires a steady supply of water.		
	(i)	Name the tissue in which water is transported from the roots to the leaves.		
		[1]		
	(ii)	Describe how water is lost from leaf cells, and how this water leaves the leaf and enters the air around it.		
		[3]		

**2** Fig 2.1 shows what is observed when a piece of potassium reacts in a container of chlorine.




Fig. 2.1

(a)	(1)	write the word equation for the reaction.	
	/ii\	State which observation in Fig. 2.1 shows that the reaction is exothermic.	[1]
	(11)	State which observation in Fig. 2.1 shows that the reaction is exothermic.	
			[1]
(b)	dilu	tassium chloride can also be made by reacting potassium hydroxide solution value hydrochloric acid.  Ite a balanced symbolic equation for this reaction.	vith
			[2]

(c) The apparatus shown in Fig. 2.2 can be used to separate potassium chloride into its elements.




Fig. 2.2

(i)	Explain why potassium ions move towards the cathode.	
		[2]
(ii)	Describe how potassium ions change into potassium atoms at the cathode.	
		[2]

(a)		elephant can communicate with other elephants using infra-sound. s is a very low frequency vibration, which is usually impossible for a human to hear.
	(i)	Suggest a possible frequency for this vibration.
		[1]
	(ii)	Explain what is happening when these vibrations travel through the air. You may use a diagram to help you to answer this question.
		[2]
	(i)	The spider weighs 0.02N.
		Calculate the work done when it climbs 21 cm up the thread.
		Show your working and state the formula that you use.
		formula used
		working
		[2]

(i	i)	Calculate the power generated by the spider as it climbs up the thread. It climbs 21 cm in 7 seconds.		
		Show your working and state the formula that you use.		
		formula used		
		working		
		[2]		
(ii	i)	The mass of the spider is 2g. It begins to move up the thread with an acceleration		
ν	-,	of 2cm/s <sup>2</sup> .		
		Calculate the resultant force causing this acceleration.		
		Show your working and state the formula that you use.		
		formula used		
		aukin a		
		working		
		[3]		
(c) A	A po	olar bear is a large white furry mammal that lives on the Arctic ice.		
		uggest and explain <b>one</b> way in which the polar bear is adapted to reduce heat loss in is cold climate.		
-	_			
		[2]		

- 4 In the 1950s, many people in London used coal to heat their houses. In early December 1952, the weather was foggy. The sulphur dioxide released from the burning of the coal stayed trapped in the fog.
  - (a) Fig. 4.1 shows the concentration of sulphur dioxide in the air, and also the number of people who died, from December 1st to December 15th.




Fig. 4.1

(i)	How many more people died on December 8th than on December 1st?
	[1]
(ii)	Explain how the information in the graph in Fig. 4.1 supports the idea that sulphur dioxide is harmful to health.
	[1]

(iii) Suggest why the numbers of deaths were still high on December 15th, even though the concentration of sulphur dioxide had returned to a low level.

(b)	Explain how the emission of sulphur dioxide into the atmosphere can lead to the formation of acid rain.
	[2]
(c)	The combustion of coal also releases soot particles into the atmosphere. Some of these may fall onto plant leaves, forming a coating over them and blocking their stomata.
	Explain how this could reduce the rate of growth of the plants.
	[2]

5 (a) The full chemical symbols of four elements are shown below.

$$^{1}_{1}H$$
  $^{16}_{8}O$   $^{24}_{12}Mg$   $^{40}_{18}Ar$ 

Use this information to answer (i) to (iii) below.

(i) Name the element which does not react with any of the others, and explain your answer.

name \_\_\_\_\_explanation \_\_\_\_\_

[1]

- (ii) Name a pair of elements which combine together to form an *ionic* compound.

  and

  [1]
- (iii) Name two elements whose atoms have electrons in three energy levels (shells)

  and

  [1]
- (b) Magnesium reacts with oxygen to form magnesium oxide.

A student found that when 4.8g of magnesium were completely oxidised, 8.0g of magnesium oxide were formed.

(i) Calculate the mass of oxygen which combined with 4.8g of magnesium.

[1]

(ii) The student then burned 2.4g of magnesium in a vessel containing 5.0g of oxygen. Calculate the mass of oxygen left over after all the magnesium had reacted.

Show your working.

[2

- (c) A student investigated factors affecting the rate of reaction between magnesium and dilute hydrochloric acid. She wanted to investigate the effects of changing
  - the surface area of the magnesium,
  - the temperature of the hydrochloric acid.

The apparatus she used is shown in Fig. 5.1.




Fig. 5.1

Results of four of her experiments are shown in Table 5.1. In each experiment she used 2.0g of magnesium and 20.0 cm<sup>3</sup> of hydrochloric acid.

Table 5.1

experiment	temperature of acid / °C	volume of gas collected / cm <sup>3</sup>	time taken to collect gas /minutes	rate of reaction / cm³ per minute
1	18	50	2	25
2	18	65	2	32.5
3	28	100	2	
4	41	105	1	

(i)	Name the gas given off in this reaction.	
		[1]
(ii)	State <b>one</b> other important factor (variable) which the student must keep the sain each experiment.	me
		[1]
(iii)	Complete the two remaining boxes in Table 5.1.	[1]
(iv)	Suggest which pair of experiments the student carried out in order to observe effect on reaction rate of changing the surface area of the magnesium.	the
	Explain your answer briefly.	
		[2]

**6 (a)** Fig. 6.1 shows a fish tank containing one fish.




Fig. 6.1

If observed from the corner, there appear to be two fish in the tank.

Fig. 6.2 shows the tank from above.





Fig. 6.2

- (i) Two rays of light have been drawn from the fish.

  Continue the rays of light in Fig. 6.2 to show how the light waves reach the eye. [1]
- (ii) Use the diagram to explain why the observer can see two fish. You may wish to add to Fig. 6.2 to help you answer this question.

**(b)** An electric heater is designed to heat the fish tank. The circuit containing this heater is shown in Fig. 6.3.




Fig. 6.3

The current flowing through the heater is 0.5 A and the voltage across it is 5.0 V. Calculate the resistance of the heater. Show your working and state the formula that you use.

formula used

working

[2]

(c) The electric heater is placed at the bottom of the fish tank rather than at the top. Explain why this is more effective for heating the water in the tank.

**7** Fig. 7.1 shows the structure of the human alimentary canal.





Fig. 7.1

(a) Name the parts labelled A and B.

A	•••••
В	[2]

**(b)** The boxes below contain the name of a nutrient, a part of the alimentary canal in which it is digested, and the name of the molecules which are formed during digestion.

Draw lines to connect the nutrient to the appropriate part of the alimentary canal and to the molecules which are formed. Two lines have been drawn for you.



(c)	Fig. 7.1 shows that the small intestine is the longest part of the alimentary canal. Suggest how this helps it to carry out its functions effectively.	
		[2]

(d) Glucose is a good energy food. Athletes often drink liquids containing glucose to provide them with energy quickly.

(i) Describe how glucose provides energy for an athlete's muscles.

[2]

(ii) Describe how you can test a drink to find out if it contains a reducing sugar, such as glucose.

[2]

16 (a) When it has been buried, compressed and heated underground for millions of years, 8 wood is converted into a common type of solid fuel. Name the solid fuel formed from wood over millions of years. [1] (b) Fig. 8.1 shows an experiment carried out on some small pieces of wood. wood pieces methane gas heat water (this dissolves substances from the wood) Fig. 8.1 The wood in the experiment does not catch fire. Suggest the type of chemical reaction that is occurring. Explain your answer briefly. type of reaction explanation (c) Propane, C<sub>3</sub>H<sub>8</sub>, is a gaseous hydrocarbon fuel. (i) When propane is shaken with bromine solution, the mixture remains orange.

Explain what this observation shows about the bonding in propane molecules.

(ii) The equation below shows the complete combustion of propane. Complete the balancing of the equation.

[1]

 $C_3H_8$  + ......  $O_2$   $\longrightarrow$   $3CO_2$  + ......  $H_2O$ 

(iii) Calculate the formula mass of propane. Show your working.

[2]

9 (a) Fig. 9.1 shows a toy bird suspended from a ceiling by a spring.



Fig. 9.1

(i) The upward force of the spring has been labelled A.
 Draw another arrow on the diagram to show the direction of the other force acting on the bird.
 Label it B.

(ii)	The bird is not moving. What can be stated about the sizes and directions of for <b>A</b> and <b>B</b> ?	ces
		[1]

(b) The toy bird is made of a thin piece of aluminium.

On Fig. 9.1 write the letter **C** where the centre of mass is likely to be.

[1]

(c)	The	e mass of the toy bird is 7.5 g and its volume is 3.0 cm <sup>3</sup> .	
	(i)	Suggest how you could measure the volume of the bird.	
			••••
			[2]
	(ii)	Calculate the density of the bird.	
		Show your working and state the formula that you use.	
		formula used	
		working	
			[2]

Every reasonable effort has been made to trace all copyright holders where the publishers (i.e. UCLES) are aware that third-party material has been reproduced. The publishers would be pleased to hear from anyone whose rights they have unwittingly infringed.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

								Gre	Group								
_	=											=	≥	>	>	II/	0
							Hydrogen										4 <b>He</b> Helium
Lithium 3 23 23 Na Sodium 11	Be Berylium 4 24 Mg Magnesium 12	ء ا										11 BB Boron 5 A 1 Aluminium 13	Carbon 6 Carbon 8 Silicon 114	Nitrogen 7 311 <b>P</b> Phosphorus 15	16 Oxygen 8 32 <b>S</b> Sulphur	19 Fluorine 9 35.5 <b>C1</b>	20 Neon 10 A40 Ar Argon
39 <b>X</b> Potassium	<b>Ca</b> (Calcium 20	Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	CC Chromium 24	55 Wn Manganese 25	56 <b>Fe</b> Iron	59 <b>Co</b> Cobalt 27	59 <b>X</b> Nickel	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium	AS As Arsenic	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> <b>Kr</b> 36
85 <b>Rb</b> Rubidium 37	Strontium 38	89 <b>Y</b>	91 <b>Zr</b> Zrconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	Tc Technetium	Ruthenium	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium	Sn Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 I lodine	Xe Xenon Xenon 54
Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum	184 W W Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>OS</b> Osmium 76	192 <b>Ir</b> Irdium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>T t</b> Thallium 81	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth	Po Polonium 84	At Astatine 85	Rn Radon 86
<b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium															
*58-71 90-10	58-71 Lanthanoid seri 90-103 Actinoid series	*58-71 Lanthanoid series 90-103 Actinoid series		140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	73 <b>Yb</b> Ytterbium 70	Lu Lutetium 71
Key	л <b>Х</b>	a = relative atomic mass  X = atomic symbol  b = proton (atomic) number	nic mass ool iic) number	232 <b>Th</b> Thorium	Pa Protactinium 91	238 <b>U</b> Uranium 92	Neptunium	<b>Pu</b> Plutonium 94	Am Americium	Cm Curium	<b>Bk</b> Berkelium 97	Californium	<b>ES</b> Einsteinium 99	Fm Fermium	Md Mendelevium 101	Nobelium	<b>Lr</b> Lawrencium 103

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).