



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	swer on the Question Paper		1 hour 15 minutes
Paper 2 (Core))		May/June 2008
COMBINED S	CIENCE		0653/02
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 20 printed pages.



1 The Periodic Table shows all of the chemical elements arranged into groups and periods.

For Examiner's Use

Fig. 1.1 shows part of the Periodic Table. The letters in this table are **not** the normal chemical symbols of the elements.




Fig. 1.1

(a) Complete the statements below using letters, chosen from A to H, which refer to elements in Fig. 1.1. Letters may be used once, more than once or not at all.

 The element shown as letter is an alkali metal in period
--

- The element shown as letter _____ is the noble gas with the lowest density.
- The three elements shown as letters _____, and _____
 have very similar chemical properties to each other.
- The element shown as letter _____ is sometimes used as a catalyst. [4]
- **(b)** The elements sodium and sulphur are both oxidised when they burn in air to produce sodium oxide and sulphur dioxide respectively.

(i)	Explain	the	meaning	of the	term	oxidised
----	---	---------	-----	---------	--------	------	----------

[1]

(ii)	Sodium oxide	Sodium oxide reacts with water to form solution P .				
	Sulphur dioxi	de reacts with water to form solution Q .				
	Predict and explain the colour of Universal Indicator solution when added to ${\bf P}$ and ${\bf Q}$.					
	colour in P					
	explanation		•••			
	colour in Q					
	explanation					
		[[4]			
(iii)	Name the type solution Q .	pe of chemical reaction which occurs when solution P is added	to			
		ſ	[1]			

2 Fig. 2.1 shows the structure of the human thorax (seen from the front).




Fig. 2.1

(a)	Giv	the letter of each of the following structures.		
	(i)	he left bronchus		
	(ii)	a pleural membrane		
	(iii)	a place where there are goblet cells and cilia	[3]	
(b)) Gas exchange takes place in the alveoli. When a person smokes for a number of years, the walls of the alveoli start to break down. This is called emphysema.			
	(i)	Name the process by which molecules of oxygen pass into the blood from the alveoli.	ıe	
			[1]	
	(ii)	Explain why emphysema makes it more difficult for oxygen to get into the blood		

(c) Oxygen is transported around the body in red blood cells. Fig. 2.2 is a diagram of a group of red blood cells.




Fig. 2.2

	(i)	State one difference, apart from their colour, between the appearance of red blo cells and white blood cells.	od
			[1]
	(ii)	What makes red blood cells look red?	
			[1]
(d)	Exp	plain why body cells need a constant supply of oxygen.	
			[2]

3 A man drives a golf ball with his club and it flies through the air for nearly 200 metres. Examiner's (a) (i) State the form of energy given to the ball by the club when the ball is hit. [1] (ii) State the type of energy gained by the ball as it rises into the air after being hit. [1]

(b) As the golfer moves around the course in a golf cart, his movement is measured. The measurements are plotted on the graph in Fig. 3.1.




Fig. 3.1

(i) Describe what is happening between

A - BB - CC - D

(ii) What is the speed of the cart after 3 seconds?

m/s [1]

[3]

For

Use


(c)	The	golfer hits the ball along the ground. It travels 6 m in	3 s.	
	Cal	culate the average speed of the ball.		
	Sta	te the formula that you use and show your working.		
		formula		
		working		
			m/s	[2]
(d)	The	golfer's bag of clubs has a mass of 6 kg.		
(- /	(i)	Calculate the weight of the bag of clubs.		
	()	Assume that the gravitational field strength on Earth	is 10N/kg.	
			N	[1]
	(ii)	Calculate the work done by the golfer when the bag	is lifted 0.5 m.	
		State the formula that you use and show your working	ng.	
		formula		
		working		
				.
			J	[2]

Kerosene is a mixture of hydrocarbons used as a fuel for aircraft and for lighting and cooking. (a) Kerosene is obtained from petroleum (crude oil) and is a liquid which boils in the range 150°C − 200°C. (i) Name the process used to separate kerosene from petroleum. (ii) State the important difference between the various compounds in petroleum which enables them to be separated by the process you have named in (i). (b) The light from a kerosene lamp is provided by the flame produced when kerosene burns in air. The lamp must be carefully designed and operated to ensure that most of the kerosene undergoes complete combustion. chimney allows gases to escape flame providing light

For Examiner's Use

(i) Complete the **word** chemical equation for the complete combustion of kerosene.

kerosene lamp



(ii)	Describe one observation which shows that the reaction occurring in the kerosene lamp is exothermic.	€
	[1	 I]

(c) The full chemical symbol for carbon is shown below.

¹² C

Draw a diagram of a carbon atom. Label the nucleus and show the full electron configuration.

[2]

5 Fig. 5.1 shows the quantity of carbon dioxide that was emitted to the atmosphere by a large industrial company, between 2000 and 2005.

For Examiner's Use




Fig. 5.1

(a)	Describe how the company's carbon dioxide emissions changed between 2000 and 2005.
	[2]
(b)	The company stated that these carbon dioxide emissions included those relating to the electricity that it used.
	Explain how using electricity can be responsible for emissions of carbon dioxide.
	[2]
(c)	Apart from using less electricity, suggest one other way that the company could reduce its carbon dioxide emissions.
	[1]


(d)	In 1997, at a meeting in the city of Kyoto in Japan, many countries in the world signed an agreement to reduce their emissions of carbon dioxide. The agreement came into force in 2005.	E
	Explain why we need to reduce emissions of carbon dioxide.	
	[2]	
(e)	Tropical rainforests can help to combat rising levels of carbon dioxide, because they take it from the air and use it in photosynthesis.	
	Describe one other reason why we should try to conserve tropical rainforests.	
	[2]	

6 (a) A policeman is using a radar gun to measure the speed of a car.

For Examiner's Use

The radar gun emits microwaves which hit the moving car and bounce back to a receiver in the radar gun.

A computer in the radar gun calculates the speed of the car.



(i)	What type	of waves	are microwave	es?
-----	-----------	----------	---------------	-----

......

(ii) The waves bounce off the car back towards the radar gun. What is this process

(ii) The waves bounce off the car back towards the radar gun. What is this process called?

(b) A car has two headlamps and two rear lamps. All four lamps are connected in parallel with each other across a 12 V battery.

(i) Complete the circuit diagram below to show how the four lamps are connected to the battery. Include one switch in your circuit which will control all four lamps.


[2]

[1]

[1]

(11)	happens	ın	one	lamp	breaks,	tne	otner	tnree	stay	IIT.	Explain	wny	tnis	
		 											[1]	

(c) Fig. 6.1 shows a spring. The spring is 10 cm long. A metal nut is hung on the spring and the length is now 13 cm.






Fig. 6.1

Calculate the length of the spring if 3 **more** identical nuts are hung on the spring. Show your working.

____cm [2]

	term	definition				
	cell membrane	a green pigment found in some plant cells, which absorbs energy from sunlight				
	chlorophyll	a partially permeable layer surrounding a cell				
	cell wall	a fully permeable layer surrounding a plant cell				
	chloroplast	an organelle found in some plant cells, where photosynthesis takes place				
ı Plan	nt leaves often contain starch, which i	s produced during photosynthesis.				
Des	cribe how the starch is produced.					

(c) Fig. 7.1 shows one of the ways in which a plant called *Bryophyllum* reproduces. It grows new plantlets from its leaves.




Fig. 7.1

(i)	Name the type of reproduction that is taking place.	
		[1]
(ii)	The new plants that are produced are clones of the parent plant.	
	Explain what is meant by the term <i>clone</i> .	
		[2]

(a) As	tudent wrote down some properties of	alpha, beta and gamma radiations.	For Examiner's
Dra	w a line from each property to the corr	ect radiation.	Use
	stopped by paper	alpha	
	contains negatively charged particles		
pass	es through several centimetres of lead	beta	
p	asses through paper but stopped by a few millimetres of aluminium		
	has no mass	gamma	
		[3]	
(b) (i)	Gamma radiation can be used to ste gamma radiation makes it suitable for	erilise surgical instruments. What property of this purpose?	
		[1]	
(ii)	State one other use for radiation from	a radioactive source.	
		[1]	
rad		as set up and used to measure background e laboratory was found to be 40 counts per	
(i)	What is background radiation?		
		[1]	
(ii)	State one source of background radia	ition.	
		[1]	
(iii)	•	ar the detector and a reading of 1200 counts he count rate of the radioactive source?	
		counts per minute [1]	
			1

8

9 Fig. 9.1 shows apparatus which can be used to reduce copper oxide to copper.

For Examiner's Use

Copper oxide is a black powder and during the reaction metallic copper forms inside the reaction tube.





Fig. 9.1

(a) (i) Select from the list of substances below to complete the word equation for the reaction in Fig. 9.1.




[1]

(b) When a student carried out the reaction in Fig. 9.1 she realised the material left inside the reaction tube was a mixture of metallic copper and unreacted copper oxide.

For Examiner's Use

In order to separate the metallic copper, she stirred the material from the reaction tube with warm dilute sulphuric acid for several minutes. She then filtered the mixture as shown in Fig. 9.2.






Fig. 9.2

	(i)	Name the copper compound formed when sulphuric acid reacts with copper oxide.
		[1]
	(ii)	The copper compound you have named in (i) is soluble.
		Explain why the method shown in Fig. 9.2 is successful in separating metallic copper from the original mixture of copper and copper oxide.
		[2]
(c)	Cop	oper oxide is a compound of a metal and a non-metal.
	(i)	Name the type of chemical bonding in copper oxide.
		[1]
	(ii)	Explain why there is a strong force of attraction between the copper and oxide particles in copper oxide.
		[2]

(d) Metallic copper can also be obtained by electrolysis.




Fig. 9.3

Describe what would be seen at each of the electrodes when the electrolysis shown in Fig. 9.3 is carried out.

at the positive electrode	
at the negative electrode	
	[2]

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Neon 10 40 Ar Argon	84 K rypton 36	131 Xe Xenon 54	Rn Radon 86		Lutetium 77	Lawrencium
	II/		19 Fluorine 9 35.5 C1	80 Br Bromine 35	127 I lodine 53	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102
	IΛ		16 Oxygen 8 32 S	Se Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	Md Mendelevium 101
	>		14 Nitrogen 7 31 Phosphorus 15	AS Arsenic	122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium
	Λ		12 Carbon 6 28 Silicon	73 Ge Germanium 32	119 Sn Tin	207 Pb Lead		165 Ho Holmium 67	ES Einsteinium 99
	Ξ		11 B Boron 5 27 A1 Auminium	70 Ga Gallium 31	115 In Indium 49	204 T 1 Thallium 81		162 Dy Dysprosium 66	Californium
				65 Zn Zinc 30	112 Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97
				64 Copper 29	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Carium Ourium
Group				59 Nickel 28	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Americium
Gr				59 Co balt 27	Rh Rhodium 45	192 Ir Iridium 77		Samarium 62	Pu Plutonium
		T Hydrogen		56 Fe Iron	Ruthenium 44	190 OS Osmium 76		Pm Promethium 61	Neptunium 93
				Manganese 25	Tc Technetium 43	186 Re Rhenium 75		144 Nd Neodymium 60	238 U Uranium
				Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium
				51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum 73		140 Cer ium 58	232 Th Thorium
				48 Ti Titanium	91 Zr Zirconium 40	178 Hf Hafnium			nic mass Ibol nic) number
				Scandium 21	89 Y	139 La Lanthanum 57 *	Actinium 89	d series series	 a = relative atomic mass X = atomic symbol b = proton (atomic) number
	=		Be Beryllium 4 24 Mg Magnesium 12	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	е Х
	_		7 Lithium 3 23 Na Sodium 11	39 K Potassium 19	Rb Rubidium 37	133 Cs Caesium 55	Fr Francium 87	*58-71 L 190-103	Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.