



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

COMBINED SCIENCE

0653/03

Paper 3 (Extended)

May/June 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of **20** printed pages.



- 1 (a) Give the term that matches each of these definitions.

a green pigment, found in some plant cells, which absorbs light energy

.....

an organelle, found in some plant cells, where photosynthesis occurs

.....

a fully permeable layer surrounding a plant cell

.....

a partially permeable layer surrounding all cells

.....

[2]

- (b) During photosynthesis, glucose is produced in the leaves of a plant. Some of the glucose is changed to a different sugar and transported to the roots, where it is converted into starch and stored.

- (i) The diagram represents a glucose molecule. Complete the diagram to show part of a starch molecule.



[1]

- (ii) If the outer parts of a plant stem are damaged, this can prevent sugars being transported to the roots.

Explain why this happens, and why it can kill the plant.

.....

.....

.....

[2]

- (c) Fig. 1.1 shows one of the ways in which a plant called *Bryophyllum* reproduces. It grows new plantlets from its leaves.

For
Examiner's
Use



Fig. 1.1

- (i) Name the type of reproduction that is taking place.

..... [1]

- (ii) Explain why reproducing in this way, rather than by producing seeds, might be an advantage to the plant.

.....

 [3]

- (d) Describe **one** other function of plant leaves, apart from photosynthesis and reproduction.

.....

 [2]

- 2 (a) A student wrote down some properties of alpha, beta and gamma radiations.

Draw a line from each property to the correct radiation.

For
Examiner's
Use

contains negatively charged particles	alpha
passes through several centimetres of lead	
has no mass	beta
is deflected towards a negatively charged plate	
is not affected by an electric field	gamma
is the most ionising in air	

[3]

- (b) Cobalt-60 is a radioactive isotope of cobalt.

Explain what is meant by the word *isotope*.

.....

 [2]

- (c) Gamma radiation can be used to sterilise surgical instruments. What property of gamma radiation makes it suitable for this purpose?

..... [1]

- (d) A scientist investigated the activity of a radioactive isotope. She measured a count rate of 8000 per second.

20 minutes later the count rate was 2000 per second.

- (i) Calculate the half-life of the isotope.

..... [1]

- (ii) Predict how long after the start of the experiment the scientist could expect to measure a count rate of 250 per second.

Show your working.

For
Examiner's
Use

..... [2]

- (e) In an experiment, a radiation detector was set up and used to measure background radiation. The background radiation in the laboratory was found to be 40 counts per minute.

- (i) What is *background radiation*?

.....
..... [1]

- (ii) A radioactive source was placed near the detector and a reading of 1200 counts per minute was recorded. What was the count rate of the radioactive source?

..... counts per minute [1]

- 3 Kerosene is a mixture of hydrocarbons used as a fuel for aircraft and for lighting and cooking.

For
Examiner's
Use

Kerosene is obtained from petroleum (crude oil) and is a liquid which boils in the range 150 °C – 200 °C.

- (a) (i) Name **one** other type of liquid fuel which is obtained from petroleum.

..... [1]

- (ii) State the important difference between the various compounds in petroleum which enables them to be separated by fractional distillation.

..... [1]

- (b) A typical molecule in kerosene has the formula $C_{13}H_{28}$.

Complete the balanced equation below for the complete combustion of $C_{13}H_{28}$.



[2]

- (c) Fig. 3.1 shows a dot-and-cross diagram of a molecule of carbon dioxide.




Fig. 3.1

Describe in detail what is shown by the shaded area, **A**.

.....

 [2]

- 4 Fig. 4.1 shows the quantity of nitrogen oxides and sulphur dioxide that was emitted to the atmosphere by a large industrial company between 2001 and 2005.

For
Examiner's
Use




Fig. 4.1

- (a) Describe the change in emissions of nitrogen oxides between 2001 and 2005.

.....

.....

..... [2]

- (b) Suggest **two** ways in which the changes in sulphur dioxide emissions may have been brought about.

.....

.....

..... [2]

- (c) Explain why reducing the quantities of nitrogen oxides and sulphur dioxide that are emitted to the air would be beneficial to the environment.

.....

.....

.....

..... [3]

5 A man is playing golf.

- (a) As the golfer moves around the course in a golf cart, his movement is measured. The measurements are plotted on the graph in Fig. 5.1.




Fig. 5.1

Describe what is happening between

A – B

.....

B – C

.....

[2]

- (b) Calculate the total distance covered.

Show your working.

.....

[3]

- 6 Fig. 6.1 shows apparatus which can be used to reduce copper oxide to copper.

Copper oxide is a black powder and during the reaction metallic copper forms inside the reaction tube.

For
Examiner's
Use





Fig. 6.1

- (a) (i) Select from the list of substances below to complete the word equation for the reaction in Fig. 6.1.

air
hydrogen

copper
oxygen

copper oxide
water



[1]

- (ii) Describe **one** piece of evidence which would show that copper had been formed in this reaction.

.....
 [1]

- (b) Copper oxide is an ionic compound.

- (i) Explain why an oxide ion has an electrical charge of -2 but an oxygen atom is electrically neutral.

.....

 [2]

- (ii) The formula of copper oxide is CuO .

State the number of electrons which each copper ion gains to become a copper atom during the reaction in Fig. 6.1.

Explain your answer.

.....

.....

..... [2]

- (c) Fig. 6.2 shows another method of producing copper from copper oxide.




Fig. 6.2

- (i) Write the name of the salt dissolved in solution **P** in Fig. 6.2.

..... [1]

- (ii) Explain why zinc is able to react with the salt in solution **P**.

.....
..... [1]

- (iii) Explain, in terms of the transfer of electrons, which substance is oxidised when zinc reacts in solution **P**.

.....
..... [2]

7 Fig. 7.1 shows the structure of the human thorax.

For
Examiner's
Use




Fig. 7.1

(a) Using label lines, label each of the following structures.

- bronchus
- pleural membrane
- trachea
- rib

[2]

(b) Gas exchange takes place in the alveoli. When a person smokes for a number of years, the walls of the alveoli start to break down. This is called emphysema.

Explain why emphysema makes it more difficult for oxygen to get into the blood.

.....

.....

..... [2]

- (c) Oxygen is transported around the body in red blood cells. Fig. 7.2 is a diagram of a group of red blood cells.

For
Examiner's
Use




Fig. 7.2

Choose **three** features of red blood cells and for each of them explain how this adapts them for their function.

.....

.....

.....

..... [3]

- (d) Explain why body cells need a constant supply of oxygen.

.....

.....

..... [2]

- 8 (a) A car travels 2 kilometres, at a steady speed, in 100 seconds. The total force driving the car forward is 1000 N.

For
Examiner's
Use

- (i) Calculate the work done by the total driving force over this distance.

State the formula that you use and show your working.

formula

working

..... [2]

- (ii) Calculate the useful power output of the engine during this time.

State the formula that you use and show your working.

formula


working

..... [2]

- (b) A policeman is using a radar gun to measure the speed of a car.

The radar gun emits microwaves which hit the moving car and bounce back to a receiver in the radar gun.

A computer in the radar gun calculates the speed of the car.



(i) What type of waves are microwaves?

..... [1]

(ii) The waves bounce off the car back towards the radar gun. Name this process.

..... [1]

(c) The headlamps on the car are connected in parallel as shown in Fig. 8.1.




Fig. 8.1

Each headlamp has a resistance of 4 ohms.

Calculate the combined resistance of the two headlamps.

State the formula that you use and show your working.

formula

working

..... [3]

- (d) Fig. 8.2 shows a spring. The spring is 10 cm long. A 50 g mass is hung on the spring and the length of the spring increases to 13 cm.

For
Examiner's
Use




Fig. 8.2

The 50 g mass is replaced by an object of unknown mass. The new length of the spring is 22 cm.

Calculate the value of the unknown mass.

Show your working.

..... [2]

- 9 The Periodic Table shows all of the chemical elements arranged into groups and periods.

Fig. 9.1 shows part of the Periodic Table. The letters in this table are **not** the normal chemical symbols of the elements.

For
Examiner's
Use

	I	II											III	IV	V	VI	VII	0
1																		A
2	F																	E
3	C												H					
4	G							B									D	

Fig. 9.1

- (a) Complete the statements below using letters, chosen from **A** to **H**, which refer to elements in Fig. 9.1. Letters may be used once, more than once or not at all.

- The three elements shown as letters , and have the same number of electrons in the outer shells of their atoms.
- The element shown as letter is a very reactive non-metal. [2]

- (b) A student used the apparatus shown in Fig. 9.2 to investigate the decomposition of the compound hydrogen peroxide, H_2O_2 .

The balanced equation for the decomposition of hydrogen peroxide is shown below.





Fig. 9.2

The student measured the decrease in mass of the conical flask and its contents which occurred during the reaction.

Table 9.1 shows the measurements the student made in a series of trials using different masses of manganese dioxide.

The initial concentration and volume of the hydrogen peroxide solution in each trial were the same.

Table 9.1

trial	mass of manganese dioxide / g		time for reaction to finish / seconds	decrease in mass during trial / g
	start	end		
1	0	0	too long to measure	0
2	0.5	0.5	540	1.6
3	1.0	1.0	270	1.6
4	2.0	2.0	135	1.6

- (i) Explain why the mass of the flask and contents decreased in trials **2** to **4**.

.....
 [1]

- (ii) What effect does the mass of manganese dioxide have on the rate of decomposition of hydrogen peroxide?

.....
 [1]

- (iii) Use the information in Table 9.1 to explain the role of manganese dioxide in this reaction.

.....

 [3]

For
Examiner's
Use

- (iv) The rate of chemical reactions increases if the temperature increases.

Explain in terms of collisions between particles why this happens.

.....

.....

.....

..... [2]

- (c) Calculate the relative molecular mass (M_r) of hydrogen peroxide.

Show your working.

..... [1]

DATA SHEET
The Periodic Table of the Elements

Group																							
I	II											III	IV	V	VI	VII	0						
												1 H Hydrogen 1											
7 Li Lithium 3	9 Be Beryllium 4																						
23 Na Sodium 11	24 Mg Magnesium 12																						
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36						
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	127 Te Tellurium 52	128 I Iodine 53	131 Xe Xenon 54							
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83		210 Po Polonium 84	222 Rn Radon 86						
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89																					
58-71 Lanthanoid series																							
90-103 Actinoid series																							
140 Ce Cerium 58																							
141 Pr Praseodymium 59																							
144 Nd Neodymium 60																							
150 Sm Samarium 62																							
152 Eu Europium 63																							
157 Gd Gadolinium 64																							
162 Dy Dysprosium 66																							
165 Ho Holmium 67																							
167 Er Erbium 68																							
169 Tm Thulium 69																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
175 Lu Lutetium 71																							

a = relative atomic mass

X = atomic symbol

b = proton (atomic) number

Key

a	X	b
---	---	---

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.