



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

COMBINED SCIENCE

0653/22

Paper 2 (Core)

May/June 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


For Examiner's Use

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of **19** printed pages and **1** blank page.



- 1 A man wearing a parachute jumps from an aeroplane.



For
Examiner's
Use

There is an upward force and a downward force acting on the man as he begins to fall. After a time his speed of fall becomes constant.

- (a) (i) Name the force which acts downwards on the parachute jumper.

..... [1]

- (ii) Explain in terms of forces why the man's speed of fall becomes constant.

.....

 [2]

- (b) After a while the parachute jumper opens his parachute. The speed-time graph in Fig. 1.1 shows his fall from the aeroplane until he reaches the ground.




Fig. 1.1

- (i) Mark on the graph with the letter **X** a point at which the man's speed is constant. [1]
 (ii) Mark on the graph with the letter **Y** the point at which the parachute is opened. [1]
 (iii) Mark on the graph with the letter **Z** the point at which the man reached the ground. [1]

- 2 (a) Draw lines to link each description to the correct part of a cell.

description	part of a cell
contains DNA	
controls what enters and leaves the cell	cell wall
is partially permeable	nucleus
is fully permeable	cell surface membrane

[4]

- (b) Many metabolic reactions take place in the cytoplasm of cells.

- (i) What is the name given to the chemicals that catalyse these metabolic reactions?

..... [1]

- (ii) Explain why the metabolic reactions cannot take place if the temperature of the cell becomes very high.

.....
 [1]

- (c) Human bones contain cells surrounded by the mineral calcium phosphate.

A study was carried out in Brazil into the mineral content of the leg bones of school children between the ages of 10 and 19 years. The mineral content was measured as the mass of mineral per cm^3 of bone. Some of the results are shown in Fig. 2.2.



Fig. 2.2

- (i) Describe how the mineral content of bone changes between the ages of 10 and 19 years.

.....

 [2]

- (ii) Use the information in Fig. 2.2 to explain why a teenager should have a diet containing plenty of dairy products such as milk and cheese.

.....

 [2]

- (iii) Bone also contains a protein called collagen. Vitamin C is required to make collagen.

Name **one** food that contains large amounts of vitamin C.

..... [1]

For
Examiner's
Use

- 3 A student investigated the reactivity of four metals **A**, **B**, **C** and **D**, by comparing the rate at which these metals reacted in dilute acid.

For
Examiner's
Use

Fig. 3.1 shows what the student observed during the experiment.




Fig. 3.1

- (a) (i) Predict and explain what would be observed if a lighted splint is held in the mouth of the test-tube in which metal **D** is reacting.

.....

 [2]

- (ii) Explain briefly why the student's observations did **not** allow her to place **all four** metals into order based on their reactivity.

.....
 [1]

- (b) Fig. 3.2 shows the apparatus the student used to react dilute sulfuric acid with copper carbonate powder.

For
Examiner's
Use




Fig. 3.2

The student's observations are listed below.

- 1 All of the copper carbonate reacted and dissolved.
- 2 A gas was given off which turned the solution in the smaller test-tube cloudy.
- 3 A blue solution remained in the side-arm test-tube.

- (i) Suggest the name of the solution in the smaller test-tube.

..... [1]

- (ii) Complete the **word** equation for the reaction in the side-arm test-tube.



[2]

- 4 (a) Fig. 4.1 shows a room heated by a convector heater, placed in the middle of the floor.




Fig. 4.1

- (i) On Fig. 4.1 draw the convection currents of air produced by the heater. Use arrows to show their direction. [2]

- (ii) State which labelled part of the room will be the
coldest,
hottest.

Explain your answers.

.....
.....
..... [3]

For
Examiner's
Use

- (b) The heater uses electricity and is plugged into a socket along with some other electrical devices.

For
Examiner's
Use

Fig. 4.2 shows the socket.

State and explain **one** electrical danger that is visible.




Fig. 4.2

danger

.....

explanation

..... [2]

- (c) Most of the electricity used by the heater is generated using the combustion of fossil fuels.

Some electricity is generated using nuclear fuel.

- (i) State **one** advantage of generating electricity from nuclear fuel.

.....

..... [1]

- (ii) State **one** disadvantage of generating electricity from nuclear fuel.

.....

..... [1]

5 (a) Name the part of a flower that carries out each of the following functions.

(i) attracts insects to the flower [1]

(ii) makes pollen [1]

(b) (i) The cells in the petals of most flowers do not contain chlorophyll. They are supplied with sugar that is made in the leaves.

Describe how sugar is made in the leaves of a plant.

.....

.....

.....

..... [3]

(ii) Suggest **one** reason why the cells in flowers need sugars.

..... [1]

- 6 Fig. 6.1 shows crude oil and natural gas trapped in underground rocks. The diagram is not drawn to scale.

For
Examiner's
Use




Fig. 6.1

- (a) Wood obtained from trees and compounds obtained from crude oil and natural gas can be used as fuels.

(i) Name a solid fossil fuel. [1]

(ii) State **two** reasons why crude oil and natural gas are examples of *fossil fuels* but wood is not.

1

.....

2

..... [2]

- (b) Hexane, C_6H_{14} , is one of a very large number of different hydrocarbons which are found in crude oil.

Gasoline (car fuel) is a mixture of hydrocarbons which contains a large amount of hexane.

(i) Name the process which is used to separate gasoline from crude oil.

..... [1]

(ii) Suggest **one** reason why crude oil is **not** put into the fuel tanks of cars.

.....

..... [1]

- (c) In a car, gasoline and air are taken into the engine and a mixture of waste (exhaust) gases is released into the atmosphere.




Table 6.1 shows some of the gases in a car's exhaust.

Table 6.1

substance in exhaust gases
carbon dioxide
carbon monoxide
nitrogen
nitrogen dioxide
oxygen
water vapour

- (i) State the approximate percentage of oxygen gas in unpolluted air.

..... [1]

- (ii) Explain why the mixture of exhaust gases contains less gaseous oxygen than is present in the air taken into the engine.

.....
 [1]

- (iii) A car engine is running inside a building without a good supply of fresh air.

Explain why people near the car could be in danger.

.....

 [2]

- (d) Fig. 6.2 shows the balanced equation for the complete combustion of methane. The reactants and products are shown using displayed (graphical) chemical formulae.

For
Examiner's
Use




Fig. 6.2

Re-write the equation in Fig. 6.2 using molecular formulae.

The equation has been started for you.



7 (a) The diagrams below show the symbols for three parts of an electric circuit in a torch.

(i) On the line below each diagram state the name of the part.



.....

[3]

(ii) Draw a circuit diagram to show how these three parts are connected in a torch.

[2]

(b) Fig. 7.1 shows

- three types of electromagnetic wave,
- a use for each type of wave.

Draw a straight line from each type of wave to the correct use.

type of wave	use of wave
X-ray	cooking
radio wave	long distance communication
infra-red	viewing broken bones

Fig. 7.1

[1]

- 8 Guanacos are relatives of camels and live in the Andes mountains in South America. They feed on grasses and other plants. They are killed and eaten by pumas.

For
Examiner's
Use

Fig. 8.1 shows a guanaco.



Fig. 8.1

- (a) For each statement below, choose the correct ecological term from the list.

community consumer decomposer ecosystem
habitat population producer

definition	ecological term
all the guanacos that live in a particular area	
all the species of animals and plants that live in a particular area	
an organism, such as a guanaco or a puma, that feeds on other organisms	

[3]

(b) Guanacos can live at very high altitudes, above 4000 metres. There is less oxygen in the air than at sea level.

- (i)** Describe how oxygen from the air enters the blood of a mammal, such as a guanaco.

.....

.....

..... [2]

- (ii)** The blood of a guanaco contains four times as many red blood cells per cm^3 as the blood of a human. This helps the guanaco to survive in its environment.

Suggest an explanation for this.

.....

.....

..... [2]

(c) Guanacos are an endangered species.

Several countries in South America have conservation programmes to try to increase the numbers of guanacos.

Suggest why it is important to conserve guanacos.

.....

.....

..... [2]

- 9 (a) Fig. 9.1 shows a smoke detector that uses the isotope americium-241, which emits alpha radiation.

For
Examiner's
Use




Fig. 9.1

Smoke particles stop radiation from reaching the air particles. This causes the current to stop flowing, causing the alarm to sound.

- (i) Explain why beta or gamma radiation sources would **not** be suitable for this smoke detector.

.....

 [2]

- (ii) Explain why alpha radiation is harmful to living organisms, even though it can be easily stopped.

.....

 [2]

- (b) Some radiation in the environment is produced naturally. This is called background radiation.

State **one** major source of background radiation.

..... [1]

- (c) Suggest **one** precaution that must be taken when handling radioactive sources.

..... [1]

10 Lithium and its compounds have many important uses.

For
Examiner's
Use

- (a) (i) Use the Periodic Table on page 20 to find the group number and period number of lithium.

group number

period number

[1]

- (ii) Fig. 10.1 shows how the element lithium is stored.




Fig. 10.1

State and explain why it is necessary to store lithium in this way.

.....

 [2]

- (iii) Fig. 10.2 shows a student's attempt to draw the arrangement of all the electrons in a lithium atom.




Fig. 10.2

State **two** mistakes that the student has made.

1

 2
 [2]

- (iv) Explain whether or not a piece of solid lithium would conduct an electric current.

.....
 [1]

- (b) The uncombined element, lithium, is made when the salt lithium chloride is used in electrolysis.

- (i) Lithium chloride is an ionic compound.

State **one** difference between a lithium *ion* and a lithium *atom*.

.....
 [1]

- (ii) Fig. 10.3 shows a simplified diagram of the electrolysis of lithium chloride. In this electrolysis, lithium is formed at the cathode.




Fig. 10.3

Label the cathode on Fig. 10.3. [1]

- (iii) Complete the word equation below which describes the electrolysis of lithium chloride.

lithium chloride $\longrightarrow$ lithium + [1]

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II								III	IV	V	VI	VII	0				
												1 H Hydrogen 1						4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	103 Pd Palladium 46	106 Ag Silver 47	108 Cd Cadmium 48	112 In Indium 49	115 Sn Tin 50	119 Sb Antimony 51	122 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54		
133 Cs Cesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83		Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89																
58-71 Lanthanoid series																		
90-103 Actinoid series																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
175 Lu Lutetium 71																		
173 Yb Ytterbium 70																		
102 No Nobelium 102																		
101 Md Mendelevium 101																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
232 Th Thorium 90																		
238 U Uranium 92																		
238 Pa Protactinium 91																		
238 Np Neptunium 93																		
238 Pu Plutonium 94																		
238 Am Americium 95																		
238 Cm Curium 96																		
238 Bk Berkelium 97																		
238 Cf Californium 98																		
238 Es Einsteinium 99																		
238 Fm Fermium 100																		
238 Md Mendelevium 101																		
238 No Nobelium 102																		
238 Lr Lawrencium 103																		
238 Lu Lutetium 71																		
238 Yb Ytterbium 70																		
238 Tm Thulium 69																		
238 Er Erbium 68																		
238 Ho Holmium 67																		
238 Dy Dysprosium 66																		
238 Gd Gadolinium 64																		
238 Eu Europium 63																		
238 Sm Samarium 62																		
238 Nd Neodymium 60																		
238 Pr Praseodymium 59																		
238 Ce Cerium 58																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
238 Tm Thulium 69																		
238 Yb Ytterbium 70																		
238 Lu Lutetium 71																		
238 La Lanthanum 57																		
238 Ce Cerium 58																		
238 Pr Praseodymium 59																		
238 Nd Neodymium 60																		
238 Pm Promethium 61																		
238 Sm Samarium 62																		
238 Eu Europium 63																		
238 Gd Gadolinium 64																		
238 Tb Terbium 65																		
238 Dy Dysprosium 66																		
238 Ho Holmium 67																		
238 Er Erbium 68																		
2																		

a	X	b
Key		

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.