



--

--	--	--	--	--

--	--	--	--

0653/23

May/June 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of **22** printed pages and **2** blank pages.

- 1 Sugar cane is a food crop grown in Australia. It is harvested and then transported on small trains to the processing plant.

Fig. 1.1 shows one of the trains carrying sugar cane.




Fig. 1.1

- (a) The train travels a distance of 25 kilometres in 2 hours.

Calculate the average speed of the train.

State the formula that you use and show your working.

formula used

working

..... km/h [2]

- (b) The train engine is powered by oil. The oil is burned to change water into steam. The steam is used to make parts of the engine move.

- (i) What kind of energy is stored in the oil?

..... [1]

- (ii) The engine is 30% efficient in converting the energy stored in the oil into movement energy. The rest of the stored energy is lost in different ways.

State **one** of these ways.

..... [1]

- (c) The track for the train is composed of short lengths of steel rails with small gaps left between them as shown in Fig. 1.2.

For
Examiner's
Use




Fig. 1.2

Suggest a reason for leaving these small gaps.

.....

.....

..... [2]

- (d) Sugar can be fermented and turned into ethanol. Ethanol is now used as a fuel for cars.

Give **one** reason, other than cost, why people might use ethanol rather than petrol in their cars.

..... [1]

- (e) The farm on which the sugar cane is grown uses a wind turbine to produce electrical power. Table 1.1 shows the electrical power generated for different wind speeds.

For
Examiner's
Use

Table 1.1

wind speed / km per hour	0	3	5	8	10	12	15	20
power generated / W	0	0	150	500	1000	1100	1200	1200

- (i) Suggest the lowest wind speed needed to generate power.

..... km/h [1]

- (ii) State the maximum power that this wind turbine can produce.

..... W [1]

- (iii) State **one** disadvantage of using only a wind turbine as the source of electrical power.

.....
..... [1]

- 2 An element is a substance that is made of atoms which have the same proton number. Most atoms contain protons, neutrons and electrons.

For
Examiner's
Use

The elements are shown in the Periodic Table.

- (a) The chemical symbol of an atom of the element chlorine is shown below.



The nucleon number of this atom is 35.

- (i) Name the part of an atom that contains the protons and neutrons.

..... [1]

- (ii) State the number of neutrons in this chlorine atom.

Explain your answer.

number of neutrons

explanation [2]

- (iii) Name the element whose atoms do **not** usually contain any neutrons.

..... [1]

- (b) Table 2.1 shows Period 2 of the Periodic Table.

Table 2.1

	I	II	III	IV	V	VI	VII	0
Period 2	X						Y	Z

The element represented by **X** is a solid at room temperature and the elements represented by **Y** and **Z** are gases.

- (i) Suggest **one** difference, other than physical state at room temperature, between the properties of elements **X** and **Y**.

..... [1]

- (ii) Suggest **one** difference between the chemical properties of elements **Y** and **Z**.

..... [1]

- (c) Fig. 2.1 shows a simple lime kiln which is used to produce lime (calcium oxide) from limestone (calcium carbonate).

For
Examiner's
Use




Fig. 2.1

In the lime kiln, the pieces of carbon are burnt to provide heat energy.

- (i) Explain why the burning of carbon is described as an oxidation reaction.

.....

 [2]

- (ii) Both calcium oxide and calcium carbonate are sometimes added to the soil by farmers.

Suggest and explain why this is done.

.....

 [2]

- 3 Marmots are herbivorous mammals. Fig. 3.1 shows a marmot.

For
Examiner's
Use




Fig. 3.1

- (a) Define the term *herbivore*.

.....
..... [2]

- (b) A study has been carried out on the marmots living in Colorado, USA.

The winters in this part of Colorado are very cold. The marmots hibernate (sleep) in burrows in winter. They do not eat while they are hibernating. They wake up in spring.

Before they hibernate, marmots build up large fat stores beneath their skin.

Suggest and explain what marmots must do in order to build up large fat stores in their bodies.

.....
.....
..... [2]

- (c) Fig. 3.2 shows the percentage of marmots with different body masses that survive through the winter.

For
Examiner's
Use




Fig. 3.2

- (i) Describe the relationship between a marmot's body mass and its chance of surviving the winter.

.....

 [2]

- (ii) Suggest how a layer of fat beneath the skin can help a marmot to keep warm during cold weather.

.....
 [1]

- (d) In the last twenty years, spring has been arriving earlier in the year in Colorado. This is a result of global warming.

Name **two** gases that contribute to global warming.

1
 2 [2]

- (e) Fig. 3.3 shows the mean body mass of the marmots on the first day of August (during summer) between 1976 and 2006.

For
Examiner's
Use




Fig. 3.3

- (i) Describe the general trend shown in Fig. 3.3.

.....
 [1]

- (ii) Suggest how the earlier arrival of spring could be responsible for this trend.

.....
 [1]

- 4 Fig. 4.1 shows some of the apparatus and substances a student used to investigate the rate of reaction between magnesium and dilute hydrochloric acid. In this reaction a gas is given off and bubbles up into the measuring cylinder.

For
Examiner's
Use




Fig. 4.1

- (a) Fig. 4.1 shows the apparatus just before the student started his experiment to measure the rate of reaction.

Describe briefly the method the student should use and the measurements he should make.

.....

.....

.....

..... [3]

- (b) The student carried out a second experiment using hydrochloric acid which had a **higher** concentration. All of the other variables which could affect the rate were kept the same as in the first experiment.

(i) State **one** of the other variables that the student kept constant.

..... [1]

(ii) Predict and explain briefly how the results the student obtained in the second experiment would be different from the first experiment.

.....

.....

..... [2]

- (c) The reaction between magnesium and dilute hydrochloric acid also produces the ionic compound magnesium chloride.

In crystals of this compound, **two** chloride ions combine with **one** magnesium ion.

(i) State **one** difference between a magnesium atom and a magnesium ion.


.....

..... [1]

(ii) State the chemical formula of magnesium chloride.

..... [1]

(iii) Complete the **word** chemical equation for the reaction between magnesium and hydrochloric acid.



[1]

- 5 (a) A bat produces a sound wave with a frequency of 212 kHz and a wavelength of 0.0016 m.

For
Examiner's
Use

- (i) This sound is outside the audible frequency range for humans.

State the approximate audible frequency range for humans.

..... Hz [1]

- (ii) State the meaning of the terms *frequency* and *wavelength*, when describing a wave. You may use a diagram if it helps your explanation.

frequency

.....
.....
.....

wavelength

.....
.....
.....

[2]

- (b) A girl shouts and waves to another girl in the school playground as shown in Fig. 5.1.



Fig. 5.1

The sound energy and the light energy both travel from one girl to the other by wave motion.

- (i) Explain why sound waves will **not** travel through a vacuum.

..... [1]

- (ii) If the first girl now makes another sound with a smaller amplitude, what change would the second girl notice?

..... [1]

- (iii) The girls could have communicated with each other using their mobile phones (cell phones).

Name the type of electromagnetic wave used to communicate between mobile phones.

..... [1]

For
Examiner's
Use

(c) Fig. 5.2 shows a ray of light passing through a rectangular glass block.

For
Examiner's
Use




Fig. 5.2

On Fig. 5.2, label an angle of incidence, i , and an angle of refraction, r .

[2]

BLANK PAGE

Please turn over for Question 6.

- 6 Fig. 6.1 shows part of a section across a root from a radish plant, photographed through a microscope.

For
Examiner's
Use




Fig. 6.1

- (a) On Fig. 6.1, use a label line to label a root hair cell. [1]

- (b) Root hair cells absorb substances from the soil.

Name **two** substances that root hair cells absorb from the soil.

1

2 [2]

- (c) A complete radish plant was placed with the lower part of the root standing in water. A soluble red dye was added to the water. After a while, the veins in the leaves of the radish plant became red.

- (i) Name the tissue in the radish plant through which the coloured water was transported from the roots to the leaves.

..... [1]

- (ii) On Fig. 6.1, write the letter **A** to show the position of this tissue in the root. [1]

- (d) (i) The cells in the radish root are plant cells.

Complete Table 6.1 to show which structures are present in plant cells and which are present in animal cells.

Use a tick (✓) to show that the structure is present. Use a cross (✕) to show that the structure is not present.

You should place either a tick or a cross in every space in the table.

Table 6.1

structure	plant cells	animal cells
cell membrane		
cell wall		
nucleus		
vacuole containing sap		

[4]

- (ii) Would you expect the cells in the radish root to contain chloroplasts?

Explain your answer.

.....
 [1]

For
Examiner's
Use

- 7 (a) A student investigated how the change in potential difference across a lamp affected the current flowing through it.

For
Examiner's
Use

She used wires to connect the components shown in Fig. 7.1 to make a suitable circuit.




Fig. 7.1

- (i) Using the correct symbols from Fig. 7.1, draw a diagram to show the circuit she made.

[3]

- (ii) Explain why a variable resistor is used in this circuit.

.....
 [1]

(b) A plastic rod is rubbed with a cloth. The rod becomes charged.

There are two types of electric charge.

(i) State the names of these types of charge.

1

2 [1]

(ii) Charged particles are transferred between the rod and cloth.

Name the charged particles transferred. [1]

(iii) Plastic is an example of an electrical insulator.

Name **one** material which is an electrical conductor.

..... [1]

- 8 The bar chart in Fig. 8.1 shows the approximate composition of unpolluted air.

For
Examiner's
Use




Fig. 8.1


- (a) (i) Complete the bar chart in Fig. 8.1 by labelling the percentages of nitrogen, oxygen and other gases. [2]

- (ii) Name **one** of the **other gases** in Fig. 8.1 that exists in unpolluted air.

..... [1]

- (b) Nitrogen and oxygen exist in the air in the form of the diatomic molecules, N_2 and O_2 .

When lightning passes through the air, the gaseous compounds nitric oxide, NO, and nitrogen dioxide, NO_2 , are formed.



- (i) Explain why nitrogen and oxygen are described as chemical elements, but nitric oxide and nitrogen dioxide are described as compounds.

.....

 [2]

- (ii) Suggest the type of chemical bonding in nitric oxide and nitrogen dioxide.

Explain your answer briefly.

type of bonding

explanation

[2]

- (iii) Nitrogen dioxide dissolves and reacts with rainwater.

A student carried out an experiment to investigate what happened to the acidity of rainwater during a thunderstorm.

His results are shown in Table 8.1.

Table 8.1

description of sample	pH
pure water obtained in a science laboratory	7
rainwater collected when no thunderstorm was occurring	5
rainwater collected during a thunderstorm	4

What conclusions can the student make from these results?

.....

 [2]

- 9 (a) One of the characteristics of living organisms is sensitivity. This is the ability to respond to changes in the environment.

List **four** other characteristics of all living things.

- 1
- 2
- 3
- 4

[2]

- (b) Hormones help organisms to respond to changes in their environment.

- (i) Name the hormone that is produced when a person is frightened.

..... [1]

- (ii) State **two** effects of this hormone.

- 1
-
- 2
-

[2]

- (c) How are hormones transported around the body?

..... [1]

BLANK PAGE

Copyright Acknowledgements:

Question 6 Photograph © B23WP8 cross section of a radish root; Biodisc/Visuals Unlimited/Alamy.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

DATA SHEET
The Periodic Table of the Elements

Group																							
I	II											III	IV	V	VI	VII	0						
												1 H Hydrogen 1											
7 Li Lithium 3	9 Be Beryllium 4																						
23 Na Sodium 11	24 Mg Magnesium 12																						
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36						
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	127 Te Tellurium 52	131 I Iodine 53	131 Xe Xenon 54							
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83		210 Po Polonium 84	222 Rn Radon 86						
Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89																					
58-71 Lanthanoid series																							
90-103 Actinoid series																							
175 Lu Lutetium 71																							
173 Yb Ytterbium 70																							
169 Tm Thulium 69																							
167 Er Erbium 68																							
165 Ho Holmium 67																							
162 Dy Dysprosium 66																							
159 Tb Terbium 65																							
157 Gd Gadolinium 64																							
152 Eu Europium 63																							
150 Sm Samarium 62																							
144 Nd Neodymium 60																							
141 Pr Praseodymium 59																							
140 Ce Cerium 58																							
238 U Uranium 92																							
235 Pa Protactinium 91																							
232 Th Thorium 90																							
210 Po Polonium 84																							
209 Bi Bismuth 83																							
208 Pb Lead 82																							
207 Tl Thallium 81																							
201 Hg Mercury 80																							
197 Au Gold 79																							
195 Pt Platinum 78																							
192 Ir Iridium 77																							
186 Re Rhenium 75																							
184 W Tungsten 74																							
181 Ta Tantalum 73																							
178 Hf Hafnium 72																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe Xenon 54																							
136 Kr Krypton 36																							
139 La Lanthanum 57																							
137 Ba Barium 56																							
133 Cs Caesium 55																							
127 Te Tellurium 52																							
122 Sb Antimony 51																							
119 Sn Tin 50																							
115 In Indium 49																							
112 Cd Cadmium 48																							
108 Ag Silver 47																							
106 Pd Palladium 46																							
101 Ru Ruthenium 44																							
101 Rh Rhodium 45																							
106 Pd Palladium 46																							
108 Ag Silver 47																							
112 Cd Cadmium 48																							
115 In Indium 49																							
119 Sn Tin 50																							
122 Sb Antimony 51																							
127 Te Tellurium 52																							
131 I Iodine 53																							
131 Xe X																							

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).