## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the October/November 2006 question paper

## 0653 COMBINED SCIENCE

0653/02

Paper 2, maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0653	2

1	(a)	(i)	peat/wood/straw/biomass/biodiesel/biogas/rubbish;	[1]
		(ii)	68% (40 + 25 + 3)	[1]
		(iii)	wind/solar/geothermal/waves/tides etc;	[max 2]
	(b)	heat/thermal ; water ; turbine ;		[3]
	(c)	to reduce energy/heat losses;		[1]
				[Total 8]
2	(a)	(i)	<ul><li>1 carbon dioxide;</li><li>2 hydrogen;</li><li>3 carbon dioxide;</li></ul>	[3]
		(ii)	HC1;	[1]
		(iii)	carbon dioxide – reaction with limewater; goes cloudy; OR hydrogen – ignite/apply lighted splint; pops/small explosive pop; [error carried forward for any incorrect gas with correct test]	[2]
	(b)	look for a temperature increase/check the thermometer reading/if temperature increases then exothermic;		
	(c)	(i)	volume of gas collected/volume reading from gas syringe; time taken for the gas to collect/owtte;	[2]
		(ii)	reduce acid temperature/acid concentration/surface area of solid;	[1]
				[Total 10]
3	(a)	<b>B</b> an	riduct ; nniotic fluid ; nbilical cord ;	[3]
	(b)	from by dif	gh the placenta ; its mother's blood ; ffusion ; gh the umbilical cord	[max 3]
	(c)	cervi	<u>sles</u> (in uterus) contract ; x widens ; pushed out through vagina ;	[max 2]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0653	2

(d) reference to virus/HIV; crosses the placenta/passes from mother's blood to baby's blood; (allow reference to infection at birth if clear that trauma is allowing blood to mix) [2] [Total 10] 4 (a) (i) first bends towards normal going through block; second bends away from the normal leaving the block; (allow one mark for consistent error carried forward if refracted ray bends away from the normal) (ii) [1] angle of refraction correctly labelled; (b) speed = distance/time = 1000/3; = 333(.3 recurring) (m/s); [2] [Total 5] 5 (a) (i) <u>fractional distillation</u>/fractionation; [1] (ii) F; [1] (b) (i) [1] oxygen; (ii) reference to carbon dioxide; contributing to global warming/greenhouse effect; which may cause climate change/specific example; OR reference to sulphur dioxide/nitrogen oxides; react with rain water/cause acid rain; acid rain damages plants and animals/reacts with/weakens building materials; (as gases) may cause respiratory damage; OR reference to carbon monoxide; toxic gas; if breathed in reduces oxygen transport on red blood cells; [max 3] OR reference to soot/carbon/black fumes; toxic/carcinogenic/dirty; reference to adverse affects on human health/soiling of buildings; (c) polymer is much larger/heavier; polymer is a long chain molecule; polymer is made when simple molecules (like ethene) link together; correct references to unsaturation in monomer; [max 2] [Total 8]

Pa		age 4	Mark Scheme	Syllabus	Pape
			IGCSE - OCT/NOV 2006	0653	2
6	(a)	(i)	0.1 dm <sup>3</sup> ;		[1]
		(ii)	the longer the race, the more oxygen used/the longer the race per metre;	the less oxygen used	d [1]
	(b)	(i)	in red (blood) cells ; combined with haemoglobin/as oxyhaemoglobin		[2]
		(ii)	respiration ; in muscle (cells) ; combined with glucose ; producing carbon dioxide and water ;		[max 3]
	(c)		eases reaction time ; lower start ;		[2]
					[Total 9]
7	(a)	(i)	correct symbols ; series circuit ; everything else correct e.g. correct number of cells, no addition	al components:	[3]
		(ii)	4.5(V);	• ,	[1]
	(b)	(i)	suitable source – named hot body; suitable named detector; (e.g. thermometer/thermopile); use e.g. thermal imaging/night vision;		[3]
		(ii)	radiowaves/microwaves/ultra violet/X rays/gamma ;		[1]
8	(a)				[Total 8]
		poo is a	n be hammered into different shapes M; or conductor of heat a gas at room temperature (20°C)		
			od conductor of electricity  or conductor of electricity  M;		[2]
	(b)	(i)	Al;		[1]
		(ii)	13;		[1]
		(iii)	unreactive/does not react with food/does not corrode; (references to rust disqualifies)		[1]
	(c)	contains more than one type of atom/element ; bonded/joined ;			[2]
	(d)	(i)	melted/heated to melting;		[1]
		(ii)	<u>aluminium oxide</u> (→ aluminium + ) <u>oxygen</u> ;		[1]
			2		[Total 9]

Paper

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0653	2

9	(a)	assume statements are about root hair cell unless otherwise indicated has a long extension/large surface area; does not have chloroplasts;		
	(b)	(i)	2	[1]
		(ii)	across root; up xylem;	[2]
		(iii)	carbon dioxide + water ; gives glucose/starch/sugar, plus oxygen ;	[2]
		(iv)	water particles move faster when hot/more transpiration when hot/photosynthesis faster when hot/more evaporation from leaves when hot;	[1]
			[Tota	al 8]
10	(a)			[2]
	(b)	alpha will be absorbed by air/skin if outside the body; internally, radiation damages organs/cells/DNA/causes mutations/may cause cancer		[2]
	(c)	gaps allow for expansion of bridge/road materials to occur/avoids damage when expansion occurs;		[1]