



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

COMBINED SCIENCE

0653/31

Paper 3 (Extended)

October/November 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 19 printed pages and 1 blank page.



1 The chemical reaction involved in the manufacture of ammonia requires an iron catalyst.

For Examiner's Use

Fig.1.1 shows a simplified diagram of the reaction vessel in which ammonia is made.




Fig. 1.1


(a)	(i)	Explain the meaning of the term <i>catalyst</i> .	
			[2]
	(ii)	Iron is a member of the family of metals which lies between scandium and zinc the Periodic Table.	in
		Name this family of metals.	[1]
((iii)	The iron catalyst is prepared by reacting iron oxide with hydrogen gas.	
		The symbolic equation below for this reaction is not balanced.	
		Complete the balancing of the equation.	
		Fe_3O_4 + H_2 \longrightarrow H_2O	[2]
((iv)	Explain, in terms of the loss or gain of electrons, whether iron is oxidised reduced in the reaction in (iii).	or
			[2]

(v) Calculate the relative formula mass of iron oxide, Fe_3O_4 . Show your working.

For Examiner's Use

[2]

- (b) Complete the bonding diagram below to show
 - the chemical symbols of the elements in a molecule of ammonia,
 - the arrangement of the outer electrons of each atom.



[3]

2 The golden lion tamarin is a species of monkey that lives in forests in Brazil. Its diet includes fruits and nectar from trees. Its predators include snakes, bamboo rats and owls.

For Examiner's Use



(a) (i) In the space below, construct a food web involving golden lion tamarins.

[3]

(ii) Using your knowledge of energy flow through food chains, explain why predators such as owls are usually rarer than the prey on which they feed.

(b) Golden lion tamarins are important for the dispersal of seeds from many different species of trees. They eat the fruits and then egest the seeds in their faeces.

For Examiner's Use

An investigation was carried out into the distances that golden lion tamarins dispersed seeds from trees.

Fig. 2.1 shows the results of a study in which the distances of the tamarin's faeces from one tree were measured.




Fig. 2.1

(i)	Describe the distribution of golden lion tamarin faeces in relation to this tree.
	[2]
(ii)	Suggest how the dispersal of seeds away from the tree, in golden lion tamarin faeces, could benefit the young plants that grow from the seeds.
	[3]

BLANK PAGE

3 Fig. 3.1 shows two cars.

For Examiner's Use




Fig. 3.1

(a)	Explain which of these cars, A or B , is less likely to overturn if it goes round a cornel high speed.	r at
		[2]
(b)	Car B took 1.5 hours to complete a race of 330 kilometres.	
	Calculate the average speed of the car in kilometres per hour.	
	State the formula that you use and show your working.	
	formula used	
	working	
		[2]

(c) Fig. 3.2 shows the speed-time graph for the racing car over a short period. 50 40 30 speed m/s 20 10 time/s Fig. 3.2 (i) Describe the motion of the racing car during section B, section C. [2] (ii) Calculate the distance travelled over the first 10 seconds. Show your working. [2] (iii) The car is accelerating during section A. Calculate the acceleration. Show your working. [2]

(iv)	The car and driver have a total mass of 1500 kg.	
	Calculate the force that produced the acceleration during section A .	
	State the formula that you use and show your working.	
	formula used	
	working	
		[2]

4 (a) Fig. 4.1 shows some of the structures involved in a reflex action.

For Examiner's Use




Fig. 4.1

(i) State the **letter** that is labelling each of these structures.

	a receptor	
	a sensory neurone	[2]
(ii)	On Fig. 4.1, draw one arrow on structure R and one arrow on structure S to she the direction in which a nerve impulse travels.	ow [1]
iii)	On Fig. 4.1, label one structure that is part of the central nervous system.	[1]
iv)	In this reflex action, touching the hot pan causes arm muscles to contract a move the arm away.	nd
	Describe one advantage of this being a reflex action, rather than a volunta action.	ary
		[1]

- (b) Each neurone has a nucleus, which contains chromosomes made of DNA.
 - (i) Name one type of cell in the human body that does not contain a nucleus.

[1]

(ii) In humans, a sperm cell has 23 chromosomes.

Suggest the number of chromosomes that is present in a neurone.

[1]

5 (a) Fig. 5.1 shows a piece of magnesium ribbon which a student has just dropped into a container of dilute sulfuric acid.




		Fig. 5.1
	(i)	State how an increase in temperature will change the rate at which the magnesium and acid react.
		[1]
	(ii)	Explain your answer to (i) in terms of particles.
		[2]
(b)		furic acid containers are often made of poly(ethene). Poly(ethene) is a polymer ch is formed from hydrocarbon monomers.
	(i)	Suggest one property of poly(ethene) which makes it suitable for making sulfuric acid containers.
		[1]
	(ii)	Ethene is an unsaturated hydrocarbon which is manufactured from saturated hydrocarbons by cracking.
		Outline the process of cracking.
		[2]

6 (a) Fig. 6.1 shows the circuit diagram of a circuit constructed by a student. Ammeters A_1 , A_2 , A_3 , A_4 and A_5 are used to measure current.

For Examiner's Use




Fig. 6.1

(i) The readings on A_2 , A_3 and A_5 are shown in Table 6.1.

Table 6.1

Ammeter	Reading
A_2	2A
A ₃	6A
A ₅	8 A

	State the readings on \mathbf{A}_1 and \mathbf{A}_4 .		
	A ₁	A ₄	[2]
(ii)	The power input to one of the 2Ω resis	otors is 72 W.	
	Calculate how many joules of energy a	are transferred in 20 seconds.	
	State the formula that you use and sho	ow your working.	
	formula used		

[2]

working

	(iii)	Calculate the total resistance between X and Y .
		State the formula that you use and show your working.
		formula used
		working
		[3]
(b)		nsformers increase the voltage of the electricity generated at a power station before asmission through power lines.
	(i)	State why this is done.
		[1]
	(ii)	A transformer changes the voltage from 25 000 V to 600 000 V.
		Use the equation
		$V_p/V_s = N_p/N_s$
		to calculate the ratio of the number of turns on the primary coil to the number on the secondary coil.
		[2]

7 (a) Table 7.1 shows some information about enzymes found in the human alimentary canal.

For Examiner's Use

Complete the table.

Table 7.1

enzyme	one site of action	type of nutrient that is broken down	product that is formed
	mouth		
		protein	

[3]

(b) In some parts of the world, people are unable to get enough food or to eat a balanced diet. Young children in some regions of Asia may have a diet that consists mostly of rice, while in some parts of Africa a young child's diet may consist mostly of cassava.

Table 7.2 shows the main nutrients present in 100 g of white rice and 100 g of cassava.

Table 7.2

nutrient	white rice	cassava
protein/g	5.0	1.2
carbohydrate/g	58.6	34.7
fat/g	0.4	0.3

consists mostly of cassava.
Use the information in Table 7.2 to explain one reason why this is so.

.....

(i) A diet that consists mostly of rice is better for a young child than a diet that

© UCLES 2011

[2]

(ii)	Carbohydrates include sugars and starch. Describe how a student could test a sample of cooked rice to find out if it contains reducing sugar.
	[3]
(iii)	The parts of a cassava plant that are used as food are the roots, which store carbohydrate in the form of starch. The cells in the cassava roots are provided with carbohydrates that have been made by photosynthesis in the leaves.
	Describe how carbohydrates that have been made in the cassava plant's leaves are transported to the roots.
	[2]

8 Fig. 8.1 shows some data about the percentage composition by mass of the Earth's crust.




				Fig. 8.1			
(a)	(i)	State the perc	entage by mass	of aluminium in	the Earth's c	rust.	
							[1]
	(ii)		of the following resection labelled		•	epresent the number	er of
		39	89	1;	39	1089	
		Explain briefly	how you chose y	our answer.			
		number					
		explanation					
							[4]

(b) Aluminium metal may be obtained by the electrolysis of molten aluminium oxide.

Fig. 8.2 shows a simplified diagram of this process.

For Examiner's Use




Fig. 8.2

Electrons move through the connecting wires in the directions shown in Fig. 8.2, and ions are converted into uncharged atoms at the surfaces of the electrodes.

(i)	Explain briefly why the mixture containing aluminium oxide must be kept molten.
	[1]
	[1]
(ii)	Explain briefly why oxygen atoms are formed at the anode and not the cathode.
	[2]
iii)	Explain why, when six electrons move around the circuit, two aluminium atoms and three oxygen atoms are formed.
	FOL
	[3]

9 (a) Some types of food are treated with gamma radiation. Low doses of radiation slow down the ripening processes in fresh fruit, whilst higher doses of radiation kill the microbes that make food decay.

For Examiner's Use

[1]

boxes.	is, even when the in	лі іѕ раскей іп
		[1]
Complete the sentences below by crossing out the	he incorrect words ir	each box.
Isotopes of the same element have atoms with	the same number	of protons
Tisotopes of the same element have atoms with	different numbers	or protoris
the same number		

(iii) Fig. 9.1 shows how a conveyor belt can be used to move the fresh fruit past the radioactive source.

of neutrons.




Fig. 9.1

Suggest why concrete is used to surround the radioactive source.

[1]

(ii)

and

different numbers

(b)	Sor	me people may not like the idea of eating fruit which has been treated with radiation	n.
	The	ey wrongly think that the food will be radioactive.	
	(i)	Describe one way in which a scientist could show that the food is not radioactive) .
			[1]
	(ii)	Explain why the food will not be radioactive.	
			[1]

DATA SHEET
The Periodic Table of the Elements

	0	4	He	Helium 2	20	Ne	Neon 10	40	Ā	Argon 18	84	궃	Krypton 36	131	Xe	Xenon 54		Ru	Radon 86				175	3	Lutetium 71		בֿ	Lawrencium 103								
	=				19	ш	Fluorine 9	35.5	CI	Chlorine 17	80	Ā	Bromine 35	127	Ι	lodine 53		Ą	Astatine 85				173	Υp	Ytterbium 70		8	Nobelium 102								
	5												16	0	Oxygen 8	32	တ		62	Se	Selenium 34	128	<u>a</u>	Tellurium 52		Ъо	_				169	Ш	Thulium 69		Md	Mendelevium 101
	>				41	z	Nitrogen 7	31	_	Phosphorus 15	75	As	Arsenic 33	122		Antimony 51	508	Ö	Bismuth 83				167	ш	Erbium 68		Fm	Fermium 100								
	2				12	ပ	Carbon 6	28	Si	Silicon 14	73	Ge	Germanium 32	119		Tin 50	207	Pb	Lead 82				165	운	Holmium 67		Es	Einsteinium 99								
	=				7	Δ	Boron 5	27	Ν	Aluminium 13	20	Ga	Gallium 31	115	In	Indium 49	204	11	Thallium 81				162	۵	Dysprosium 66		ర	Californium 98								
											65	Zn	Zinc 30	112	ဦ	Cadmium 48	201	Hg	Mercury 80				159	P	Terbium 65		쓢	Berkelium 97								
											64	ე C	Copper 29	108	Ag		197	Αn	Gold 79				157		Gadolinium 64			Curium 96								
Group											59	Z	Nickel 28	106	Pd	Palladium 46	195	₹	Platinum 78				152	En	Europium 63		Am	Americium 95								
Ğ											59	ပိ	Cobalt 27	103	Rh	Rhodium 45	192	Ir	Iridium 77				150		Samarium 62		Pu	Plutonium 94								
		-	I	Hydrogen 1							56	Ьe	Iron 26	101	Ru	Ruthenium 44	190	Os	Osmium 76					Pm	Promethium 61		ď	Neptunium 93								
											55	Mn	Manganese 25		ည	Technetium 43	186	Re	Rhenium 75				144	ΡN	Neodymium 60	238	⊃	Uranium 92								
											52	ပ်	Chromium 24	96	Mo	Molybdenum 42	184	≯	Tungsten 74				141	P	Praseodymium 59		Ра	Protactinium 91								
											51	>	Vanadium 23	93	g	Niobium 41	181	Та	Tantalum 73				140	ပီ	Cerium 58		┖	Thorium 90								
											48	F	Titanium 22	91	Zr	Zirconium 40	178	Ξ	Hafnium 72							nic mass	lod	iic) number								
											45	လွ	Scandium 21	88	>	Yttrium 39	139	La	Lanthanum 57 *	227	Ac	89 +	corioc	pripe	2	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number								
	=				6	Be	Beryllium 4	24	Mg	Magnesium 12	40	Ca	Calcium 20	88	Š	Strontium 38	137	Ва	Barium 56	226	Ra	88	*58-71 anthanoid series	30-7 1 Eantinandia sene 190-103 Actinoid series		a	×	۵								
	_				7	=	Lithium 3	23	Na	Sodium 11	39	¥	Potassium 19	85		Rubidium 37	133	S	Caesium 55	ı	Ļ	87	*58-71	100-103	2		Key	۵								

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).