



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

COMBINED SCIENCE

0653/33

Paper 3 (Extended)

October/November 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of **20** printed pages.



- 1 There are three states of matter – solid, liquid and gas.

Fig. 1.1 shows the arrangement of particles in a solid.






Fig. 1.1

- (a) (i) Draw similar diagrams for a liquid and a gas.



liquid



gas

[2]

- (ii) Explain the arrangements you have drawn in terms of the forces between the particles.

.....

 [2]

(b) Explain the following using the ideas of conduction, convection and radiation.

*For
Examiner's
Use*

(i) Houses in hot climates are often painted white.

.....
..... [1]

(ii) A saucepan has a metal base but a plastic or wooden handle.

.....
..... [1]

(iii) In a kettle, the water is heated at the bottom but all of the water in the kettle becomes hot.

.....
.....
..... [2]

- 2 (a) Fig. 2.1 shows a flowering plant, and two cells from the plant.

For
Examiner's
Use




Fig. 2.1

- (i) On Fig. 2.1, draw a line from each cell to a part of the plant in which it could be found. [2]

- (ii) Explain why cell **A** contains the structures labelled **X**, but cell **B** does not.

.....

.....

.....

.....

..... [3]

- (iii) Suggest how the shape of cell **B** adapts it for its function.

.....

.....

..... [2]

- (b) The colour of the flower petals is determined by a gene with two alleles, **R** and **r**. Allele **R** is dominant and produces red flowers, and allele **r** produces white flowers.

For
Examiner's
Use

- (i) Complete Table 2.1 to show the phenotype produced by each of the three possible genotypes.

Table 2.1

genotype	phenotype
RR	
Rr	
rr	

[1]

- (ii) On Table 2.1, draw a circle around **one heterozygous** genotype. [1]

- (iii) Predict the ratio of red to white flowers that would be produced if two plants with the genotypes **Rr** were crossed.

..... [1]

- (c) A grower has a rare variety of orchid with unusual flowers. She decides to produce new plants from this orchid using an asexual method of propagation.

Suggest the advantages to the grower of using asexual propagation to produce new plants, rather than sowing seeds she has collected from the orchid plant.

.....

 [2]

- 3 (a) Fig. 3.1 shows apparatus a student used to investigate the electrolysis of a solution of potassium sulfate.

For
Examiner's
Use




Fig. 3.1

During the experiment shown in Fig. 3.1, two different colourless gases, **Q** and **R**, collected in the small test-tubes. Neither of these gases contained any sulfur.

- (i) Name gases **Q** and **R**.

Q

R [2]

- (ii) Choose **one** of the gases, **Q** or **R**, and describe how the student should test it for the gas you have named.

chosen gas

test

..... [1]

- (b) Potassium sulfate solution is made in a neutralisation reaction between an acid and an alkali.

For
Examiner's
Use





Fig. 3.2

- (i) Suggest a **word** chemical equation for a reaction between a suitable acid and alkali that would produce potassium sulfate.



[2]

- (ii) Describe how a **neutral** solution of potassium sulfate could be obtained using suitable solutions of an acid and an alkali.

.....

.....

.....

.....

..... [3]

- (iii) State the **ionic** equation which describes the neutralisation reaction between any aqueous acid and any aqueous alkali.

..... [2]

- 4 (a) Five types of radiation are listed below.

alpha radiation

beta radiation

gamma radiation

infra-red radiation

ultraviolet radiation

- (i) State which of these types of radiation is a stream of electrons.

..... [1]

- (ii) State which of these types of radiation are forms of electromagnetic radiation.

.....
..... [2]

- (iii) State **one** use for gamma radiation.

..... [1]

- (iv) Complete Table 4.1 to compare alpha, beta and gamma radiations.

Tick **one** box in each row of the table.

Table 4.1

	alpha	beta	gamma
most penetrating			
most ionising			
not deflected by an electric field			

[2]

- (b) Some students measured the level of radiation from a radioactive source for 42 days. Table 4.2 shows the results corrected for background radiation.

For
Examiner's
Use

Table 4.2

time / days	0	7	14	21	28	35	42
level of radiation / average counts per minute	64	45	33	23	16	12	8

Describe and explain the pattern in these results.

.....

.....

..... [2]

- 5 PTFE is an important plastic which has many uses in the home and industry. PTFE is made of polymer molecules.

For
Examiner's
Use

Fig. 5.1 shows the displayed formula of the monomer that reacts to produce PTFE.




Fig. 5.1

- (a) (i) Explain why the molecule shown in Fig. 5.1 is **not** a hydrocarbon.

.....
..... [1]

- (ii) Fig. 5.2 shows the outer shell electrons in a carbon atom and a fluorine atom.





Fig. 5.2

Complete the bonding diagram below to show how the outer electrons are arranged in the molecule whose displayed formula is shown in Fig. 5.1.



[2]

- (iii) Complete the diagram below to show the displayed formula of a small section of a PTFE molecule.

For
Examiner's
Use

Your completed formula must contain eight fluorine atoms.



[3]

- (b) The element, fluorine, is a halogen in Group 7 of the Periodic Table.

- (i) Use your knowledge of the physical states of the other halogens to predict and explain whether fluorine is a solid, a liquid or a gas at room temperature.

prediction

explanation

.....

..... [2]

- (ii) Use your knowledge of the reactivities of the other halogens to predict and explain whether or not the following halogen displacement reaction will occur.

bromine + sodium fluoride → sodium bromide + fluorine

.....

.....

..... [2]

6 Fig. 6.1 shows the human digestive system.




Fig. 6.1

(a) On Fig. 6.1, use label lines to label

the stomach,

the colon.

[2]

(b) On Fig. 6.1, label and name **one** part of the digestive system that food does **not** pass through on its way from mouth to anus. [1]

(c) Describe how digestion takes place inside the stomach.

.....

.....

..... [2]

(d) Fig. 6.2 shows a food web involving humans.




Fig. 6.2

If there are a lot of whitefly feeding on the tomato plants, there will be fewer tomatoes for humans to eat.

- (i) Use the information in Fig. 6.2 to suggest how biological control could be used to control the whitefly population.

.....
 [1]

- (ii) State **two** reasons, other than cost, why this could be a better way of controlling the whitefly than using pesticides.

1

 2
 [2]

For
Examiner's
Use

- 7 Some coffee drinks are sold in self-heating cans.

Fig. 7.1 shows a cross-sectional diagram of one design of self-heating can.

For
Examiner's
Use




Fig. 7.1

Fig. 7.2 shows the can after it has been turned upside down and the pin pushed through the thin metal sheet. This allows the water to fall into the calcium oxide.




Fig. 7.2

- (a) Explain briefly why the coffee drink in the self-heating can becomes hot when the water and calcium oxide mix.

.....

.....

.....

..... [2]

- (b) (i) Use the position of calcium in the Periodic Table to explain why the electrical charge of a calcium ion is +2.

For
Examiner's
Use

.....

.....

.....

.....

..... [3]

- (ii) The reaction between calcium oxide and water produces the ionic compound calcium hydroxide, $\text{Ca}(\text{OH})_2$.

Deduce the electrical charge of the hydroxide ion.

Show how you obtained your answer.

.....

..... [2]

- 8 (a) A student set up the circuit shown in Fig. 8.1 to investigate the relationship between the voltage across resistor **R** and the current through resistor **R**.

For
Examiner's
Use




Fig. 8.1

- (i) Name the meters labelled **X** and **Y**.

X

Y

[1]

- (ii) Explain the purpose of the variable resistor in the circuit.

.....

..... [1]

(iii) Fig. 8.2 shows a graph of the results.




Fig. 8.2

Use the data on the graph to calculate the resistance of resistor **R**.

State the formula that you use and show your working.

formula used

working

..... [2]

(b) Two 10 ohm resistors are placed in parallel in a circuit.

Calculate their total resistance.

State the formula that you use and show your working.

formula used

working

..... [3]

- (c) Fig. 8.3 shows a battery-operated d.c. electric motor driving a fan. When an electric current passes through the coil it rotates.

For
Examiner's
Use




Fig. 8.3

- (i) Describe what happens to the coil if the poles of the magnets are reversed and the rest of the circuit remains the same.
 [1]
- (ii) Describe what happens if a greater electric current is passed through the coil.
 [1]
- (iii) Explain the purpose of the split rings.

 [2]

- 9 A man walking along a road decided to cross to the other side. As he was walking across the road, a car sounded its horn, which made him jump. He then crossed the rest of the road more quickly.

(a) For each of the actions that the man took, state whether it was a **reflex** action or a **voluntary** action.

walking along the road		
walking across the road		
jumping in response to the car horn		
crossing the road more quickly		[2]

(b) Explain **one** advantage and **one** disadvantage of reflex actions over voluntary actions.

advantage		
		
disadvantage		
		[2]

(c) State the roles of each of the following parts of the nervous system in a reflex action.

receptor		
		
motor neurone		
		[2]

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II											III	IV	V	VI	VII	0	
												1 H Hydrogen 1						
7 Li Lithium 3	9 Be Beryllium 4																	
23 Na Sodium 11	24 Mg Magnesium 12																	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Rh Rhodium 45	103 Pd Palladium 46	106 Ag Silver 47	108 Cd Cadmium 48	112 In Indium 49	115 Sn Tin 50	119 Sb Antimony 51	122 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54		
133 Cs Cesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83			Rn Radon 86	
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89																
58-71 Lanthanoid series																		
90-103 Actinoid series																		
175 Lu Lutetium 71																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		
162 Dy Dysprosium 66																		
159 Tb Terbium 65																		
157 Gd Gadolinium 64																		
152 Eu Europium 63																		
150 Sm Samarium 62																		
144 Nd Neodymium 60																		
141 Pr Praseodymium 59																		
140 Ce Cerium 58																		
238 U Uranium 92																		
232 Th Thorium 90																		
231 Pa Protactinium 91																		
227 Fr Francium 87																		
226 Ra Radium 88																		
223 Ac Actinium 89																		
210 Po Polonium 84																		
209 Bi Bismuth 83																		
208 Pb Lead 82																		
207 Tl Thallium 81																		
201 Hg Mercury 80																		
197 Au Gold 79																		
195 Pt Platinum 78																		
192 Ir Iridium 77																		
186 Re Rhenium 75																		
184 W Tungsten 74																		
181 Ta Tantalum 73																		
178 Hf Hafnium 72																		
173 Yb Ytterbium 70																		
169 Tm Thulium 69																		
167 Er Erbium 68																		
165 Ho Holmium 67																		

*58-71 Lanthanoid series
†90-103 Actinoid series

a	X	a = relative atomic mass
Key	X	X = atomic symbol
b		b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.