



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME									
CENTRE NUMBER						IDIDA ⁻ IBER	ΤE		

COMBINED SCIENCE

0653/31

Paper 3 (Extended)

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

This document consists of 22 printed pages and 2 blank pages.



1 (a) Complete Table 1.1 by choosing one of the words from the list to match each statement.

For Examiner's Use


ammeter	ampere	circuit	electron
ohm	volt	voltmeter	watt

Table 1.1

statement	word
a complete loop of conductors	
a particle with a negative electrical charge	
an instrument that measures potential difference	
the unit of power	

[2]

(b) Fig. 1.1 shows two circuits, **A** and **B**. All the lamps and both cells are the same.






Fig. 1.1

(i) One lamp is unscrewed from circuit A.

State what happens to the other lamp.

Explain your answer.

[1]

(ii)	Explain why lights in a house are connected as in circuit B and not as in circuit A	.
		•••
		2]
(iii)	The resistance of each lamp is 1.2Ω .	
	Calculate the combined resistance of the two lamps in circuit B .	
	State the formula that you use and show your working.	
	formula used	
	working	
		.01
		[3]

For Examiner's Use

BLANK PAGE

2 (a) Fig. 2.1 shows part of the carbon cycle.

For Examiner's Use




Fig. 2.1

(i)	State the letter or letters, A, B, C, D, E or F, that represent	
	photosynthesis,	
	respiration.	[2]
(ii)	Name one carbon-containing compound in plants.	


(b)	Earthworms play an important part in the carbon cycle. They are decomposers.
	Describe the role of decomposers in the carbon cycle.
	[2]

(c) In Florida, USA, some people collect earthworms by vibrating the soil.

For Examiner's Use

A wooden post is pushed into the ground, and then a heavy object is pulled across the top of the post to make it vibrate. The vibrations travel through the soil.

Earthworms respond to the vibrations by crawling out of their burrows onto the soil surface, where they can be caught.



A student investigated the effect of different frequencies of vibrations on the numbers of earthworms that emerged from the soil. Fig. 2.2 shows his results.




Fig. 2.2

(i)	Describe the effect of different frequencies of vibrations on the numbers of earthworms emerging.	For Examiner's Use
	[2]	
(ii)	Moles are predators that live underground and eat earthworms. When moles burrow through the ground, they produce vibrations of around 500 Hz.	
	Suggest how the response of earthworms helps them to survive.	
	[2]	

3 (a) Fig. 3.1 shows how a digital pH meter is used to measure the pH of some liquids.

For Examiner's Use




Fig. 3.1

(i) Complete Table 3.1 by suggesting suitable pH values for the different liquids.

Table 3.1

liquid	рН
water	
sodium hydroxide solution	
dilute sulfuric acid	

「つ	٦
12	ı

` '	Suggest one advantage of using a digital pH meter rather than a piece of litmus
	paper to assess the acidity of an aqueous solution.

[1]

(iii) Dilute acids are aqueous solutions that contain dissolved ions.

For Examiner's Use

Table 3.2 shows the names of the ions in two common acids.

Table 3.2

name of dilute acid	names of dissolved ions
hydrochloric acid	hydrogen ions and chloride ions
sulfuric acid	hydrogen ions and sulfate ions

A student is given an unlabelled beaker which is known to contain either dilute hydrochloric acid or dilute sulfuric acid.

Describe a chemical test that a student could use to find out whether or not beaker contains hydrochloric acid.	the
	[2]

(b) Fig. 3.2 shows three experiments that a teacher set up to compare the reactivities of magnesium, copper and an unknown metal **G**.

For Examiner's Use

In each experiment she heated a mixture of one metal and the oxide of a different metal. In each case there was an exothermic chemical reaction.





Fig. 3.2

(i)	Write a word chemical equation for the reaction between magnesium and copper oxide.
	[1]
(ii)	Use the information in Fig. 3.2 to predict whether or not copper would react with the oxide of metal ${\bf G}$.
	Explain your answer.
	prediction
	explanation
	[2]

4 (a) An athlete of mass 60 kg jumps 1.3 metres vertically.

For Examiner's Use



Calculate the work done by the athlete to achieve this height.

State the formula that you use and show your working. The gravitational field strength of the Earth is $10\,\mathrm{N/kg}$.

formula used

working

[3]

(b) Using your answer to (a), state the gain in potential energy of the athlete when he jumps 1.3 metres.

[1]

(c) The work done in jumping vertically was completed in 0.5 s.

Calculate the power developed.

State the formula that you use and show your working.

formula used

working

[2]

5 Fig. 5.1 shows apparatus that can be used to measure the rate of respiration of germinating seeds.

For Examiner's Use




Fig. 5.1

The soda lime absorbs carbon dioxide from the air inside the apparatus.

- (a) As the seeds respire, they use oxygen. This reduces the volume of gas inside the apparatus. The faster they respire, the faster the red liquid moves towards the left.
 - (i) Write the balanced equation for aerobic respiration.

 [2]

 (ii) Use the equation to explain why the liquid would **not** move if there was **no** soda lime in the apparatus.

(b) An experiment was carried out to investigate the effect of temperature on the rate of respiration of the germinating seeds.

For Examiner's Use

Four sets of the apparatus shown in Fig. 5.1 were set up and labelled **A**, **B**, **C** and **D**. Each set of apparatus contained either germinating or dead seeds.

The distance moved by the red liquid in five minutes was measured for each set.

The results are shown in Table 5.1.

Table 5.1

set	contents	temperature/°C	distance moved by red liquid in 5 minutes/mm
Α	germinating seeds	0	3
В	germinating seeds	10	6
С	germinating seeds	20	12
D	dead seeds	20	0

(i)	Explain why it was important to include set D in the experiment.
	[1]
(ii)	With reference to Table 5.1, describe the effect of temperature on the rate of respiration of germinating seeds.
	[2]
iii)	Predict and explain the results you would expect if the apparatus was set up with germinating seeds at a temperature of 60 °C.
	predicted results
	explanation
	[2]

6 Some types of firework are made by filling a cardboard tube with firework mixture. Firework mixture is made from several solid substances which have been powdered and mixed together.

For Examiner's Use

Fig. 6.1 shows a typical firework.




Fig. 6.1

When the paper fuse is lit, exothermic chemical reactions occur inside the firework.

(a)	Explain, in terms of rate of reaction, why firework mixture is a powder.
	[2

(b)		me firework mixtures contain aluminium which is oxidised to produce the ionic apound, aluminium oxide.
	(i)	The electron configuration of an aluminium atom is 2,8,3 and of an oxygen atom is 2,6 .
		Explain how aluminium and oxygen atoms become strongly bonded when they react to form aluminium oxide. You may draw some diagrams to help your explanation.
		[4]
	(ii)	A student suggested the symbolic equation below for the formation of aluminium oxide.
		$2Al + 3O_2 \longrightarrow Al_2O_3$
		State and explain whether or not this equation is balanced.
		[2]

For Examiner's Use

(c)	The firework mixture contained in the firework in Fig. 6.1 contains the compound potassium perchlorate, KC1O4.	E
	When potassium perchlorate is heated, a colourless gas is given off which re-lights a glowing splint.	
	Suggest why the firework mixture needs to contain potassium perchlorate.	
	[2]	

For Examiner's Use 7 (a) On the grid below, draw a wave with an amplitude of 2 cm and a wavelength of 4 cm.On your diagram, clearly label the amplitude and the wavelength.

For Examiner's Use

	П	Т	Т	Т				П	П	П	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	П	Т	Т	П	Т	Т	Т	Г	П	П	П	П	П	П	Т	Т	Т	Т	Т		П	Т	Т	Т	Г	П	П	П	П	Т	Т	Т	Т	Г	П	Т	\Box
	П	Т	Т	Т				П	П		Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	П	П	П	П	Т	Т	Т	Г	П	П	П	П	П	П	Т	Т	Т	Т	Т		П	Т	Т	Т	Г	П	П	П	П	Т	Т	Т	П	Г	П	Т	\Box
П	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Т	Т	Т	Т	П	П	П	П	П	Т	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Г	Г	П	Т	Т	Т	Т	Т	Т	Г	П	Т	Т
П	T	Т	Т	Т	Т			П	П	Т	T	Т	Т	Т	Т	П	П	П	T	T	\top	T	T	T	T	Т	T	T	T	T	\neg	T	T	Т	Т	Т	Т	Т	П	Т	Г		П	\neg	\neg	T	Т	Т	Т		П	\neg	Т	Т	Т	Т	П	\neg	\neg	Т	Т	Т	Т	Г	П	T	\top
П	\neg	Т	Т	T	Т	П	П	П	П	T	T	Т	Т	Т	Т	П	П	П	T	T	T	T	\top	\top	T	\top	T	\top	\neg	T	\neg	\neg	\top	Т	Т	Т	Т	Т	Т	Т	Т		П	T	\top	T	Т	Т	Т		П	\top	Т	Т	Т	Т	П	T	\neg	Т	Т	Т	Т	Г	П	T	\top
П	\neg	\top	\top	†	Т		П	П	\neg	\neg	\top	\top	\top	\top		П	П	П	\neg	\neg	\top	\top	\top	\top	Т	т	7	\top			\neg	\neg	\top	\top	т	\top	т	Т				Т	П	\neg	\neg	十	\top	\top	Т		П	\neg	\top	\top	Т	Т	П	\neg	\neg	\top	\top	\top	т	Т	П	\top	\top
П	\neg	$^{+}$	$^{+}$	T	Т	П	П	П	\neg	\top	\top	\top	$^{+}$	$^{+}$	т	т	П	П	\neg	1	\top	\top	\top	\top	\top	†	7	\top	\exists	\exists	\neg	\forall	\top	\top	\top	$^{+}$	$^{+}$	T	\vdash	\vdash	\vdash	\vdash	П	\neg	\top	†	$^{+}$	\top	$^{+}$		П	\top	\top	$^{+}$	T	\vdash	П	\neg	\neg	\top	$^{+}$	$^{+}$	$^{+}$	т	П	\top	\top
П	\top	$^{+}$	$^{+}$	T	Т	П	П	П	\Box	\top	†	\top	$^{+}$	$^{+}$	т	П	П	П	\neg	\top	\top	\top	\top	\top	†	†	7	\top	\top	T	\neg	\top	T	\top	$^{+}$	$^{+}$	$^{+}$	t		Т	T	T	П	\neg	\top	†	$^{+}$	$^{+}$	T		П	\top	\top	$^{+}$	T	T	П	\neg	\neg	\top	$^{+}$	$^{+}$	†	т	П	\top	+
	\neg		T	T				П		\neg	1	\top	\top				П			1		1	1	\top	T	Т	7	T				1	T	\top		\top	T						П	1	\neg	1	\top		Т			\top			Т		П					T		Г	П		\top
П	T		T	T				П			1	\top	\top			П	П			1		1	1	\top	T	Т	7	T				1	1	T		\top	T						П	1	\neg	1	\top	\top				\top			Т		П	1						Г	П		\top
	\neg	\top		\top				П			1		\top				П					\top	\top	\top	T	T	7	\top				\dashv	\top	\top		\top	T						П			1	\top	\top				\top		\top			П				\top		\top		П		\top
	\neg	\top						П		\neg	1	\top	\top				П					\top	\top	\top	\top	\top	7	\top	\neg	\neg		\forall	\top	\top	\top	\top	\top						П	\neg	\top	\top	\top	\top	Т			\top		\top			П		\neg	\top	\top	\top	\top	Т	П	\top	\top
П	\neg	\top			Т			П		\neg	1	\top	\top		\top		П		\neg	\top	1	\top	T	\top	T	Т	1	T	T	T	\neg	T	T	\top	T	T	T	T					П	\exists	\top	\top	\top	\top	т		\Box	\top		\top	T		П		\neg	\top	\top	\top	T	Т	П	\top	\top
П	T	T	Т	Т	Т		П	П	П	T	T	T	Т	Т	Т	П	П	П	T	T	T	T	T	\top	Т	Т	T	T	T	T	\neg	T	T	Т	Т	Т	Т	Т	Т	Т	Г		П	T	\top	T	Т	T	Т		П	\top	Т	Т	Т	Т	П	T	T	T	Т	Т	Т	Г	П	T	\top
П	\neg	T	T	Т	Т	П	П	П	П	T	T	T	Т	Т	Т	П	П	П	T	T	T	\top	T	\top	Т	Т	7	T	T	T	\neg	T	T	Т	Т	Т	T	Т	Т	Т	Т		П	T	\top	T	\top	\top	Т		П	\top	Т	Т	Т	Т	П	T	\neg	T	T	Т	Т	Г	П	T	\top
П	П	Т	Т	Т	П	П		П	П	П	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	П	Т	Т	Т	Т	Т	Т	Т	П	П	П	П	П	П	Т	Т	Т	Т	Т		П	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Г	П	Т	\top
	T	Т	T	T	П			П	П	T	T	Т	Т	Т	Т	П	П	П	T	T	Т	Т	T	T	Т	Т	T	Т	П	T	П	T	T	Т	Т	Т	Т	Т					П	T	T	Т	Т	Т	Т		П	Т	Т	Т	Т	П	П	T	П	Т	Т	Т	Т	Г	П	Т	\top
	T	T	Т	Т				П	П	T	T	T	Т	Т	Т	П	П		T	T	Т	Т	T	T	T	Т	T	Т	П	٦	П	T	T	Т	Т	Т	Т	Т					П	T	T	T	T	T	Т		П	T	Т	Т	Т			T	T	Т	Т	Т	Т	П	П		\top
	T	T	Т	Т				П	П	T	T	T	Т	Т	Т	П	П		T	T	T	Т	Т	T	T	T	T	T	T	T	T	T	T	Т	T	Т	Т	Г	Г		Г		П	П	T	T	Т	T	Т		П	Т		Т	Т	П	П	T	\neg	Т	Т	Т	Т	Г	П		\Box
П	П	Т	Т	Т				П	П	П	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Г	П	П	П	П	П	П	Т	Т	Т	Т	Т		П	Т	Т	Т	Г	П	П	П	П	Т	Т	Т	П	Г	П	Т	Т
	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	П	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Т	Т	Т	Г	П	П	П	П	П	П	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Г	Г	П	П	Т	Т	Т	Т	Т	Г	П	Т	Т
	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	П	П	П	П	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Т	Т	Т	Г	П	Г	П	Г	П	П	Т	Т	Т	Т	Т	П	П	Т	Т	Т	Г	Г	П	Т	Т	Т	Т	Т	Т	Г	П	Т	Т
	\Box	\perp	Т										\perp										\perp		Ι	\perp	Ι	\perp	\Box			\Box	\Box		\perp		L									\perp																					
		Т	Т										\perp										Т		Ι	Ι	Ι	Ι				\Box		\Box	Т	Т	Т									Т		\perp							Г												
													\perp								\Box		\Box		I	Ι	Ι	\Box				\Box	\Box				L									\perp	\perp																				
	\Box	Т										Т	Т	Т					\Box	П	Т	Т	Т	Т	I	I	Τ	I	\Box		П	П	I		Τ	Τ	Τ	Г						\Box	П	Т	Т	Т	Т			П	Т	Т	Г			\Box	\Box	Т	Т	Т	Г				\top
																																					L																		L												
																											1										L																		L												
																											1										L																														
																							\perp		\perp		I	\perp					\Box				L									\perp																					
	\Box	Ι	Т									\perp	\perp	I						\perp	\perp	Ι	I	\perp	Ι	Ι	I	I	\perp	\Box	\Box	\perp	I	\perp	Ι	Ι	L	L						\Box	\perp	\perp	Ι	\perp	Т			\perp	\perp	\perp	L			\Box	\perp	\perp	\perp	\perp	Г			\perp	\perp
	\perp	ഥ							П	\perp			ഥ						\perp	\perp	\perp	\perp	I	\perp	_	\perp	1	_	_	_		\perp	_	\perp			Г	L					Ш	\perp	\perp	\perp	\perp	ഥ				\perp			L			\perp	\perp	\perp	Т				Ш	\perp	
_]	_	1						Ц	Ц	_[1				Ц			_[1	1	1	1	1	1	1	_[\Box	_	\Box	\perp	_(1	1	L		L	\perp	L		Ш	\Box	_[\perp	1	1	1			_[1	\perp	Ш		_[1	L	\perp	L	Ш		\perp
	I	ഥ								\perp	\Box								$_{ m I}$	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp				\perp	\perp			Г	Γ	Γ					\Box		\perp I	\perp		ഥ				\perp			Ľ			$_{\rm I}$	$_{ m I}$				Γ		\Box	\perp	
	Т	Г	Г	Γ	Γ	П	П	ΙТ		$_{ m I}$	Т	Г	Г	П			ΙТ	١Т	Т	Т	Т	Т	Т	Т	Г	Г	Т	Т	Т	Т	Т	T	Т	Г	Г	Г	Г	Г	Γ				ШΤ	$_{\rm I}$	\perp	\perp		ഥ				\perp			Ι_	Γ	ΙТ	Т	Т	Т	Г	Т	1	Ι –	ΙТ	Т	

[3]

(b) (i) Two sound waves, A and B, have the same frequency. A has a greater amplitude than B.

What difference would you hear?

[1]

(ii) Two sound waves, **X** and **Y**, have the same amplitude. **X** has a greater frequency than **Y**.

What difference would you hear?

[1]

(iii) The speed of sound was calculated for sound passing through a solid, a liquid, a gas and a vacuum.

For Examiner's Use

The values recorded were

0 m/s 330 m/s 1500 m/s 5000 m/s.

Write the values in the correct boxes in Table 7.1.

Table 7.1

	speed of sound m/s
vacuum	
solid	
liquid	
gas	

[2]

(iv) Sound travels through the air by a series of compressions and rarefactions.

Explain what is meant by *compressions* and *rarefactions*. You may use a diagram to help your explanation.

[2]

(c)	Energy travels to the Earth from the Sun.
	State whether this transfer of energy is by conduction, convection or radiation.
	Explain your answer.
	[2]

For Examiner's Use

(d) Light is able to travel down optical fibres by total internal reflection.

Complete the diagram to show how the ray of light passes down the optical fibre.



[2]

8 Fig. 8.1 shows the male reproductive system.

For Examiner's Use




Fig. 8.1

(a)	(i)	State the functions of parts A, B and C.
		A
		В
		c [3]
	(ii)	On Fig. 8.1, use a label line and the letter S to indicate where male gametes are made.
(b)		scribe two ways in which human male gametes differ from human female gametes.
	 2 	[2]
(c)		is the virus that causes AIDS. HIV can be passed from one person to anothering sexual intercourse.
	Out	line how HIV affects the immune system of a person with HIV/AIDS.

9 (a) (i) Methane and ethane are hydrocarbons found in fossil fuels.

For Examiner's Use

Complete the structures of molecules of methane and ethane that have been started below.

methane	ethane
Н—С	Н—С

[2]

(ii) Methane and ethane are found in refinery gas, which is an important product obtained from petroleum (crude oil).

State one use for refinery gas.

______[1]

(b) Draw **three** straight lines to connect each process or reaction in the left hand column with its meaning in the right hand column.

term meaning

catalytic cracking

exothermic oxidation of hydrocarbons

fractional distillation

reaction that produces alkenes

combustion

process that simplifies a complex mixture

[2]

(c) Decane is a colourless liquid compound which has the chemical formula, $C_{10}H_{22}$.

For Examiner's Use

Fig. 9.1 shows apparatus that a teacher used to show what happens when decane vapour is passed over a hot catalyst.




Fig. 9.1

When the teacher started to pass the decane vapour through the apparatus, the solution of bromine rapidly changed colour from orange to colourless.

(i)	Suggest and explain why the bromine solution changed from orange to colourles	3S.
		 [3]
(ii)	Suggest why the catalyst was heated.	[-]
		 [1]

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Ne Neon 10	Ar 40	8 Ā	Krypton 36	131	×	Xenon 54		Ru	Radon 86		175 Lu Lutetium 71	Lawrencium	103
Group	IIΛ		19 Fluorine		® ਯ	Bromine 35	127	<u> </u>	lodine 53		¥	Astatine 85		173 Yb Ytterbium 70	Nobelium	
	I		с .	32 Sulfur	% Se	Selenium 34	128	j L	1811unum 52			Polonium 84		169 Tm Thulium 69	Mendelevium	
	>		14 Nitrogen 7	Phosphorus	75 As	Arsenic 33	122	Sp.	Antimony 51	508	<u></u>	Bismuth 83		167 Er Erbium 68	Fm Fermium	
	ΛΙ		12 Carbon 6	Silicon		Germanium 32		Sn		207	РЬ	Lead 82		165 Ho Holmium 67	Einsteinium	
	III		111 Boron 5	A1 Aluminium	²₀ Ga	Gallium 31	115	<u>_</u>	Indium 49	204	11	Thallium 81		162 Dy Dysprosium 66	Californium	86
					65 Zn	Zinc 30	112	පු	Cadmium 48	201	£	Mercury 80		159 Tb Terbium 65	BK Berkelium	97
					64 Q	Copper 29	108	Ag		197	Αn	Gold 79		157 Gd Gadolinium 64	Carium	96
					69 Z	Nickel 28	106	Pd	Palladium 46	195	ፈ	Platinum 78		152 Eu Europium 63	Am	92
					္မ လိ	Cobalt 27	103	뫕	Knodium 45	192	_	Iridium 77		Sm Samarium 62	Pu	94
		T Hydrogen		_	₅₆	Iron 26	101	Ru	Kumenium 44	190	SO.	Osmium 76		Pm Promethium 61	Neptunium	93
					Mn S5	Manganese 25		ဥ	43	186	Re	Rhenium 75		Neodymium 60	238 U	92
					ర బ	Chromium 24	96	§	Wolybdenum 42	184	>	Tungsten 74		Pr Praseodymium 59	Pa Protactinium	91
					5 >	Vanadium 23	63	오	Niobium 41	181	ц П	Tantalum 73		140 Ce Cerium 58	232 Th	06
				_	48	Titanium 22	91	Zr	Zirconium 40	178	Ξ	* Hafnium		1	nic mass Ibol nic) number	
					45 SC	Scandium 21	88	>	39 rtmum	139	La	Lanthanum *	227 Actinium	d series series	 a = relative atomic mass X = atomic symbol b = proton (atomic) number 	
	=		Beryllium 4	Mg Magnesium		Calcium 20	88	ຜູ້	Strontium 38	137	Ва	Barium 56	226 Ra Radium 88	*58-71 Lanthanoid series	<i>a</i> ×	
	_		7 Li Lithium 3	Sodium 11	® ×	Potassium 19	85	S	Kubidium 37	133	S	Caesium 55	Fr Francium 87	*58-71 L	Key	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).