

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

MATHEMATICS 0580/43

Paper 4 (Extended) May/June 2011

2 hours 30 minutes

Candidates answer on the Question Paper.

Additional Materials: Electronic calculator Geometrical instruments

Mathematical tables (optional) Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.

For π use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [] at the end of each question or part question.

The total of the marks for this paper is 130.

This document consists of 19 printed pages and 1 blank page.




Lucy w	orks in a clothes shop.	
` '	one week she earned \$277.20.	
(i)	She spent $\frac{1}{8}$ of this on food.	
	Calculate how much she spent on food.	
	Answer(a)(i) \$	[1]
(ii)	She paid 15% of the \$277.20 in taxes. Calculate how much she paid in taxes.	
	Answer(a)(ii) \$	[2]
(iii)	*	
	Calculate how much Lucy earned in the previous week.	
	Answer(a)(iii) \$	[3]
(b) Th	e shop sells clothes for men, women and children.	
(i)	In one day Lucy sold clothes with a total value of \$2200 in the ratio	
	men: women: children = $2:5:4$.	
	Calculate the value of the women's clothes she sold.	
	4(L)(C) ©	[2]
	<i>Answer(b)</i> (i) \$	[2]
(ii)	The \$2200 was $\frac{44}{73}$ of the total value of the clothes sold in the shop on this day.	
	Calculate the total value of the clothes sold in the shop on this day.	
	Answer(b)(ii) \$	[2]



- (a) (i) Draw the reflection of shape X in the x-axis. Label the image Y. [2]
 - (ii) Draw the rotation of shape Y, 90° clockwise about (0, 0). Label the image Z. [2]
- **(b)** (i) Draw the enlargement of shape X, centre (0, 0), scale factor $\frac{1}{2}$. [2]
 - (ii) Find the matrix which represents an enlargement, centre (0, 0), scale factor $\frac{1}{2}$.

- (c) (i) Draw the shear of shape X with the x-axis invariant and shear factor -1. [2]
 - (ii) Find the matrix which represents a shear with the x-axis invariant and shear factor -1.

$$Answer(c)$$
(ii) ([2]



The diagram shows a square of side (x + 5) cm and a rectangle which measures 2x cm by x cm.

The area of the square is 1 cm² more than the area of the rectangle.

(a) Show that $x^2 - 10x - 24 = 0$.

Answer(a)

(b)	Find the value of x .	
	Answer(b) x =	 [3]
(a)		
(c)	Calculate the acute angle between the diagonals of the rectangle.	
(6)	Calculate the acute angle between the diagonals of the rectangle.	
(€)	Calculate the acute angle between the diagonals of the rectangle.	
(€)	Calculate the acute angle between the diagonals of the rectangle.	
(€)	Calculate the acute angle between the diagonals of the rectangle.	

8 cm 6 cm NOT TO SCALE

The circle, centre O, passes through the points A, B and C.

In the triangle ABC, AB = 8 cm, BC = 9 cm and CA = 6 cm.

(a) Calculate angle BAC and show that it rounds to 78.6° , correct to 1 decimal place.

Answer(a)

[4]

For Examiner's Use

- **(b)** M is the midpoint of BC.
 - (i) Find angle *BOM*.

Answer(b)(i) Angle BOM = [1]

© UCLES 2011

	(ii)	Calculate the radius of the circle and show that it rounds to 4.59 cm, correct to 3 significant figures.
		Answer(b)(ii)
		[3]
(c)	Cal	culate the area of the triangle ABC as a percentage of the area of the circle.
		A(-)
		Answer(c) % [4]


5 (a) Complete the table of values for the function f(x), where $f(x) = x^2 + \frac{1}{x^2}$, $x \ne 0$.

For
Examiner's
Use

х	-3	-2.5	-2	-1.5	-1	-0.5	0.5	1	1.5	2	2.5	3
f(x)		6.41		2.69		4.25	4.25		2.69		6.41	

[3]


(b) On the grid, draw the graph of y = f(x) for $-3 \le x \le -0.5$ and $0.5 \le x \le 3$.



[5]

		9	
(c)	(i)	Write down the equation of the line of symmetry of the graph.	
		Answer(c)(i)	[1]
	(ii)	Draw the tangent to the graph of $y = f(x)$ where $x = -1.5$. Use the tangent to estimate the gradient of the graph of $y = f(x)$ where $x = -1.5$.	
		Answer(c)(ii)	[3]
	(iii)	Use your graph to solve the equation $x^2 + \frac{1}{x^2} = 3$.	
		Answer(c)(iii) x =	[2]
	(iv)	Draw a suitable line on the grid and use your graphs to solve the equation $x^2 + \frac{1}{x^2} = 2$?x.

For Examiner's Use



The masses of 200 parcels are recorded.

The results are shown in the cumulative frequency diagram above.

- (a) Find
 - (i) the median,

Answer(a)(i)	kσ	Γ17

(ii) the lower quartile,

(iii) the inter-quartile range,

(iv) the number of parcels with a mass greater than 3.5 kg.

(b) (i) Use the information from the cumulative frequency diagram to complete the grouped frequency table.

For Examiner's Use

[2]


Mass (m) kg	$0 < m \le 4$	4 < <i>m</i> ≤ 6	6 < <i>m</i> ≤ 7	$7 < m \le 10$
Frequency	36			50

(ii) Use the grouped frequency table to calculate an estimate of the mean.

Answer(b)(ii) kg [4]

(iii) Complete the frequency density table and use it to complete the histogram.


Mass (m) kg	$0 < m \le 4$	4 < <i>m</i> ≤ 6	6 < m ≤ 7	$7 < m \le 10$
Frequency density	9			16.7



[4]

Katrina puts some plants in her garden The probability that a plant will produce		For Examiner'. Use						
If there is a flower, it can only be red,								
	it is red is $\frac{2}{3}$ and the probability it is yellow is $\frac{1}{4}$.							
(a) Draw a tree diagram to show all t								
Label the diagram and write the p	robabilities on each branch.							
Answer(a)								
		[5]						
(b) A plant is chosen at random.								
Find the probability that it will no	ot produce a yellow flower.							
	Answer(b)	[3]						
() 101								
(c) If Katrina puts 120 plants in her g	arden, how many orange flowers would she expect?							
	Answer(c)	[2]						

For Examiner's Use



- (a) Draw accurately the locus of points, inside the quadrilateral *ABCD*, which are 6 cm from the point *D*. [1]
- (b) Using a straight edge and compasses only, construct
 - (i) the perpendicular bisector of AB, [2]
 - (ii) the locus of points, inside the quadrilateral, which are equidistant from AB and from BC. [2]
- (c) The point Q is equidistant from A and from B and equidistant from AB and from BC.
 - (i) Label the point Q on the diagram. [1]
 - (ii) Measure the distance of Q from the line AB.

Answer(c)(ii) cm [1]

- (d) On the diagram, shade the region inside the quadrilateral which is
 - less than 6 cm from D and
 - nearer to A than to B
 - nearer to AB than to BC. [1]

www.theallpapers.com

9			f(x) = 3x + 1	$g(x) = (x+2)^2$		
	(a)	Fine	d the values of			
		(i)	gf(2),			
					Answer(a)(i)	 [2]
		(ii)	ff(0.5).			
					Answer(a)(ii)	 [2]
	(b)	Fine	d $f^{-1}(x)$, the inverse of $f(x)$).		
					Answer(b)	 [2]
	<i>(</i>)	г.	167			
	(c)		$\operatorname{d} \mathrm{fg}(x)$.	1 0		
		Giv	e your answer in its simple	lest form.		
					Answer(c)	 [2]
					mswer (e)	 [2]

(d)	Solve the equation	$x^2 + f(x) = 0.$
(~)	Sorre the equation	<i>w</i> · 1 (<i>w</i>) 0.

Show all your working and give your answers correct to 2 decimal places.

10 (a)

D C NOT TO SCALE

M

P

For Examiner's Use

ABCD is a parallelogram.

L is the midpoint of *DC*, *M* is the midpoint of *BC* and *N* is the midpoint of *LM*. $\overrightarrow{AB} = \mathbf{p}$ and $\overrightarrow{AD} = \mathbf{q}$.

- (i) Find the following in terms of **p** and **q**, in their simplest form.
 - (a) \overrightarrow{AC}

$$Answer(a)(i)(a) \overrightarrow{AC} =$$
 [1]

(b) \overrightarrow{LM}

Answer(a)(i)(b)
$$\overrightarrow{LM} =$$
 [2]

(c) \overrightarrow{AN}

$$Answer(a)(i)(c) \overrightarrow{AN} =$$
 [2]

(ii) Explain why your answer for \overrightarrow{AN} shows that the point N lies on the line AC.

Answer(a)(ii) [1]

(b)

G $(x+15)^{\circ}$ G NOT TO SCALE

For Examiner's Use

EFG is a triangle. *HJ* is parallel to *FG*. Angle $FEG = 75^{\circ}$. Angle $EFG = 2x^{\circ}$ and angle $FGE = (x + 15)^{\circ}$.

(i) Find the value of x.

$$Answer(b)(i) x =$$
 [2]

(ii) Find angle HJG.

$$Answer(b)$$
(ii) Angle $HJG =$ [1]

11	(a) (i)	The first three positive integers 1, 2 and 3 have a sum of 6.	
		Write down the sum of the first 4 positive integers.	
	(ii)	Answer(a)(i) The formula for the sum of the first n integers is $\frac{n(n+1)}{2}$.	[1]
		Show the formula is correct when $n = 3$.	
		Answer(a)(ii)	
			[1]
	(iii)	Find the sum of the first 120 positive integers.	
	4.	Answer(a)(iii)	[1]
	(iv)	Find the sum of the integers 121 + 122 + 123 + 124 +	
		121 + 122 + 123 + 124 + + 199 + 200.	
		Answer(a)(iv)	[2]
	(v)	Find the sum of the even numbers	
		2+4+6+ + + 800.	
		Answer(a)(v)	[2]

(b) (i)	i) Complete the following statements about the sums of cubes and the sums of integers.		
	$1^3 = 1$	1 = 1	
	$1^3 + 2^3 = 9$	1 + 2 = 3	
	$1^3 + 2^3 + 3^3 =$	1 + 2 + 3 =	
	$1^3 + 2^3 + 3^3 + 4^3 = \dots$	1 + 2 + 3 + 4 =	[2]
(ii)	The sum of the first 14 integers is 105.		
	Find the sum of the first 14 cubes.		
		Answer(b)(ii)	[1]
(iii)	Use the formula in part(a)(ii) to write of	down a formula for the sum of the first n cubes.	
		Answer(b)(iii)	Г17
(iv)	Find the sum of the first 60 cubes.	Answer(b)(III)	[1]
		Answer(b)(iv)	[1]
(v)	Find n when the sum of the first n cube		
		Answer(b)(v) n =	[2]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.