

**MARK SCHEME for the May/June 2012 question paper  
for the guidance of teachers**

**0580 MATHEMATICS**

**0580/43**

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2012</b>	<b>0580</b>	<b>43</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
soi	seen or implied

<b>1 (a) (i)</b>	[0]5 38 oe	<b>1</b>	Allow 5h 38 but not 5h 38mins
	<b>(ii)</b> 92.7 [92.72 to 92.73] oe	<b>2</b>	Allow $92\frac{8}{11}$ or $\frac{1020}{11}$ <b>M1</b> for $850 \div$ their 9 h 10 min in hours oe Allow $850 \div 9.1$ for <b>M1</b>
	<b>(b) (i)</b> 204 or 203. 9[0] to 203.91	<b>3</b>	<b>M1</b> for $160 \times 255 + 330 \times 190 + 150 \times 180$ [130 500] <b>M1</b> dep for $\div 640$
	<b>(ii)</b> $640 \div (4 + 3 + 1)$ $\times 3 [= 240]$	<b>M1</b> <b>M1</b>	[Can be in either order or shown together] Accept $240 \div 3 \times (4 + 3 + 1) = 640$ for <b>M2</b>
	<b>(iii)</b> 150 www 3	<b>3</b>	<b>M2</b> for $240 \div 1.6$ oe or <b>M1</b> for recognition of $240 = 100 + 60 \%$
	<b>(c)</b> 11 cao www 3	<b>3</b>	<b>M1</b> for figs 340 or figs $550 \div$ speed [e.g. figs 188, figs 306] – can be spoiled by further work and <b>M1</b> for correct conversion of units to give answer in seconds e.g. speed = 50 m/s <b>M's</b> independent

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	43

<p>2 (a)</p> <p>(b)</p> <p>(c) (i)</p> <p>(ii)</p> <p>(d)</p>	<p><math>[\sin =] \frac{10 \sin 95}{12}</math> 56.1 (56.11 to 56.12) www 3</p> <p><math>12^2 + 17^2 - 2 \times 12 \times 17 \cos 30</math> oe 8.93 [8.925....] www 4</p> <p>126 or 126.1 (126.11 to 126.12)</p> <p>306 or 306.1 (306.11 to 306.12)</p> <p><math>[\sin =] \frac{17 \sin 30}{\text{their}(b)}</math> oe or <math>[\cos =] \frac{12^2 + (\text{their}(b))^2 - 17^2}{2 \times 12 \times \text{their}(b)}</math> oe 180 – 95 – their (a)</p> <p>137 [136.5 to 136.9] www 4</p>	<p>M2</p> <p>A1</p> <p>M2</p> <p>A2</p> <p>1ft</p> <p>1ft</p> <p>M2</p> <p>M1</p> <p>A1</p>	<p>M1 for correct implicit equation</p> <p>M1 for correct implicit equation A1 for 79.66 to 79.67 or 79.7</p> <p>ft their (a) + 70 [provided less than 360]</p> <p>ft 180 + their (c)(i) [provided less than 360]</p> <p>M1 for correct implicit equation [107.7 to 107.9 or 108 or 72 or 72.1 to 72.3]</p> <p>e.g. 28.88 to 28.9 seen – may be on diagram <u>Alt methods possible</u> e.g. <math>[\sin ABC =] \frac{12 \sin 30}{\text{their}(b)}</math> [42.2...] gets M1 then 360 – 95 – 30 – their (a) – their 42.2 gets M2 dep on previous M1</p> <p>isw reflex angle 223 or 223.1 to 223.5 after correct answer seen</p>
<p>3 (a)</p> <p>(b)</p> <p>(c) (i)</p> <p>(ii)</p> <p>(d) (i)</p> <p>(ii)</p>	<p>Triangle with vertices (6, 4), (9, 4), (9, 6)</p> <p>Triangle with vertices (11, 1), (8, 1), (8, 3)</p> <p>Rotation 90° [anticlockwise] oe [centre] (0, 0) oe</p> <p><math>\begin{pmatrix} 0 &amp; -1 \\ 1 &amp; 0 \end{pmatrix}</math></p> <p>Triangle with vertices (1, 3), (4, 3), (4, 9)</p> <p><math>\begin{pmatrix} 1 &amp; 0 \\ 0 &amp; 3 \end{pmatrix}</math></p>	<p>2</p> <p>2</p> <p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>2</p> <p>2</p>	<p>Ignore labels and condone good freehand in parts (a), (b) and (d)(i)</p> <p>SC1 for translation <math>\begin{pmatrix} 5 \\ k \end{pmatrix}</math> or <math>\begin{pmatrix} k \\ 3 \end{pmatrix}</math></p> <p>SC1 for reflection in <math>y = 6</math></p> <p>If other transformations in addition, then 0, 0, 0</p> <p>e.g. O, origin</p> <p>B1 each column</p> <p>SC1 for (1, 3) and (4, 3), or (4, 9)</p> <p>B1 right-hand column or <math>\begin{pmatrix} 3 &amp; 0 \\ 0 &amp; 1 \end{pmatrix}</math></p>

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	43

4	(a) (i)	Median = 2    www 2	2	M1 for identifying mid-value [e.g. List with indication or 10 <sup>th</sup> and 11 <sup>th</sup> seen in working] or 10.5 soi
		Mode = 3	1	
	(ii)	54    www 2	2	M1 for $3 \div 20 \times 360$ oe
	(b)	184    www 4	4	M1 for 175, 185, 195    soi M1 for $5 \times a + 12 \times b + 3 \times c$ where $a, b, c$ are in correct interval, including boundaries [3680] M1 (dep on 2 <sup>nd</sup> M) $\div 20$
5	(a) (i)	980 (979.6 to 980.3....)    www 4	4	M3 for $(\pi \times 8^2 \times 6) - \left(2 \times \frac{4}{3} \times \pi \times 3^3\right)$ Or M1 for $\pi \times 8^2 \times 6$ and M1 for $\left[2 \times \frac{4}{3}\right] \times \pi \times 3^3$
	(ii)	0.98[0] (0.9796 to 0.9803...)	1ft	ft their (i) $\div 1000$ but not in terms of $\pi$
	(b)	1.2[0] (1.195 to 1.196)	2ft	ft their (a)(i) $\times 1.22 \div 1000$ or their (a)(ii) $\times 1.22$ SC1ft for figs 12[0] or 1195 to 1196 Apply ft to SC
	(c)	4.88 or 4.87 (4.871 to 4.878..) www 2	2ft	ft their (a)(i) $\div \pi 8^2$ provided their (a)(i) is not 384 $\pi$ or 1206... M1 for their (a)(i) $\div \pi 8^2$

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	43

6 (a) (i)	180	1	
(ii)	20	1	
(b)	220	1	
(c) (i)	$\frac{170}{240}$ oe isw	1	Allow 0.708, 0.7083... or % equivalents
(ii)	$\frac{150}{240}$ oe isw	1	Allow 0.625 or % equivalents
(d)			<b>Penalise once for first correct none 4 dp dec answer to at least 3sf or correct fraction answer in parts (d) and (e)</b>
(i)	0.5617	2	Accept 56.1715%, do not accept 0.562 ww <b>M1</b> for $\frac{180}{240} \times \frac{179}{239}$ [0.56171 to 0.56172], $\frac{537}{956}$ oe
(ii)	0.3766	3	Accept 37.6569% <b>M2</b> for $2 \times \frac{180}{240} \times \frac{60}{239}$ oe [0.37656 to 0.37657] $\frac{90}{239}$ oe Or <b>M1</b> for one correct product seen, implied by 0.18828... or 0.1883
(e)	0.6937	3	Accept 69.3669%, do not accept 0.694 ww <b>M2</b> for $\frac{150}{180} \times \frac{149}{179}$ [0.69366 to 0.69367] $\frac{745}{1074}$ oe or <b>M1</b> for $\frac{150}{180}$ oe soi

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	43

7	(a)	1, ....., 11.3[1..], 16	3	B1 each
	(b)	9 points plotted	P3ft	P2ft for 7 or 8, P1ft for 5 or 6.
		Smooth curve through at least 8 points and exponential shape	C1ft	ft only if correct shape and covers the domain $0 < x < 4$
	(c)	$2.3 < x < 2.35$	1	
	(d)	$0.4 < x < 0.5$ , $3.25 < x < 3.35$	M1 A1 A1	$y = 3x$ ruled to cut curve at all possible points.
	(e)	Reasonable tangent with gradient 3  (their $x$ , their $y$ )	M2  A1	Or M1 for any tangent  Dep on M2. Their point of contact
8	(a)	$u = 24$ $v = 92$ $w = 184$	2 1 1ft	SC1 for angle $DBA = 88$ or $u = \text{angle } CDY$  ft $2 \times$ their $v$ Allow all seen in diagram
	(b)	10.8	2	M1 for area factor of $3^2$ soi e.g. dividing by 9
	(c) (i)	18	2	M1 for $4x + x = 90$ or better
	(ii)	72	2ft	ft $90 - \text{their } x$ or $4 \times \text{their } x$ M1 for angle $K$ or $I = 90 - \text{their } x$ or $4 \times \text{their } x$
	(iii)	54	1	Allow all seen in diagram

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	43

9	(a) (i)	$-\frac{1}{3}$ oe	2	B1 for $f(2) = -3$ soi
	(ii)	-7	1	
	(b)	$\frac{x-2}{x}$ final answer www	2	M1 for $1 - \frac{2}{x}$ seen
	(c)	$y-1 = x^3$ or $x = y^3 + 1$ $x = \sqrt[3]{y-1}$ or $x-1 = y^3$ $\sqrt[3]{x-1}$ oe final answer www2	M1 A1	i.e. two correct steps For M1, accept a correct reverse flowchart After 0 scored allow SC1 for $\sqrt[3]{x-1}$ seen then spoilt
	(d)	A, F, D	3	B1 each
	(e)	29	2	M1 for $x = k(2)$ or $\sqrt[5]{x+3} = 2$ (Variable can be $y$ in second method)
10	(a)	1.3[0]	3	M2 for $(31.7[0] - 7) \div (12 + 7)$ or better Or M1 for $12x + 7(x + 1) = 31.7[0]$ or better or $31.7[0] - 7$ or better)
	(b) (i)	$\frac{36}{y} - \frac{36}{y+1} = 25$ oe	M2	SC1 for $\frac{36}{y}$ oe or $\frac{36}{y+1}$ oe seen Accept both all over $y(y+1)$ Must see at least one of these lines before E mark
		$36(y+1) - 36y = 25y(y+1)$ oe		
		$36y + 36 - 36y = 25y^2 + 25y$ oe		
		$25y^2 + 25y - 36 = 0$	E1	Final line reached without any errors or omissions
(ii)	$(5y+9)(5y-4)$	2	Accept $(25y-20)(y+1.8)$ oe SC1 for $(5y+m)(5y+n)$ where $mn = -36$ or $m+n = 5$	
(iii)	-1.8 oe, 0.8 oe	1ft	ft only SC1 from (b)(ii)	
(iv)	2.6[0]	1ft	ft $2 \times$ positive root from (b)(iii) +1 Dep on pos and neg root in (b)(iii)	

<b>Page 8</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2012</b>	<b>0580</b>	<b>43</b>

<b>11 (a)</b>	33, 41 16 $\pi$ , 25 $\pi$ 20 $\pi$ , 30 $\pi$	<b>1</b> <b>1</b> <b>2</b>	<b>B1</b> each
<b>(b) (i)</b>	8n + 1 oe final answer	<b>2</b>	e.g. 9 + 8(n - 1), condone n = 8n + 1 <b>SC1</b> for 8n + k
<b>(ii)</b>	137 www2	<b>2</b>	<b>M1</b> for their (b)(i) = 1097
<b>(c) (i)</b>	n <sup>2</sup> $\pi$ oe final answer	<b>1</b>	
<b>(ii)</b>	9n <sup>2</sup> $\pi$ oe final answer	<b>1</b>	Allow (3n) <sup>2</sup> $\pi$
<b>(d)</b>	n(n + 1) $\pi$ oe final answer	<b>2</b>	<b>SC1</b> for a quadratic expression e.g. n(n + 1), n <sup>2</sup> + 5, n <sup>2</sup> + n $\pi$