

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIDATE NUMBER	
* 4 0 7 5	CAMBRIDGE IN Paper 1 (Core)	0607/12 May/June 2011	
~			45 minutes

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 40.

For Examiner's Use

This document consists of 10 printed pages and 2 blank pages.



UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

Formula List


Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A, of circle, radius r.	$A = \pi r^2$
Circumference, C , of circle, radius r .	$C = 2\pi r$
Curved surface area, A , of cylinder of radius r , height h .	$A = 2\pi rh$
Curved surface area, A , of cone of radius r , sloping edge l .	$A = \pi r l$
Curved surface area, A , of sphere of radius r .	$A=4\pi r^2$
Volume, V , of prism, cross-sectional area A , length l .	V=Al
Volume, V , of pyramid, base area A , height h .	$V = \frac{1}{3}Ah$
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of cone of radius r , height h .	$V = \frac{1}{3}\pi r^2 h$
Volume, V , of sphere of radius r .	$V = \frac{4}{3}\pi r^3$


For Answer **all** the questions. Examiner's Use(a) Write 2490 correct to 1 significant figure. 1 Answer(a) [1] (b) Write 356000 in standard form. Answer(b) [1] (a) Solve the equation. 2 6x - 10 = x + 5Answer(a) x =[2] (b) Expand and simplify. 3(2x+1) - 2xAnswer(b) [2]


For Examiner's Use


1 2 m NOT TO SCALE 3m -4m The diagram shows the cross-section of a hut. The width of the hut is 4 m and the **total** height is 5 m. (a) Find the area of the cross-section of the hut. Answer(a) m² [3] (b) A house is similar in shape to the hut and has a total height of 15 m. Calculate the width of the house. Answer(b) m [2]

5	(a) Work out 3^{-2} .		Fo Exami Us				
	(b) Factorise completely. $8pq - 4q^2$	Answer(a)	[1]				
	(c) Simplify. $\frac{x^6}{x^3}$	Answer(b)	[2]				
		Answer(c)	[1]				
6	A train leaves Geneva at 09 10 and arrives in Verona at 14 10. The distance from Geneva to Verona is 390 km.						
	Calculate the average speed of the train in	n km/h.					
		Answer km/h	[3]				









The scatter diagram shows the correlation between the number of hot drinks sold and the temperature each day during a 12 day period.

(a) Use one word to describe the correlation.

Answer(a) [1]

- (b) The mean temperature was 22 °C and the mean number of hot drinks sold was 65.
 - (i) Plot the mean point on the scatter diagram above. [1]
 - (ii) Draw the line of best fit on the scatter diagram. [1]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.