

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

# 9835578859

#### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/31

Paper 3 (Core)

1 hour 45 minutes

May/June 2011

Candidates answer on the Question Paper

Additional Materials: Geometrical Instruments

**Graphics Calculator** 

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate.

Answers in degrees should be given to one decimal place.

For  $\pi$ , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 96.

For Examiner's Use

This document consists of 16 printed pages.



### Formula List

Area, $A$ , of triangle, base $b$ , height $h$ .	$A = \frac{1}{2}bh$
Area, $A$ , of triangle, base $b$ , height $h$ .	$A = \frac{1}{2}b$

Area, A, of circle, radius r. 
$$A = \pi r^2$$

Circumference, C, of circle, radius r. 
$$C = 2\pi r$$

Curved surface area, A, of cylinder of radius r, height h. 
$$A = 2\pi rh$$

Curved surface area, A, of cone of radius r, sloping edge l. 
$$A = \pi r l$$

Curved surface area, A, of sphere of radius r. 
$$A = 4\pi r^2$$

Volume, 
$$V$$
, of prism, cross-sectional area  $A$ , length  $I$ .  $V = AI$ 

Volume, 
$$V$$
, of pyramid, base area  $A$ , height  $h$ . 
$$V = \frac{1}{3}Ah$$

Volume, V, of cylinder of radius r, height h. 
$$V = \pi r^2 h$$

Volume, 
$$V$$
, of cone of radius  $r$ , height  $h$ . 
$$V = \frac{1}{3}\pi r^2 h$$

Volume, 
$$V$$
, of sphere of radius  $r$ . 
$$V = \frac{4}{3}\pi r^3$$


For
Examiner'
Use

Answer	all	the	questions.
--------	-----	-----	------------

Ali	and A	Amanda are in the same class at school.	
(a)	In a	test Ali's mark is 24 and Amanda's mark is 28.	
	(i)	Write down the ratio.	
		Ali's mark : Amanda's mark.	
		Give your answer in its simplest form.	
		Answer(a)(i) :	[1]
	(ii)	Calculate Amanda's mark as a percentage of Ali's mark.	
		Answer(a)(ii)	[2]
(b)	In a	nother test Ali's mark is again 24 but the ratio of the marks changes to	
		Ali's mark : Amanda's mark = 8:7.	
	Cal	culate Amanda's mark.	
		(manyam/h)	[2]
(c)	A Ii	Answer(b) and Amanda share \$35 in the ratio 3 : 4.	[2]
(c)		culate how much Ali receives.	
	Cal	cutate now much An receives.	
		Answer(c) \$	[2]

2	(a)	Simplify fully.  (i) $12x^4 \times 4x^3$	For Examiner's Use
		(i) $12x \times 4x$ Answer(a)(i)	
		(iii) $\frac{2x}{3y} \times \frac{6y}{t}$	
	(b)	$Answer(a)(iii) \qquad \qquad [2]$ Write $\frac{2c}{5} + \frac{d}{2}$ as a single fraction.	
		Answer(b)[2]	
3		ierry leaves Calais at 23 15. akes 1 h 55 min to reach Dover.	
	(a)	Write down the arrival time of the ferry at Dover.	
	(b)	Answer(a) [1]  The distance travelled is 43 km. Calculate the average speed of the journey, in km/h.	
	(c)	Answer(b) km/h [3]  In 2009 a ferry ticket cost €40.  The cost of the ferry ticket increased <b>each year</b> by 5%.  Calculate the cost of the ferry ticket in 2011.	
		$Answer(c) \in$ [3]	

For Examiner's Use



(a) Describe fully the **single** transformation that maps triangle W onto

(i)	triangle $G$ ,	
		[2]

(ii) triangle H.

(b) On the grid,


(i) draw the translation of triangle 
$$W$$
 by  $\begin{pmatrix} 1 \\ -3 \end{pmatrix}$ , [2]

(ii) draw the enlargement of triangle W, centre (0, 0), scale factor  $\frac{1}{2}$ . [2]

5	(a)	y = 3x - 8			
		(i) Find the value of y when $x = -5$ .			
			Answer(a)(i)		[1]
		(ii) Make x the subject of the equation			[-]
			Answer(a)(ii) x	=	[2]
	(b)	Solve the simultaneous equations. Show your method.			
		Show your method.	y = 2x - 7		
			y = 3 - 2x		
			y =		[3]

For Examiner's Use

For Examiner's Use



The cumulative frequency graph shows the distribution of test marks for 100 students.

Use the graph to find

(a) the median,

Answer(a) [1]


**(b)** the inter-quartile range,

 $Answer(b) \qquad [2]$ 

(c) the number of students with a mark of at least 20.

Answer(c) [2]

For Examiner's Use



The diagram shows a pyramid with a square horizontal base ABCD.

The diagonals of the base intersect at M.

The vertex, P, of the pyramid is vertically above M.


$$AB = BC = 10$$
 cm and  $PM = 12$  cm.

(a) Calculate the volume of the pyramid.

Answer(a)  $cm^3$  [2]

**(b)** 

For Examiner's Use



The diagram shows one of the faces of the pyramid, triangle PBC.

The distance from P to the midpoint of BC is 13 cm.

Calculate

(i) the area of triangle *PBC*,


 $Answer(b)(i) \qquad cm^2 \qquad [2]$ 

(ii) the total surface area of the pyramid.

Answer(b)(ii) cm<sup>2</sup> [2]

For Examiner's Use

8 32 students are asked how many coins they have. The results are shown in the pie chart.



(a) (i) Measure the angle which shows the number of students who have 4 of	(a)	(	a)	(i)	Measure the an	gle which	shows the	number of	f students v	who have 4	coin
--	-----	---	----	-----	----------------	-----------	-----------	-----------	--------------	------------	------

Answer(a)(i) [1]

(ii) Calculate the number of students who have 4 coins.

Answer(a)(ii) [1]

(iii) Calculate the number of students who have more than one coin.

Answer(a)(iii) [2]

**(b)** Complete the frequency table.

Number of coins	0	1	2	3	4	5
Number of students (frequency)			2	6		

[2]


(c) Find

(i) the mean, Answer(c)(i) [1]

(ii) the mode, Answer(c)(ii) [1]

(iii) the median. Answer(c)(iii) \_\_\_\_\_\_ [1]

For Examiner's Use



Q is 120 m from P, on a bearing of 140°.

(a) Find the bearing of P from Q.

1 ( )	Г17
Answer(a)	111
ins wer (a)	 [+]

**(b)** S is due south of P and due west of Q.

Calculate the distance SQ.

Answer(b) \_\_\_\_\_ m [3]

(c) (i) R is also 120 m from P and is due west of S.


Show R and the line PR on the diagram.

[1]

(ii) Find the bearing of R from P.

*Answer(c)*(ii) [1]

For Examiner's Use



The diagram shows three lines, line 1, line 2 and line 3.

Line 1 is parallel to the *y*-axis and passes through (3, 0).

Line 2 is parallel to the x-axis and passes through (0, 2).

Line 3 passes through (8, 0) and (0, 8).

- (a) Find the equation of
  - (i) line 1,

*Answer(a)*(i) [1]

(ii) line 2,

Answer(a)(ii) [1]


(iii) line 3.

Answer(a)(iii) \_\_\_\_\_[2]

(b)	The	lines intersect at the points $A$ , $B$ and	C as shown in the	e diagram.		
	(i)	Work out the co-ordinates of <i>B</i> .				
	(ii)	Work out the co-ordinates of the mid			,)	[2]
	(iii)	Calculate the length of $BC$ .	Answer(b)(ii) (		,)	[1]
			Answer(b)(iii)			[3]

For Examiner's Use

For Examiner's Use



AB is a diameter of a circle, centre O. T is a point on the circle and angle  $TAB = 40^{\circ}$ . UTV is a tangent to the circle at T.

(	(a)	Complete	the fol	lowing	statements.
١,		Complex		iio w iii s	State III CIIts.

(i)	Angle $ATB =$	, because	[]	1	
` '	$\mathcal{C}$	***************************************	 -		-

(ii) Angle 
$$OTV =$$
\_\_\_\_\_\_, because [1]

- **(b)** Find the size of
  - (i) angle ATO,

(ii) angle TOB,

(iii) angle UTB.


- (c) AB and UV are extended to meet at X.
  - (i) Show this on the diagram.

[1]

(ii) Calculate the size of angle TXO.

*Answer(c)*(ii) [1]

For Examiner's Use



(a) On the axes, sketch the graph of

(i) 
$$y = x^2 - 2$$
 for  $-2 \le x \le 2$ , [2]

(ii) 
$$y = 2^x$$
 for  $-2 \le x \le 2$ . [2]

**(b)** Write down the zeros of  $y = x^2 - 2$ .


(c) Solve the equation  $2^x = x^2 - 2$  for  $-2 \le x \le 2$ .

$$Answer(c) x =$$
 [1]

(d) For the domain  $-2 \le x \le 2$ , write down the range of the function  $2^x$ .

$$Answer(d) \qquad [2]$$






A bag contains 7 white beads and 4 black beads.

Two beads are taken out of the bag at random (without replacement).

(a) Complete the tree diagram by putting the probabilities in the spaces.



[2]

- **(b)** Calculate the probability that
  - (i) both beads are white,

Answer(b)(i) [2]

(ii) exactly one bead is white.

Answer(b)(ii) [3]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.