

# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME			
	CENTRE NUMBER		CANDIDATE NUMBER	
* 4 6 8 6 2	CAMBRIDGE II Paper 2 (Extend	May/June	607/23 e 2013 inutes	
4 6 8 0 3	Candidates ans	wer on the Question Paper.		

# READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

## CALCULATORS MUST NOT BE USED IN THIS PAPER.

All answers should be given in their simplest form.

You must show all the relevant working to gain full marks and you will be given marks for correct methods even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.


The total number of marks for this paper is 40.





[Turn over

#### **Formula List**

For the equation	$ax^2 + bx + c = 0$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Curved surface area, A, of cyli	nder of radius <i>r</i> , height <i>h</i> .	$A = 2\pi rh$
Curved surface area, A, of cond	e of radius <i>r</i> , sloping edge <i>l</i> .	$A = \pi r l$
Curved surface area, A, of sphe	ere of radius r.	$A = 4\pi r^2$
Volume, <i>V</i> , of pyramid, base a	rea A, height h.	$V=\frac{1}{3}Ah$
Volume, $V$ , of cylinder of radiu	us $r$ , height $h$ .	$V = \pi r^2 h$
Volume, $V$ , of cone of radius $r$	, height <i>h</i> .	$V = \frac{1}{3}\pi r^2 h$
Volume, <i>V</i> , of sphere of radius	r.	$V = \frac{4}{3}\pi r^3$
A		$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
		$a^2 = b^2 + c^2 - 2bc \cos A$
		Area = $\frac{1}{2}bc\sin A$
$B \frac{l}{a}$	$\longrightarrow_{C}$	









The diagram shows the graph of y = f(x) for  $-4 \le x \le 3$ . 5


5



8 The points A(1, 9) and B(7, 1) are shown on the diagram below.



(a) Calculate the length *AB*.



Answer(b)(ii) [3]

### Questions 9 and 10 are printed on the next page.

For Examiner's Use 9 Wendy walks 9 km in  $1\frac{1}{2}$  hours. She then runs 9 km in 45 minutes.

Find her average speed in km/h for the whole journey.

Answer km/h [3]

#### **10** Paulo goes to a supermarket.

The probability that he buys orange juice is 0.65. The probability that he does not buy milk is 0.30. The probability that he buys milk but does not buy orange juice is 0.15.

(a) Complete the table of probabilities.

	Buys milk	Does not buy milk	Total
Buys orange juice			0.65
Does not buy orange juice	0.15		
Total		0.30	1.00

(b) Find the probability that Paulo buys either orange juice or milk but not both.

Answer(b)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

For Examiner's Use

[2]

[2]