

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER	CANDIE	
* 🚃			
л Л	CAMBRIDGE INTER	NATIONAL MATHEMATICS	0607/33
9	Paper 3 (Core)		Mav/June 2013
0 2	Paper 3 (Core)		May/June 2013
0 2 6	Paper 3 (Core)		May/June 2013 1 hour 45 minutes
•	,	n the Question Paper.	•

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO NOT WRITE IN ANY BARCODES.

Answer all the questions.

Unless instructed otherwise, give your answers exactly or correct to three significant figures as appropriate. Answers in degrees should be given to one decimal place.

For π , use your calculator value.

You must show all the relevant working to gain full marks and you will be given marks for correct methods, including sketches, even if your answer is incorrect.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 96.




[Turn over

Formula List

2

Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A, of circle, radius r.	$A = \pi r^2$
Circumference, C, of circle, radius r.	$C = 2\pi r$
Curved surface area, A , of cylinder of radius r , height h .	$A = 2\pi rh$
Curved surface area, A , of cone of radius r , sloping edge l .	$A = \pi r l$
Curved surface area, A , of sphere of radius r .	$A=4\pi r^2$
Volume, V , of prism, cross-sectional area A , length l .	V=Al
Volume, V , of pyramid, base area A , height h .	$V = \frac{1}{3}Ah$
Volume, V , of cylinder of radius r , height h .	$V = \pi r^2 h$
Volume, V , of cone of radius r , height h .	$V = \frac{1}{3}\pi r^2 h$
Volume, V , of sphere of radius r .	$V = \frac{4}{3}\pi r^3$

Answer all the questions.	For
on orders salmon fillet at \$15.00. a orders vegetarian pasta at \$10.60.	Examiner's Use
Calculate the total cost of the three meals.	
Answer(a) \$ [1] The service charge is 10% of the total cost of the three meals. Calculate the service charge.	
<i>Answer(b)</i> \$ [2] Find the total cost including the service charge.	
Answer(c) \$ [1] The three friends agree to divide the total cost equally. Calculate how much Leon pays.	
Answer(d) \$	
Answer(e) \$[1]	
Le Jin Ca (a) (b) (c) (d)	Three friends go out for a meal. Leon orders salmon fillet at \$15.00. Jin orders vegetarian pasta at \$10.60. Callum orders the chef's speciality at \$17.00. (a) Calculate the total cost of the three meals. <i>Answer(a)</i> \$



18	19	26	36	18	25	31	43	13	36	18	23	
20	20	34	32	41	33	19	17	21	25	40		
										70		
a) Complete the	ordere	d sten	n and I	eaf dia	igram	to shov	v this i	ntorma	ation.			
						1						
												-
						2						-
						3						_
						4						
												-
]	Key			=				[3]
b) For the times	ziven i	n part	(a) w	ork ou	t							_
		- P			•							
(i) the range	,											
					Ans	wer(b)	(i)					[1]
(ii) the media	ın,											
					Ans	wer(h)	(ii)					[1]
(:::) the leave	anoutil				11105	<i>wer</i> (<i>b</i>)	(11) 11					[1]
(iii) the lower	quarti	ις,										
					Ans	wer(b)	(iii)					[1]
(iv) the upper	quarti	le.										
					,		<i>/•</i> ``					
					Ans	wer(h)	(1V)					[1]


5 Ten children were each given a burger to eat.

The table shows the number of hours since their last meal and the time, in seconds, taken to eat their burger.

Time since last meal, <i>x</i> hours	1.5	1.9	2.3	3.0	3.2	3.5	3.8	4.1	4.7	5.2
Time to eat burger, <i>y</i> seconds	90	86	70	72	63	55	60	45	38	25

(a) Complete the scatter diagram.

The first six points have been plotted for you.



(b) Describe the type of correlation.

Answer(b) [1]


For

Examiner's Use


(c) (i) Find the mean number of hours since the children's last meal.			For Examiner's Use
<i>Answer(c)</i>(i)(ii) Find the mean number of seconds taken to eat a burger.	hours	[1]	
(manuar(a)(ii)	sacanda	[1]	
Answer(c)(ii)	seconds	[1]	
(iii) On the diagram, plot the mean point.		[1]	
(d) On the diagram, draw the line of best fit by eye.		[2]	
(e) Jordi's last meal was 4.5 hours ago.			
Use your line of best fit to estimate the time taken for Jordi to eat a burger.			
Augure (a)	da	[1]	


7

Answer(e) seconds [1]



9





0607/33/M/J/13

© UCLES 2013

11

Answer(c)(iii) _____ [1] Answer(d) [2]


- 10 $U = \{c, a, m, b, r, i, d, g, e\}$ $S = \{m, a, g, i, c\}$ $T = \{b, r, i, d, g, e\}$
 - (a) Write down the letters in the set $S \cap T$.

U


Answer(a) [1] For


Examiner's Use

(b) Complete the Venn diagram.




11		iz competes in a three-part race. runs 10 km, cycles 20 km and rollerblades 10 km.	For Examiner's Use
	(a)	Faaiz takes 40 minutes to run the 10 km. Find his average speed in kilometres per hour.	
	(b)	Answer(a) km/h [2] He cycles at 25 km/h. Find the time, in minutes, he takes to cycle 20 km.	
	(c)	Answer(b) minutes [2] He takes 32 minutes to rollerblade 10 km. Find his average speed, in km/h, for the whole race .	
		<i>Answer(c)</i> km/h [3]	





Question 14 is printed on the next page.



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.