



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

#### **CAMBRIDGE INTERNATIONAL MATHEMATICS**

0607/05

Paper 5 (Core) May/June 2013

1 hour

Candidates answer on the Question Paper.

Additional Materials: **Graphics Calculator** 

#### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

You may use a pencil for any diagrams or graphs.

DO **NOT** WRITE IN ANY BARCODES.

Answer all the questions.

You must show all relevant working to gain full marks for correct methods, including sketches.

In this paper you will also be assessed on your ability to provide full reasons and communicate your mathematics clearly and precisely.

At the end of the examination, fasten all your work securely together.

The total number of marks for this paper is 24.

This document consists of 5 printed pages and 3 blank pages.



### Answer all the questions.

### INVESTIGATION

#### **DIAGONALS OF RECTANGLES**

Examiner's Use


Rectangles are drawn on a grid.

The sides of each rectangle lie on gridlines and the length is greater than or equal to the width.


This investigation looks for a method for calculating the number of small squares through which a diagonal passes.

Example

The diagram shows a rectangle with length 5 and width 3. Its diagonal passes through 7 small squares.



1



(a) Complete the table for the rectangles A to I.

For
Examiner's
Use

Rectangle	Length (x)	Width (y)	Number of squares passed through (S)
Example	5	3	7
A			
В			
C			
D			
E			
F			
G			
Н	9	4	12
I			

<b>(b)</b>	Write down	an equation	connecting $x +$	y and $S$
------------	------------	-------------	------------------	-----------


(c)	Use this	equation	to fi	ind x	and y	for	the	three	rectangles	where	the	diagonal	passes	through
	6 squares	S.												

$$x =$$
  $y =$ 

$$x =$$
  $y =$ 

$$x =$$
  $y =$ 

2 When x and y do not have a common factor, the x by y rectangle is called a basic rectangle.


For Examiner's Use

In **question 1**, *x* and *y* did not have a common factor. In this question *x* and *y* do have a common factor.

#### Example

The diagram below shows a large rectangle with x = 10 and y = 6. x and y have a common factor of 2.

The basic 5 by 3 rectangle has a diagonal passing through 7 squares. So the 10 by 6 rectangle has a diagonal passing through  $2 \times 7 = 14$  squares.



Complete the following table.

Length (x)	Width (y)	Common factor	Dimensions of the basic rectangle	Calculation to find S
10	6	2	5 by 3	$2 \times 7 = 14$
6	2			=
8	6			=
25	15			=
13	13			=

3	A rectangle has an area of 18 squares.
	Use <b>question 1</b> and <b>question 2</b> to find the minimum and maximum values of <i>S</i> .
	minimum =
	maximum =
4	The diagonal of a rectangle passes through 4 squares.
	Use question 1 and question 2 to find the length and the width of each possible rectangle.

© UCLES 2013 0607/05/M/J/13

For Examiner's Use

# **BLANK PAGE**

# **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.