

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME	
CENTRE CANDIDAT NUMBER NUMBER	E
CAMBRIDGE INTERNATIONAL MATHEMATICS	0607/03
Paper 3 (Core)	r Examination from 2010
SPECIMEN PAPER	
	1 hour 45 minutes
Candidates answer on the Question Paper	
Additional Materials: Graphics Calculator Geometrical Instruments	
READ THESE INSTRUCTIONS FIRST	
Write in dark blue or black pen. Do not use staples, paper clips, highlighters, glue or correction fluid. You may use a pencil for any diagrams or graphs. Answer all the questions. Unless instructed otherwise, give your answers exactly or to three significant figure	s as appropriate.
Answers in degrees should be given to one decimal place. For π , use your calculator value.	
You must show all relevant working to gain full marks and you will be given marks	or correct methods even if
your answer is incorrect. The number of marks is given in brackets [] at the end of each question or part question of the marks for this paper is 96.	uestion.
	For Examiner's Use

This document consists of 15 printed pages and 1 blank page.



Formula List

Area, A , of triangle, base b , height h .	$A = \frac{1}{2}bh$
Area, A , of triangle, base b , height h .	$A=\frac{1}{2}$

Area, A, of circle, radius r.
$$A = \pi r^2$$

Circumference, C, of circle, radius r.
$$C = 2\pi r$$

Curved surface area, A, of cylinder of radius r, height h.
$$A = 2\pi rh$$

Curved surface area, A, of cone of radius r, sloping edge l.
$$A = \pi r l$$

Curved surface area, A, of sphere of radius r.
$$A = 4\pi r^2$$

Volume,
$$V$$
, of prism, cross-sectional area A , length l . $V = Al$


Volume,
$$V$$
, of pyramid, base area A , height h .
$$V = \frac{1}{3}Ah$$

Volume, V, of cylinder of radius r, height h.
$$V = \pi r^2 h$$

Volume,
$$V$$
, of cone of radius r , height h .
$$V = \frac{1}{3} \pi r^2 h$$

Volume,
$$V$$
, of sphere of radius r .
$$V = \frac{4}{3}\pi r^3$$

1



(a) Describe fully the **single** transformation, which maps triangle P onto triangle Q.


1	[2]
Answeriai	1.51
11.15 6. (6.)	L I

- **(b)** Draw the image of triangle P after the translation $\begin{pmatrix} 1 \\ -5 \end{pmatrix}$. [2]
- (c) Draw the image of triangle P after reflection in the y-axis. [2]

Lou	is and Chris go to the cinema.	
(a)	They go from home to the cinema by bus. The bus departs at 16 47 and takes 25 minutes to reach the cinema. Write down the time the bus arrives at the cinema.	
	Answer(a)[1]
(b)	The adult bus fare is \$1.20.	
	(i) Louis pays this fare but Chris pays 60% of the adult fare. Calculate how much Chris pays.	
	Answer(b)(i) \$ [2	2]
	(ii) Write down, in its simplest form, the ratio	
	Louis's fare : Chris's fare.	
	Answer(b)(ii) : [2	2]
(c)	The cinema tickets usually cost \$3.00 each. Louis and Chris pay \$2.55 each. Calculate the reduction as a percentage of the usual cost.	
	Answer(c) % [2	2]
(d)	After the cinema, Louis and Chris go to a café. They spend money in the ratio Louis: Chris = 6:7. Chris spends \$2.10. Calculate how much Louis spends.	
	Answer(d) \$[2	2]

2

For Examiner's Use 3 (a)



Examiner's Use


In triangle ABC, BC = 12 cm and angle $ACB = 28^{\circ}$. Calculate

(i) the length of AB,

Answer(a)(i)	 cm	[2]	١

(ii) the area of triangle ABC.





Triangle ABC in **part (a)** is the cross-section of the triangular prism shown in the diagram. The length of the prism is 30 cm. Calculate

(i) the volume of the prism,

Answer(b)(i)	cm ³	[2]
--------------	-----------------	-----


(ii) the length of AC,

(iii) the total surface area of the prism.

	cm^2	[3]
•		cm ²

4 (a) On the grid provided, sketch the graph of $y = x^2 - \frac{1}{x}$ for $-3 \le x \le 3$, $x \ne 0$.

For Examiner's Use



[4]

(b) Write down the co-ordinates of the point where the graph crosses the x-axis.

Answer(b) (______ , ____) [1]

(c) Find the co-ordinates of the minimum point.

(d) Write down the equation of the asymptote of the graph.

Answer(d) [1]


(e) On the same grid, sketch the graph of $y = 4 - x^2$ for $-3 \le x \le 3$. [2]

(f)	Write down the co-ordinates of	of one of the points	of intersection of the tv	vo graphs.
------------	--------------------------------	----------------------	---------------------------	------------

For Examiner's Use

(g) Solve the equation
$$x^2 - \frac{1}{x} = 4 - x^2$$
.

Examiner's Use




The diagram shows a spinner, which gives scores of l, l, 2, 3 and 4. The spinner is equally likely to stop on any of the five numbers.

(a)	Wri	te down the probability that the score is 1.	
		Answer(a)	[1]
(b)	The	spinner is spun twice.	
	(i)	Calculate the probability that the score is 1 both times.	
	(ii)	Answer(b)(i)	[2]
	Ans	wer (b)(ii)	
	(iii)	Calculate the probability that the total score is 3.	[2]
		Answer(b)(iii)	[2]

(c)		ne spinner 10 times a	and his scores are				For Examiner's
	1, 1, 4, 2, 1, 1,	, 2, 1, 3, 3.					Use
	Find						
	(i) the mean,	,					
			An	uswer(c)(i)	 	[1]	
	(ii) the mode	,					
			An	swer(c)(ii)	 	[1]	
	(iii) the media	an					
•	(m) the mean	****					
			Ans	w <i>er(c)</i> (iii)		[1]	
			11115	<i>wer</i> (<i>e</i>)(III)	 	[+]	
(d)	Each student i	n David's class spir	ns the spinner 10 tin	nes.			
. ,	The results of	the class are shown	in the table.				
	Score	1	2	3	4]	
	Frequency	107	40	56	17		
	Find						
	(i) the mean,						
	()	,					
			An	swer(d)(i)		[1]	
	(*) d 1						
	(ii) the mode	,					
			4	(1)(:·)		F13	
			Ans	swer(d)(11)	 	[1]	
((iii) the media	an,					
			Ans	wer(d)(iii)	 	[1]	
((iv) the upper	quartile,					
			Ans	wer(d)(iv)	 	[1]	
	(v) the range			•	 		
	(1) the range						
			A	$\operatorname{con}(d)(x)$		[1]	
			Ans	> VV E1 (U)(V)	 	[1]	I

6

For Examiner's Use



A, B, C, D and E are points on a circle, centre O. ABCDE is a regular pentagon.


(a)	Cal	culate		
	(i)	angle BCD,		
			Answer(a)(i)	 [2]
	(ii)	angle AEB,		
			Answer(a)(ii)	 [1]
	(iii)	angle BED,		
			Answer(a)(iii)	 [1]
	(iv)	angle AOB.		
			Answer(a)(iv)	 [1]
(b)		gents are drawn at A and culate angle ATB .	B and they meet at T.	
			Answer(b)	 [2]
(c)	Cal	culate angle <i>OBE</i> .		
			Answer(c)	[2]

7	On	1 January 2004, Helena bought a car for \$25 000.	For Examiner's				
	At t	At the end of each year, the value of the car is 10% less than its value at the start of that year.					
	(a)	Calculate the value of the car on 1 January 2007.					
		<i>Answer(a)</i> \$ [3]					
	(b)	Calculate the total decrease in value, by 1 January 2007, as a percentage of the \$25 000.					
		$Answer(b) \qquad [3]$					
	(c)	Calculate the number of whole years it takes for the value of the car to go down from \$25 000 to below \$12 000.					
		Answer(c) [2]					

8 The monthly temperature and rainfall of a city are given in the table.

For
Examiner'
Use
l

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Temperature(°C)	8	7	9	11	15	20	23	23	21	16	12	9
Rainfall (mm)	45	50	40	40	32	15	18	21	15	25	32	41



- (a) On the grid, draw an accurate scatter diagram. [3]
- (b) The mean of the 12 monthly temperatures is 14.5 °C.

 The mean of the 12 monthly rainfalls is 31.2 mm.


 Plot the point on the grid to show this information.

 [1]
- (c) Draw a line of best fit on your scatter diagram. [2]
- (d) In the following year, the June temperature is 18 °C. Use your graph to find the expected June rainfall in the following year.

Answer(d) mm [1]

9	The area, A , of the curved surface of a cylinder of radius r and height h is given by the formula								
		$A=2\pi rh.$	Examiner's Use						
	(a)	Calculate the curved surface area of a cylinder of radius 4.7 cm and height 11.4 cm.							
		Answer(a) cm^2 [2]							
	(b)	Make h the subject of the formula $A = 2\pi rh$.							
		Answer(b) h = [2]							
	(c)	Calculate the height of a cylinder that has a radius of $2.7~\mathrm{cm}$ and a curved surface area of $90.3~\mathrm{cm}^2$.							
		Answer(c) cm [2]							

10 (a) Sketch the graph of $y = x + \frac{1}{x}$ for $-4 \le x \le 4$, $x \ne 0$.



[2]

(b) The straight lines y = mx, where m is any real number, all go through the same point. Write down the co-ordinates of this point.

Answer(b) [1]

(c) Find any value of m so that the graphs of $y = x + \frac{1}{x}$ and y = mx intersect.

Answer(c) [1]

(d) Find any value of m so that the graphs of $y = x + \frac{1}{x}$ and y = mx do not intersect.

Answer(d) [1]

•	<u>~</u>	Com	nlata	tha	statement,	hv	filling	in	the	cnaca
(e.	, Com	piete	uie	statement,	υy	пппп	Ш	uie	space.

For Examiner's Use

Answer(e) The graphs
$$y = x + \frac{1}{x}$$
 and $y = mx$ intersect if $m > \frac{1}{x}$

(f) On the graph of $y = x + \frac{1}{x}$, A is the point where x = -2 and B is the point where x = 2.

AB is the diagonal of a rectangle APBQ in which the side AP is parallel to the x-axis.

(i) Draw the rectangle on your sketch.

[1]

(ii) Calculate the area of the rectangle APBQ.

Answer(f)(ii) [2]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.