

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER		CANDIDATE NUMBER
* 3 2	MATHEMATICS		0581/22
9 6	Paper 2 (Extended	(৮	October/November 2010
8			1 hour 30 minutes
_	Candidates answe	er on the Question Paper.	
1 3 5 *	Additional Material	ls: Electronic calculator Mathematical tables (optional)	Geometrical instruments Tracing paper (optional)

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use a pencil for any diagrams or graphs.Do not use staples, paper clips, highlighters, glue or correction fluid.DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142.


At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 70.

This document consists of 12 printed pages.



[Turn over

1				
	For the diagram, write down			
	(a) the order of rotational symmetry,			
	$Answer(a) \qquad [1]$			
	(b) the number of lines of symmetry.			
	Answer(b) [1]			
	<i>Answer</i> [2]			
	[~]			
3	Rearrange the formula $J = mv - mu$ to make <i>m</i> the subject.			
	Answer m = [2]			



7 $\overrightarrow{AB} = \mathbf{a} + t\mathbf{b}$ and $\overrightarrow{CD} = \mathbf{a} + (3t - 5)\mathbf{b}$ where t is a number.

Find the value of t when $\overrightarrow{AB} = \overrightarrow{CD}$.

Answer t = [2]

8 Show that $\frac{7}{27} + 1\frac{7}{9} = 2\frac{1}{27}$.

Write down all the steps in your working.

Answer

[2]


For Examiner's Use

9 When a car wheel turns once, the car travels 120 cm, correct to the nearest centimetre.

Calculate the lower and upper bounds for the distance travelled by the car when the wheel turns 20 times.

Answer lower bound _____ cm

upper bound cm [2]



NOT TO SCALE

The pentagon has three angles which are each 140°. The other two interior angles are equal. Calculate the size of one of these angles.

Answer [3]

11 The resistance, R, of an object being towed through the water varies directly as the square of the speed, v.

R = 50 when v = 10.

Find *R* when v = 16.

Answer R = [3]

12 Write as a single fraction, in its simplest form.

$$\frac{3}{x+2} - \frac{2}{x-1}$$


Answer

[3]

For

Examiner's


Use



Draw, accurately, the locus of all the points outside the triangle which are 3 centimetres away from the triangle. [3]

For

Use



The air fare from Singapore to Stockholm can be paid for in Singapore dollars (S\$) or Malaysian

15

0581/22/O/N/10


[Turn over www.theallpapers.com

For


Use

18

$$A = \begin{pmatrix} 2 & 4 \\ 5 & 3 \end{pmatrix} \qquad B = \begin{pmatrix} 3 & -4 \\ -5 & 2 \end{pmatrix}$$
(a) Work out AB.
(b) Find | B |, the determinant of B.
(c) I is the (2 × 2) identity matrix.
Find the matrix C, where C = A - 71.
(c) I is the (2 × 2) identity matrix.
Find the matrix C = A - 71.
(c) I is the (2 × 2) identity matrix.
Find the matrix C = A - 71.
(c) I is the (2 × 2) identity matrix.
Find the matrix C = A - 71.
(c) I is the (2 × 2) identity matrix.
Find the matrix C = A - 71.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) identity matrix.
(c) I is the (2 × 2) id



0581/22/O/N/10



(a) Draw the lines y = 2, x + y = 6 and y = 2x on the grid above.

(b) Label the region R which satisfies the three inequalities

$x + y \ge 6$,	$y \ge 2$	and	$y \leq 2x.$	[1]
-----------------	-----------	-----	--------------	-----


For

Examiner's Use

[4]

21 An animal starts from rest and accelerates to its top speed in 7 seconds. It continues at this speed for 9 seconds and then slows to a stop in a further 4 seconds.

The graph shows this information.



Question 22 is printed on the next page.

0581/22/O/N/10

For Examiner's Use

22	(a)	The line $y = 2x + 7$ meets the <i>y</i> -axis at <i>A</i> .					
		Write down the co-ordinates of <i>A</i> .	Examiner's Use				
		Answer(a) A = (,) [1]					
(b)		A line parallel to $y = 2x + 7$ passes through $B(0, 3)$.					
		(i) Find the equation of this line.					
		$Answer(b)(i) \qquad [2]$					
		(ii) C is the point on the line $y = 2x + 1$ where $x = 2$.					
		Find the co-ordinates of the midpoint of <i>BC</i> .					
		<i>Answer(b)</i> (ii) (,) [3]					

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.